

American Heart Journal

The international publication for the study of the heart and circulation

Editor in Chief: DEAN T. MASON, M.D. *San Francisco, Calif.*

Managing Editor: LESLIE J. SILVERNAIL *San Francisco, Calif.*

Senior Manuscript Editor: PETER MALIK *St. Louis, Mo.*

Editorial Board

Hugh D. Allen, M.D., *Tucson*
W. Gerald Austen, M.D., *Boston*
Najam A. Awan, M.D., *Sacramento*
Stanley Beder, M.D., *Cleveland*
Daniel S. Berman, M.D., *Los Angeles*
J. Thomas Bigger, M.D., *New York*
William J. Bommer, M.D., *Davis*
Lawrence I. Bonchek, M.D., *Lancaster*
Lawrence S. Cohen, M.D., *New Haven*
Lawrence H. Cohn, M.D., *Boston*
John J. Collins, Jr., M.D., *Boston*
C. Richard Conti, M.D., *Gainesville*
Anthony N. DeMaria, M.D., *Lexington*
Mary Allen Engle, M.D., *New York*
Harvey Feigenbaum, M.D., *Indianapolis*
Victor F. Froelicher, M.D., *Long Beach*
Paul C. Gillette, M.D., *Charleston*
John F. Goodwin, M.D., *London*
Antonio M. Gotto, Jr., M.D., *Houston*
Richard J. Gray, M.D., *Los Angeles*
Rolf M. Gunnar, M.D., *Maywood*
W. Proctor Harvey, M.D., *Washington, D.C.*
Richard H. Helfant, M.D., *Philadelphia*
Walter L. Henry, M.D., *Irvine*
J. O'Neal Humphries, M.D., *Columbia*
J. Willis Hurst, M.D., *Atlanta*
Abdulmassih S. Iskandrian, M.D., *Philadelphia*
Mark E. Josephson, M.D., *Philadelphia*
William B. Kannel, M.D., *Framingham*

Norman M. Kaplan, M.D., *Dallas*
Samuel Kaplan, M.D., *Cincinnati*
Joseph A. Kisslo, M.D., *Durham*
Atul R. Laddu, M.D., *McGaw Park*
Garrett Lee, M.D., *San Francisco*
Michael Lesch, M.D., *Chicago*
Robert I. Levy, M.D., *New York*
Floyd D. Loop, M.D., *Cleveland*
Reginald I. Low, M.D., *Sacramento*
Dan G. McNamara, M.D., *Houston*
Richard R. Miller, M.D., *Santa Rosa*
Robert A. O'Rourke, M.D., *San Antonio*
Joseph K. Perloff, M.D., *Los Angeles*
Bertram Pitt, M.D., *Ann Arbor*
Charles E. Rackley, M.D., *Washington, D.C.*
Robert L. Reis, M.D., *Miami*
Thomas A. Riemenschneider, M.D., *Cleveland*
William C. Roberts, M.D., *Bethesda*
David J. Sahn, M.D., *San Diego*
Robert C. Schlant, M.D., *Atlanta*
Pravin M. Shah, M.D., *Los Angeles*
Bramah N. Singh, M.D., *Los Angeles*
Walter Sommerville, M.D., *London*
James T. Willerson, M.D., *Dallas*
David O. Williams, M.D., *Providence*
Roger A. Winkle, M.D., *Stanford*
Richard M. Zakheim, M.D., *Miami*
Robert F. Zelis, M.D., *Hershey*
Douglas P. Zipes, M.D., *Indianapolis*

VOLUME 112
JULY-DECEMBER 1986

VOLUME 112

COPYRIGHT© 1986 BY

THE C.V. MOSBY COMPANY

All rights reserved

Printed in the United States of America

Author index*

- A**
- Aarsland T (see Dickstein et al). 1986; 112:121-9
 Abate D (see Brodsky et al). 1986; 112:1166-72
 Abbate R (see Neri Serneri et al). 1986; 112:472-8
 Abe I (see Muratani et al). 1986; 112:361-7
 Abe S (see Kojima et al). 1986; 112:1011-6
 Abrahams C (see D'Cruz et al). 1986; 112:1100-2 (Brief comm.)
 Abrahamsen AM (see Dickstein et al). 1986; 112:121-9
 Abrams GD (see Jolly et al). 1986; 112:682-90
 Achimastos A (see Toto-Moukouo et al). 1986; 112:136-40
 Adams FH (see Moller and Adams). 1986; 112:599-604 (Special report)
 Adgey AAJ (see Dunn et al). 1986; 112:745-51
 Adinolfi L (see Perticone et al). 1986; 112:847-9 (Brief comm.)
 Adomian GE, Beazell J: Myofibrillar disarray produced in normal hearts by chronic electrical pacing. 1986; 112:79-83
 Agabiti-Rosei E (see Muesan et al). 1986; 112:233-8 (Symposium)
 Agarwal JB (see Akaishi et al). 1986; 112:1226-31
 Agmon J (see Sclarovsky et al). 1986; 112:459-62
 — (see Sclarovsky et al). 1986; 112:463-7
 Ahnve S (see Sebrechts et al). 1986; 112:1217-26
 Ajsaka R (see Sugishita et al). 1986; 112:728-38
 Akaishi M, Weintraub WS, Mercier RJ, Agarwal JB, Schneider RM, Helfant RH: The significance of underlying coronary stenosis for recovery of myocardial function after transient ischemia in the dog. 1986; 112:1226-31
 Akisada M (see Sugishita et al). 1986; 112:728-38
 Albright E (see Reed et al). 1986; 112:84-8
 Alcasena S (see Coma-Canella et al). 1986; 112:940-6
 Ali Khan MA, Al Yousef S, Mullins CE: Percutaneous transluminal balloon pulmonary valvuloplasty for the relief of pulmonary valve stenosis with special reference to double-balloon technique. 1986; 112:158-66 (Prog. cardi.)
 Allen BJ (see Brodsky et al). 1986; 112:1166-72
 Allen HD (see Marx et al). 1986; 112:172-3 (Brief comm.)
 Alpert JS (see Gold et al). 1986; 112:9-13
 Alpert MA (see Atay et al). 1986; 112:169-72 (Brief comm.)
 Amann FW, Kiowski W, Pfisterer M, Burckhardt D: Fibrinolytic treatment in thrombotic obstruction of a tilting disc prosthesis. 1986; 112:1084-7 (Brief comm.)
 Ameison O (see Kligfield et al). 1986; 112:589-98 (Prog. cardi.)
 Amikam S (see Pannizzo et al). 1986; 112:780-6
 Amor B (see Nitenberg et al). 1986; 112:309-15
 Anan T (see Suyama et al). 1986; 112:44-51
 Anastasiou-Nana MI, Anderson JL, Carlquist JF, Nanas JN: HLA-DR typing and lymphocyte subset evaluation in rheumatic heart disease: a search for immune response factors. 1986; 112:992-7
 Anderson JL (see Anastasiou-Nana et al). 1986; 112:992-7
 Antonini C Sr (see Bashour et al). 1986; 112:176-8 (Brief comm.)
 Araki H (see Hayata et al). 1986; 112:1245-50
 — (see Suyama et al). 1986; 112:44-51
 Arditti A (see Sclarovsky et al). 1986; 112:459-62
 — (see Sclarovsky et al). 1986; 112:463-7
 Aretz T (see Palacios et al). 1986; 112:1032-9
 Armstrong WF, Buck JD, Hoffman R, Waller BF: Cardiac involvement by lymphoma: detection and follow-up by two-dimensional echocardiography. 1986; 112:627-31 (Brief comm.)
 Ascoop CAPL (see Visser et al). 1986; 112:963-72
 Ashburn WL (see Sebrechts et al). 1986; 112:1217-26
 Asinger RW (see Saner et al). 1986; 112:977-84
 Asmar RG (see Toto-Moukouo et al). 1986; 112:136-40
 Astrup G (see Schultz et al). 1986; 112:609 (Brief comm.)
 Atallah G (see Touboul et al). 1986; 112:333-9
 Atay AE, Alpert MA, Bertuso JR, Lawson DL: Right sinus of Valsalva aneurysm presenting as an echocardiographic right atrial mass. 1986; 112:169-72 (Brief comm.)
 — (see Schondelmeyer et al). 1986; 112:859-61 (Brief comm.)
 Atkins JM: Some issues concerning transdermal nitroglycerin patches. 1986; 112:229-32 (Symposium)

- Aust CH (see Menke et al). 1986; 112:1319-20 (Brief comm.)
 Awata N (see Takihara et al). 1986; 112:1278-84
 Aymard MF (see Touboul et al). 1986; 112:333-9
 Azuma J (see Takihara et al). 1986; 112:1278-84
- B**
- Bach DS (see Buda et al). 1986; 112:1291-6 (Curriculum cardi.)
 Bacos J (see Lee et al). 1986; 112:1323-5 (Brief comm.)
 Baddour LM, Bisno AL: Mitral valve prolapse: multifactorial etiologies and variable prognosis. 1986; 112:1359-62 (Editorial)
 Baerman JM (see Morady et al). 1986; 112:615-8 (Brief comm.)
 Bagwell P (see Pannizzo et al). 1986; 112:780-6
 Bahler RC (see Finkelhor et al). 1986; 112:296-304
 — (see Mehta et al). 1986; 112:1257-63
 Bailey JC (see Markel et al). 1986; 112:184-6 (Brief comm.)
 Balfe JA (see Pelech et al). 1986; 112:1263-70
 Balfe JW (see Pelech et al). 1986; 112:1263-70
 Balla S (see Shenoy et al). 1986; 112:1339-42 (Brief comm.)
 Ballantyne D (see Northcote et al). 1986; 112:339-44
 Baltazar RF (see Huang et al). 1986; 112:841-3 (Brief comm.)
 Bansal AM, Kugler JD, Pinsky WW, Norberg WJ, Frank WE: Torsade de pointes: successful acute control by lidocaine and chronic control by tocainide in two patients—one each with acquired long QT and the congenital long QT syndrome. 1986; 112:618-21 (Brief comm.)
 Bar F (see van der Laarse et al). 1986; 112:672-81
 Bardy GH (see Poole et al). 1986; 112:322-6
 Barkve TF, Langseth-Manrique K, Bredesen JE, Gjesdal K: Increased uptake of transdermal glyceryl trinitrate during physical exercise and during high ambient temperature. 1986; 112:537-41
 Baron D (see Brodsky et al). 1986; 112:1166-72
 Barzilai B, Eisen HJ, Saffitz JE, Perez JE: Detection of thrombotic obstruction of a Björk-Shiley prosthesis by Doppler echocardiography. 1986; 112:1088-90 (Brief comm.)
 Bashour TT: Of myocardial life, hibernation, and death. 1986; 112:427-8 (Editorial)
 —, Antonini C Sr, Taylor D: Cardiac rupture before completed myocardial infarction. 1986; 112:176-8 (Brief comm.)
 Bass TA, Miller AB, Rubin MR, Stowers SA, Perryman RA: Transluminal angioplasty of anomalous coronary arteries. 1986; 112:610-3 (Brief comm.)
 Bassaganyes J (see Castaner et al). 1986; 112:1201-9
 Basso-Kury R (see Vargas-Barron et al). 1986; 112:850-4 (Brief comm.)
 Bates ER (see Krell et al). 1986; 112:787-90
 Battler A (see Rotstein et al). 1986; 112:1094-5 (Brief comm.)
 Battler A (see Vered et al). 1986; 112:972-6
 Baum MS, Friedman MI, Wolinsky DG, Pierson RN: Unsuspected partial anomalous pulmonary venous drainage in a patient with coronary disease: detection by radionuclide angiography. 1986; 112:858-9 (Brief comm.)
 Bauman JL (see Hoon et al). 1986; 112:396-403 (Prog. cardi.)
 — (see Miller et al). 1986; 112:1114-6 (Brief comm.)
 Beazell J (see Adomian and Beazell). 1986; 112:79-83
 Becker LC (see Jugdutt et al). 1986; 112:485-94
 Beeder C (see Sasaki et al). 1986; 112:494-7
 Belanger A (see Kannel et al). 1986; 112:820-5 (Prog. cardi.)
 Belhassen B, Danon L, Shoshani D, Laniado S: Paroxysmal atrioventricular block triggered by orthostatic hypotension. 1986; 112:1107-9 (Brief comm.)
 Bellamy GR, Rasmussen HH, Nasser FN, Wiseman JC, Cooper RA: Value of two-dimensional echocardiography, electrocardiography, and clinical signs in detecting right ventricular infarction. 1986; 112:304-9
 Bemis CE (see Iskandrian et al). 1986; 112:382-91 (Curriculum cardi.)
 Ben-David Y (see Koren et al). 1986; 112:468-71
 Benjamin P (see Vered et al). 1986; 112:972-6
 Beppu S (see Matsuhisa et al). 1986; 112:1004-10
 Bersohn M (see Venkatesh et al). 1986; 112:916-22
 Bertotto A (see Gerli et al). 1986; 112:350-5
 Bertuso JR (see Atay et al). 1986; 112:169-72 (Brief comm.)
 Bethge C, Gebhardt-Seehausen U: The human sinus nodal electrogram: techniques and clinical results of intra-atrial

*July, pp. 1-248; August, pp. 249-440; September, pp. 441-652; October, pp. 653-912; November, pp. 913-1128; December, pp. 1129-1400.

- recordings in patients with and without sick sinus syndrome. 1986; 112:1074-82 (Prog. cardi.)
- Betriu A (see Castaner et al). 1986; 112:1201-9
- Bhandari A (see Rose et al). 1986; 112:759-65
- Bhatia ML (see Kaul et al). 1986; 112:71-5
- Bier A (see Keren et al). 1986; 112:517-25
- Binkley PF, Lewie R, Lima J, Parrish D, Leier CV: Enhanced ventricular ectopy following pindolol: an adverse effect of a beta blocker with intrinsic sympathomimetic activity. 1986; 112:424-6 (Brief comm.)
- Bisno AL (see Baddour and Bisno) 1986; 112:1359-62 (Editorial)
- Blanchet F (see Foulst et al). 1986; 112:1232-7
- Bleifeld W (see Schofer et al). 1986; 112:291-5
- Block PC (see Palacios et al). 1986; 112:1032-9
- Bodenheimer MM (see Chadda et al). 1986; 112:1159-65
- Boltwood CM (see Vijayaraghavan et al). 1986; 112:985-91
- Bonaduce D (see Perticone et al). 1986; 112:847-9 (Brief comm.)
- Bonzel T (see Chen et al). 1986; 112:712-21
- Borer JS (see Kligfield et al). 1986; 112:589-98 (Prog. cardi.)
- Borziani S (see Muiresan et al). 1986; 112:233-8 (Symposium)
- Botvinick EH (see Mickelson et al). 1986; 112:1251-6
- Bouchard A (see Mickelson et al). 1986; 112:1251-6
- Boucher C (see Palacios et al). 1986; 112:1032-9
- Boucher CA (see Brown et al). 1986; 112:1321-2 (Brief comm.)
- (see Ruddy et al). 1986; 112:1210-6
- Bourg E (see Friedman et al). 1986; 112:653-65
- Boyd TW (see Morrison et al). 1986; 112:561-7
- Bozzi LB (see Muiresan et al). 1986; 112:233-8 (Symposium)
- Breall WS (see Friedman et al). 1986; 112:653-65
- Bredesen JE (see Barkve et al). 1986; 112:537-41
- Bricker JT, Traweek MS, Smith RT, Moak JP, Vargo TA, Garson A Jr: Exercise-related ventricular tachycardia in children. 1986; 112:186-8 (Brief comm.)
- Brodman R. (see Waspe et al). 1986; 112:1141-52
- Brodsky MA, Allen BJ, Baron D, Chesnie BM, Abate D, Thomas R, Henry WL: Enhanced survival in patients with heart failure and life-threatening ventricular tachyarrhythmias. 1986; 112:1166-72
- Bromel T (see Schofer et al). 1986; 112:291-5
- Broudy D (see Kron et al). 1986; 112:1-8
- Brown B (see Friedman et al). 1986; 112:653-65
- Brown KA, DeSanctis RW, DiCola V, Boucher CA, Pohost GM, Okada RD: Long-term exercise and hemodynamic follow-up in patients with previous right ventricular myocardial infarction. 1986; 112:1321-2 (Brief comm.)
- Brown ML (see Clements et al). 1986; 112:582-8 (Prog. cardi.)
- Brundage BH (see Rick et al). 1986; 112:392-6 (Prog. cardi.)
- Brunken R (see Wohlgelernter et al). 1986; 112:837-9 (Brief comm.)
- Brusca A (see Mangiardi et al). 1986; 112:1183-91
- Bruschke AVG (see Visser et al). 1986; 112:963-72
- Brymer JF (see Sabbah et al). 1986; 112:453-8
- Buck JD (see Armstrong et al). 1986; 112:627-31 (Brief comm.)
- Buda AJ, Zolt RJ: Serial assessment of circumferential regional left ventricular function following complete coronary occlusion. 1986; 112:447-52
- , —, Mire MS, Bach DS: Prognostic significance of vegetations detected by two-dimensional echocardiography in infective endocarditis. 1986; 112:1291-6 (Curriculum cardi.)
- Bugiardi R, Chierchia S, Davies G, Crea F, Lenzi S, Maseri A: Differential transmyocardial platelet behavior in response to pacing and ergonovine-induced myocardial ischemia. 1986; 112:255-62
- Burckhardt D (see Amann et al). 1986; 112:1084-7 (Brief comm.)
- Burelli C (see Zardo et al). 1986; 112:621-2 (Brief comm.)
- Burger J (see Palik et al). 1986; 112:1271-8
- Burrows P (see Craig et al). 1986; 112:800-7
- Buxton AE (see Kadish et al). 1986; 112:1134-40
- Byrd BF II (see Mickelson et al). 1986; 112:1251-6
- Castaner A, Betriu A, Roig E, Sanz G, de Flores T, Magrina J, Serra A, Bassaganyes J, Coll S: Clinical course and risk stratification of myocardial infarct survivors with three-vessel disease. 1986; 112:1201-9
- Castellani S (see Neri Serneri et al). 1986; 112:472-8
- Castelli WP: The triglyceride issue: a view from Framingham. 1986; 112:432-6 (Symposium)
- Cates CU, Virmani R, Vaughn WK, Robertson RM: Electrocardiographic markers of cardiac metastasis. 1986; 112:1297-303 (Curriculum cardi.)
- Chabot M (see Roy et al). 1986; 112:1039-43
- Chadda KD, Harrington D, Kushnik H, Bodenheimer MM: The impact of transtelephonic documentation of arrhythmia on morbidity and mortality rate in sudden death survivors. 1986; 112:1159-65
- Chakko SC (see Gheorghiade et al). 1986; 112:167-9 (Brief comm.)
- Chan MC (see Lee et al). 1986; 112:1323-5 (Brief comm.)
- (see Lui et al). 1986; 112:1153-8
- Chandran P (see Saksena et al). 1986; 112:52-60
- Charash B, Scheidt SS: The controversy over transdermal nitroglycerin: an update. 1986; 112:207-15 (Symposium)
- Charlier AA (see Pouleur et al). 1986; 112:721-8
- Charuzi Y (see Sasaki et al). 1986; 112:494-7
- Chavez RP (see Reed et al). 1986; 112:84-8
- Cheatham JP (see Sobczyk et al). 1986; 112:1102-5 (Brief comm.)
- Cheek BH (see Gheorghiade et al). 1986; 112:167-9 (Brief comm.)
- Chen C, Bonzel T, Just H, Seiffert G, Zeiher A, Kasper W, Wollschlaeger H: Quantitative assessment of temporal and spatial ventricular wall motion in normal and infarcted human left ventricles. 1986; 112:712-21
- Chesebro JH (see Clements et al). 1986; 112:582-8 (Prog. cardi.)
- Chesnie BM (see Brodsky et al). 1986; 112:1166-72
- Chiariello M (see Romano et al). 1986; 112:356-60
- Chick TW (see Reed et al). 1986; 112:84-8
- Chierchia S (see Bugiardi et al). 1986; 112:255-62
- (see Crea et al). 1986; 112:249-54
- Chiodini V (see Gerli et al). 1986; 112:350-5
- Chomka EV (see Cummings et al). 1986; 112:407-9 (Brief comm.)
- (see Rick et al). 1986; 112:392-6 (Prog. cardi.)
- Ciccone JM (see Saksena et al). 1986; 112:52-60
- Cinca J, Moya A, Figueras J, Roma F, Rius J: Circadian variations in the electrical properties of the human heart assessed by sequential bedside electrophysiologic testing. 1986; 112:315-21
- Cinciripini PM: Cognitive stress and cardiovascular reactivity. II. Relationship to atherosclerosis, arrhythmias, and cognitive control. 1986; 112:1051-65 (Curriculum cardi.)
- : Cognitive stress and cardiovascular reactivity. I. Relationship to hypertension. 1986; 112:1044-50 (Curriculum cardi.)
- Ciske PE, Dressendorfer RH, Gordon S, Timmis GC: Attenuation of exercise training effects in patients taking beta blockers during early cardiac rehabilitation. 1986; 112:1016-25
- Cleland JGF, Dargie HJ, Pettigrew A, Gillen G, Robertson JIS: The effects of captopril on serum digoxin and urinary urea and digoxin clearances in patients with congestive heart failure. 1986; 112:130-5
- Clements IP, Zinmeister AR, Gibbons RJ, Brown ML, Chesebro JH: Exercise radionuclide ventriculography in evaluation of coronary artery disease. 1986; 112:582-8 (Prog. cardi.)
- Clements SD (see Talley et al). 1986; 112:1335-8 (Brief comm.)
- Coffman JD: Intermittent claudication: not so benign. 1986; 112:1127-8 (Editorial)
- Colan SD (see Hsieh et al). 1986; 112:103-7
- (see Rein et al). 1986; 112:97-103
- Coll S (see Castaner et al). 1986; 112:1201-9
- Collen D, Stump DF, Van de Werf F: Coronary thrombolysis in patients with acute myocardial infarction by intravenous infusion of synergic thrombolytic agents. 1986; 112:1083-4 (Brief comm.)
- Collins D (see Maisel et al). 1986; 112:705-11
- Collins JJ Jr (see Goldhaber et al). 1986; 112:409-12 (Brief comm.)
- Coma-Canella I, Lopez-Sendon J, Alcasena S, Garcia C, Gamallo C, Jadraque LM: Electrocardiographic alterations in leads V₁ to V₆ in the diagnosis of right and left ventricular infarction. 1986; 112:940-6

C

- Commodo E (see Mangiardi et al). 1986; 112:1183-91
Conte MR (see Mangiardi et al). 1986; 112:1183-91
Cooper RA (see Bellamy et al). 1986; 112:304-9
Coplan NL, Gleim GW, Nicholas JA: Principles of exercise prescription for patients with coronary artery disease. 1986; 112:145-9 (Curriculum cardi.)
Corso PJ (see Lee et al). 1986; 112:1323-5 (Brief comm.)
Cortada X (see Kinney et al). 1986; 112:420-3 (Brief comm.)
Cotecchia MR (see Romano et al). 1986; 112:356-60
Craig BG, Smallhorn JF, Burrows P, Trusler GA, Rowe RD: Cross-sectional echocardiography in the evaluation of aortic valve prolapse associated with ventricular septal defect. 1986; 112:800-7
Crea F, Margonato A, Kaski JC, Rodriguez-Plaza L, Meran DO, Davies G, Chierchia S, Maseri A: Variability of results during repeat exercise stress testing in patients with stable angina pectoris: role of dynamic coronary flow reserve. 1986; 112:249-54
— (see Bugiardini et al). 1986; 112:255-62
Cummings JM, Mason TJ, Chomka EV, Pouget JM: Fibrinolytic therapy of acute myocardial infarction in the heparin thrombolysis syndrome. 1986; 112:407-9 (Brief comm.)
Cummings S (see Dickstein et al). 1986; 112:121-9
Curtis KL (see Kron et al). 1986; 112:1-8

D

- Dabizzi RP (see Neri Serneri et al). 1986; 112:472-8
D'Agostino R (see Kannel et al). 1986; 112:820-5 (Prog. cardi.)
Daniel JA (see Saner et al). 1986; 112:977-84
Danon L (see Belhassen et al). 1986; 112:1107-9 (Brief comm.)
Dargie HJ (see Cleland et al). 1986; 112:130-5
Davidson E (see Sclarovsky et al). 1986; 112:459-62
— (see Sclarovsky et al). 1986; 112:463-7
Davies G (see Bugiardini et al). 1986; 112:255-62
— (see Crea et al). 1986; 112:249-54
Davignon A (see Mauran et al). 1986; 112:548-53
Davis JL (see Peng et al). 1986; 112:1238-44
Davis S (see Gerli et al). 1986; 112:350-5
Davis WR (see Vacek and Davis). 1986; 112:412-4 (Brief comm.)
Davy J-M (see Dorian et al). 1986; 112:19-25
Dawson AK (see Kolodgie et al). 1986; 112:1192-1201
D'Cruz IA, Jain M, Jain A: Dynamic intracavitary echoes in left ventricular pseudoaneurysm. 1986; 112:418-20 (Brief comm.)
—, Sengupta EE, Abrahams C, Reddy HK, Turlapati RV: Cardiac involvement, including tuberculous pericardial effusion, complicating acquired immune deficiency syndrome. 1986; 112:1100-2 (Brief comm.)
De Backer G, Hulstaert F, De Munck K, Rosseneu M, Van Parijs L, Dramaix M: Serum lipids and apoproteins in students whose parents suffered prematurely from a myocardial infarction. 1986; 112:478-94
de Buitelir M (see Morady et al). 1986; 112:615-8 (Brief comm.)
de Flores T (see Castaner et al). 1986; 112:1201-9
De Munck K (see De Backer et al). 1986; 112:478-94
de Neef K (see van der Laarse et al). 1986; 112:672-81
de Zuloaga C (see Touboul et al). 1986; 112:333-9
de Zwaan C (see van der Laarse et al). 1986; 112:672-81
Deal BJ (see Miller et al). 1986; 112:1114-6 (Brief comm.)
DeBoe SF (see Mancini et al). 1986; 112:791-9
Del Negro AA (see Miller et al). 1986; 112:928-32
DeMaria AN (see Harrison et al). 1986; 112:414-7 (Brief comm.)
DeSanctis RW (see Brown et al). 1986; 112:1321-2 (Brief comm.)
Devaux JY (see Nitenberg et al). 1986; 112:309-15
Devereux RB (see Lutas et al). 1986; 112:107-13
Di Donato M (see Neri Serneri et al). 1986; 112:472-8
Di Leo M (see Mangiardi et al). 1986; 112:1183-91
DiCarlo LA (see Lynch et al). 1986; 112:752-8
— (see Nicklas et al). 1986; 112:923-8
DiCarlo LA Jr (see Morady et al). 1986; 112:615-8 (Brief comm.)
Dickstein K, Aarsland T, Woie L, Abrahamsen AM, Fyhrquist F, Cummings S, Gomex HJ, Hagen E, Kristianson K: Acute hemodynamic and hormonal effects of lisinopril (MK-521) in congestive heart failure. 1986; 112:121-9

- DiCola V (see Brown et al). 1986; 112:1321-2 (Brief comm.)
Diltz EA (see Nicklas et al). 1986; 112:923-8
Dilworth LR (see Krell et al). 1986; 112:787-90
Dixon T (see Friedman et al). 1986; 112:653-65
Doerger PT (see Sabbah et al). 1986; 112:453-8
Dogra B (see Kaul et al). 1986; 112:71-5
Dorian P, Echt DS, Mead RH, Lee JT, Leback CS, Winkle RA: Ethmozine: electrophysiology, hemodynamics, and antiarrhythmic efficacy in patients with life-threatening ventricular arrhythmias. 1986; 112:327-33
—, Fain ES, Davy J-M, Winkle RA: Effect of quinidine and bretylium on defibrillation energy requirements. 1986; 112:19-25
Douglas PS, Reichel N, Franklin K, Muhammad A, Sutton MGSJ, Harken A: Intraoperative assessment of left ventricular heterogeneity. 1986; 112:344-50
Doust-Blazy M-Y (see Mauran et al). 1986; 112:548-53
Downing SE, Lee JC, Werner JC: Coronary vascular responses to hypoxia in the diabetic lamb: independence from adenosine and autonomic mechanisms. 1986; 112:273-9
Dramaix M (see De Backer et al). 1986; 112:478-94
Dressendorfer RH (see Ciske et al). 1986; 112:1016-25
Drory T, Strasberg B, Fleischman P, Kellermann JJ: Identification of multiple accessory pathways by exercise testing. 1986; 112:854-5 (Brief comm.)
Dubach P (see Vargas-Barron et al). 1986; 112:850-4 (Brief comm.)
Ducharme G (see Mauran et al). 1986; 112:548-53
Dufour A (see Touboul et al). 1986; 112:333-9
Dunn HM, McComb JM, MacKenzie G, Adgey AAJ: Survival to leave hospital from ventricular fibrillation. 1986; 112:745-51

E

- Eaker ED (see Kannel and Eaker). 1986; 112:1066-73 (Prog. cardi.)
Echt DS (see Dorian et al). 1986; 112:327-33
Eisen HJ (see Barzilai et al). 1986; 112:1088-90 (Brief comm.)
Eissner D (see Kasper et al). 1986; 112:1284-90
Elixson M (see Rein et al). 1986; 112:97-103
English L (see Seals et al). 1986; 112:36-43
Esmolol Research Group: Intravenous esmolol for the treatment of supraventricular tachyarrhythmias: results of a multicenter, baseline-controlled safety and efficacy study in 160 patients. 1986; 112:498-505
Eto T (see Muratani et al). 1986; 112:361-7
Euler DE, Zeman TW, Wallock ME, Scanlon PJ: Deleterious effects of bretylium on hemodynamic recovery from ventricular fibrillation. 1986; 112:25-31
Evans TC (see Lloyd et al). 1986; 112:666-71

F

- Fahrenbruch CE (see Poole et al). 1986; 112:322-6
Fain ES (see Dorian et al). 1986; 112:19-25
Fantini F (see Neri Serneri et al). 1986; 112:472-8
Fazi A (see Neri Serneri et al). 1986; 112:472-8
Fazio F (see Margonato et al). 1986; 112:554-60
Ferro G (see Romano et al). 1986; 112:356-60
Figueroa J (see Cinca et al). 1986; 112:315-21
Fingerhook M (see Wynn et al). 1986; 112:174-5 (Brief comm.)
Finkelhor RS, Newhouse KE, Vrobel TR, Miron SD, Bahler RC: The ST segment/heart rate slope as a predictor of coronary artery disease: comparison with quantitative thallium imaging and conventional ST segment criteria. 1986; 112:296-304
Fiori G (see Muesan et al). 1986; 112:233-8 (Symposium)
Fishbein MC (see Schiller et al). 1986; 112:1322-3 (Brief comm.)
Fisher JD (see Kim et al). 1986; 112:14-9
— (see Waspe et al). 1986; 112:1141-52
Flaherty JT: Clinical relevance of nitrate hemodynamic attenuation. 1986; 112:216-20 (Symposium)
—: Usefulness of intravenous and transdermal nitroglycerin therapy in patients with unstable angina. 1986; 112:220-1 (Symposium)
Fleischman P (see Drory et al). 1986; 112:854-5 (Brief comm.)
Fleming WH (see Sobczyk et al). 1986; 112:1102-5 (Brief comm.)
Fletcher RD (see Miller et al). 1986; 112:928-32

- Folger GM, Hajar HA: The right ventricular outflow pouch with double-chambered right ventricle. 1986; 112:423-4 (Brief comm.)
- Forman MB (see Kolodgie et al). 1986; 112:1192-201
- Foster C, Lemberger K, Thompson NN, Sennett SM, Hare J, Pollock ML, Pels AE III, Schmidt DH: Functional translation of exercise responses from graded exercise testing to exercise training. 1986; 112:1309-16
- Foult JM, Nitenberg A, Blanchet F, Zouique S: Effect of diltiazem on coronary reactive hyperemia in patients with flow-limiting coronary artery stenosis. 1986; 112:1232-7
- (see Nitenberg et al). 1986; 112:309-15
- Fourn J-C (see Mauran et al). 1986; 112:548-53
- Franch RH (see Talley et al). 1986; 112:1335-8 (Brief comm.)
- Frank WE (see Bansal et al). 1986; 112:618-21 (Brief comm.)
- Franklin K (see Douglas et al). 1986; 112:344-50
- Fraser AG (see Watt et al). 1986; 112:1333-5 (Brief comm.)
- Freund BJ (see Morrison et al). 1986; 112:561-7
- Friedman HZ (see Mancini et al). 1986; 112:791-9
- Friedman M, Thoresen CE, Gill JJ, Ulmer D, Powell LH, Price VA, Brown B, Thompson L, Rabin DD, Breall WS, Bourg E, Levy R, Dixon T: Alteration of type A behavior and its effect on cardiac recurrences in post myocardial infarction patients: summary results of the recurrent coronary prevention project. 1986; 112:653-65
- Friedman MI (see Baum et al). 1986; 112:858-9 (Brief comm.)
- Froelicher VF (see Sebrechts et al). 1986; 112:1217-6
- Fujii H (see Kugiyama et al). 1986; 112:605-6 (Brief comm.)
- (see Yasue et al). 1986; 112:263-72
- Fujishima M (see Muratani et al). 1986; 112:361-7
- Furman S (see Pannizzo et al). 1986; 112:780-6
- Fuhrquist F (see Dickstein et al). 1986; 112:121-9
- G**
- Gagne P (see Roy et al). 1986; 112:1039-43
- Gaita F (see Mangiardi et al). 1986; 112:1183-91
- Gallestegui J (see Hoon et al). 1986; 112:396-403 (Prog. cardiol.)
- (see Miller et al). 1986; 112:1114-6 (Brief comm.)
- Gallino A, Haerberli A, Hess T, Mombelli G, Straub PW: Fibrin formation and platelet aggregation in patients with acute myocardial infarction: effects of intravenous and subcutaneous low-dose heparin. 1986; 112:285-90
- Gamallo C (see Coma-Canella et al). 1986; 112:940-6
- Garcia C (see Coma-Canella et al). 1986; 112:940-6
- Garcia JM (see Lee et al). 1986; 112:1323-5 (Brief comm.)
- Garson A Jr (see Bricker et al). 1986; 112:186-8 (Brief comm.)
- Gebhardt-Seehausen U (see Bethge and Gebhardt-Seehausen). 1986; 112:1074-82 (Prog. cardiol.)
- Gensini GF (see Neri Serneri et al). 1986; 112:472-8
- Gerli R, Rambotti P, Spinazzi F, Bertotto A, Chiodini V, Solinas P, Gernini I, Davis S: Immunologic studies of peripheral blood from patients with idiopathic dilated cardiomyopathy. 1986; 112:350-5
- Gernini I (see Gerli et al). 1986; 112:350-5
- Gerundini P (see Margonato et al). 1986; 112:554-60
- Gheorghiadu M, Cheek BH, Chakko SC: Isolated right heart tamponade following mediastinal irradiation. 1986; 112:167-9 (Brief comm.)
- Gibbons RJ (see Clements et al). 1986; 112:582-8 (Prog. cardiol.)
- Gilardi MC (see Margonato et al). 1986; 112:554-60
- Gill CC (see Gordon et al). 1986; 112:89-96
- (see Otero-Cagide et al). 1986; 112:1304-8 (Prog. cardiol.)
- Gill JJ (see Friedman et al). 1986; 112:653-65
- Gillen G (see Cleland et al). 1986; 112:130-5
- Gillette PC (see Leman et al). 1986; 112:622-4 (Brief comm.)
- Gillum RF: Trends in cardiac pacing 1970-1983. 1986; 112:632-4 (Editorial)
- Gilpin EA (see Maisel et al). 1986; 112:705-11
- Ginsburg R (see Murphy-Chutorian et al). 1986; 112:739-44
- Gjesdal K (see Barkve et al). 1986; 112:537-41
- Gleim GW (see Coplan et al). 1986; 112:145-9 (Curriculum cardiol.)
- Goel DP (see Jureidini et al). 1986; 112:175-6 (Brief comm.)
- Gold HK (see Ruddy et al). 1986; 112:1210-6
- Gold RL, Haffajee CI, Alpert JS: Electrophysiologic and clinical factors influencing response to class IA antiarrhythmic agents in patients with inducible sustained monomorphic ventricular tachycardia. 1986; 112:9-13
- Goldberg SJ (see Marx et al). 1986; 112:172-3 (Brief comm.)
- Goldblum SE (see Reed et al). 1986; 112:84-8
- Goldhaber SZ, Lilly LS, Selwyn AP, Nash DT, Collins JJ Jr: Spontaneous remission and prolonged survival in postinfarction cardiomyopathy. 1986; 112:409-12 (Brief comm.)
- Goldman M (see Palacios et al). 1986; 112:1032-9
- Goldman MH, Masden RR, Yared S: Acute rupture of the left anterior descending coronary artery secondary to percutaneous transluminal angioplasty. 1986; 112:1325-8 (Brief comm.)
- Goldstein S (see Jafri et al). 1986; 112:194-6 (Editorial)
- Gomex HJ (see Dickstein et al). 1986; 112:121-9
- Gonzales-Medina AR (see Vargas-Barron et al). 1986; 112:850-4 (Brief comm.)
- Goodwin C (see Morise and Goodwin). 1986; 112:509-17
- Gordon S (see Ciske et al). 1986; 112:1016-25
- Gordon TA, Keyser PH, Moodie DS, Sterba R, Gill CC, Yiannikas J: The use of digital subtraction angiography in the evaluation of tetralogy of Fallot. 1986; 112:89-96
- Gotsman MS (see Koren et al). 1986; 112:468-71
- Graboyes TB: Burnout in the care and management of survivors of out-of-hospital cardiac arrest. 1986; 112:428-30 (Editorial)
- Graham EL (see Poole et al). 1986; 112:322-6
- Graham TP Jr (see Palik et al). 1986; 112:1271-8
- Green CE (see Miller et al). 1986; 112:928-32
- Greene GM, Schroeder BA, Imray TJ, McManus BM: Isolated thoracic aortic thrombosis in occult aortitis: diagnostic contribution of computed tomography. 1986; 112:178-81 (Brief comm.)
- Greene HL (see Poole et al). 1986; 112:322-6
- Greengart A (see Lichtenberg et al). 1986; 112:417-8 (Brief comm.)
- Grekin RJ (see Nicklas et al). 1986; 112:923-8
- Griffith K (see Kron et al). 1986; 112:1-8
- Gross SA, Somani P: Amiodarone-induced ultrastructural changes in canine myocardial fibers. 1986; 112:771-9
- Guérin R (see Mauran et al). 1986; 112:548-53
- Guerro-Servin R (see Huang and Guerra-Servin). 1986; 112:1105-6 (Brief comm.)
- Gurne O (see Pouleur et al). 1986; 112:721-8
- H**
- Hackworthy RA, Vogel MB, Harris PJ: Relationship between changes in ST segment elevation and patency of the infarct-related coronary artery in acute myocardial infarction. 1986; 112:279-84
- Haerberli A (see Gallino et al). 1986; 112:285-90
- Haffajee CI (see Gold et al). 1986; 112:9-13
- Hageman GR (see Urthaler et al). 1986; 112:765-70
- Hagen E (see Dickstein et al). 1986; 112:121-9
- Hahn K (see Kasper et al). 1986; 112:1284-90
- Hajar HA (see Folger and Hajar). 1986; 112:423-4 (Brief comm.)
- Hakki A-H (see Iskandrian and Hakki). 1986; 112:75-8
- (see Iskandrian and Hakki). 1986; 112:441-6
- (see Iskandrian et al). 1986; 112:382-91 (Curriculum cardiol.)
- Hamaguchi T (see Takihara et al). 1986; 112:1278-84
- Hamby B (see Hamby et al). 1986; 112:65-70
- Hamby RL, Hamby B, Hoffman I: Symptomatic coronary disease for 20 or more years: clinical aspects, angiographic findings, and therapeutic implications. 1986; 112:65-70
- Hanet C (see Pouleur et al). 1986; 112:721-8
- Hanson R (see Mehta et al). 1986; 112:1257-63
- Hare J (see Foster et al). 1986; 112:1309-16
- Hariman RJ (see Hoon et al). 1986; 112:396-403 (Prog. cardiol.)
- (see Miller et al). 1986; 112:1114-6 (Brief comm.)
- (see Shenoy et al). 1986; 112:1339-42 (Brief comm.)
- Harken A (see Douglas et al). 1986; 112:344-50
- Harrington D (see Chadda et al). 1986; 112:1159-65
- Harrington R (see Morrison et al). 1986; 112:561-7
- Harris FJ (see Lui et al). 1986; 112:1153-8
- Harris PJ (see Hackworthy et al). 1986; 112:279-84
- Harrison MR, Smith MD, O'Connor WN, DeMaria AN: Postoperative valve ring aneurysm formation, coronary arteritis, and myocardial infarction in systemic lupus erythematosus. 1986; 112:414-7 (Brief comm.)
- Hart TT, Kern MJ: Coronary spasm presenting as syncope during ventricular demand pacing. 1986; 112:405-7 (Brief comm.)
- Har-Zahav Y (see Rotstein et al). 1986; 112:1094-5 (Brief comm.)

- (see Vered et al). 1986; 112:972-6
Hasin Y (see Koren et al). 1986; 112:468-71
Hassan T (see Lynch et al). 1986; 112:752-8
Hattori S (see Kojima et al). 1986; 112:1011-6
Hawkins ET (see Sabbah et al). 1986; 112:453-8
Hayata N, Araki H, Nakamura M: Effects of nicorandil on exercise tolerance in patients with stable effort angina: a double-blind study. 1986; 112:1245-50
Helfant RH (see Akaishi et al). 1986; 112:1226-31
Henkel B (see Kasper et al). 1986; 112:1284-90
Henning H (see Maisel et al). 1986; 112:705-11
Henry RL (see Miller et al). 1986; 112:839-41 (Brief comm.)
Henry WL (see Brodsky et al). 1986; 112:1166-72
Heo J (see Iskandrian and Heo). 1986; 112:375-81 (Curriculum cardiol.)
— (see Iskandrian et al). 1986; 112:382-91 (Curriculum cardiol.)
Herlitz J, Hjalmarson Å, Waagstein F: Beta blockade and chest pain in acute myocardial infarction. 1986; 112:1120-6 (Editorial)
Hermens WT (see van der Laarse et al). 1986; 112:672-81
Hess T (see Gallino et al). 1986; 112:285-90
Higgins CB (see Schwartz et al). 1986; 112:861-3 (Brief comm.)
Hirata S (see Ishikawa et al). 1986; 112:1116-9 (Brief comm.)
Hiro T (see Matsuda et al). 1986; 112:947-53
Hirshfeld JW Jr (see Laskey et al). 1986; 112:953-62
Hjalmarson Å (see Herlitz et al). 1986; 112:1120-6 (Editorial)
Hodgson JM (see Krell et al). 1986; 112:787-90
Hoffman I (see Hamby et al). 1986; 112:65-70
Hoffman R (see Armstrong et al). 1986; 112:627-31 (Brief comm.)
Hofmann S (see Kasper et al). 1986; 112:1284-90
Hohnloser SH, Verrier RL, Lown B, Raeder EA: Effect of hypokalemia on susceptibility to ventricular fibrillation in the normal and ischemic canine heart. 1986; 112:32-5
Holland C (see Hsieh et al). 1986; 112:103-7
Hollander G (see Lichtenberg et al). 1986; 112:417-8 (Brief comm.)
Hook BG (see Jolly et al). 1986; 112:682-90
Hoon TJ, Bauman JL, Rodvold KA, Gallestegui J, Hariman RJ: The pharmacodynamic and pharmacokinetic differences of the D- and L-isomers of verapamil: implications in the treatment of paroxysmal supraventricular tachycardia. 1986; 112:396-403 (Prog. cardiol.)
Horie M (see Yasue et al). 1986; 112:263-72
Horio Y (see Kugiyama et al). 1986; 112:605-6 (Brief comm.)
Hramiec JE (see Mancini et al). 1986; 112:791-9
Hsieh KS, Sanders SP, Colan SD, MacPherson D, Holland C: Right ventricular systolic time intervals: comparison of echocardiographic and Doppler-derived values. 1986; 112:103-7
— (see Rein et al). 1986; 112:97-103
Huang C, Baltazar RF, O'Mara V, Mower MM: Profound hypotension and near syncope during coronary artery spasm. 1986; 112:841-3 (Brief comm.)
Huang SK, Guerro-Servin R: Multilevel block in the atrioventricular node following acute inferior myocardial infarction. 1986; 112:1105-6 (Brief comm.)
Hugues CJ (see Toto-Moukoko et al). 1986; 112:136-40
Hulley SB (see Kannel et al). 1986; 112:825-36 (Prog. cardiol.)
Hulstaert F (see De Backer et al). 1986; 112:478-94
Hutchins GM (see Jugdutt et al). 1986; 112:485-94

I

- Iida Kaname (see Sugishita et al). 1986; 112:728-38
Iida Keiji (see Sugishita et al). 1986; 112:728-38
Imray TJ (see Greene et al). 1986; 112:178-81 (Brief comm.)
Indolfi C (see Romano et al). 1986; 112:356-60
Ino T (see Karagueuzian et al). 1986; 112:1173-83
Ishikawa M, Yokota N, Sawazaki A, Kashiro S, Hirata S, Okada M, Ishikawa K: Rectal administration of perforated nifedipine capsules to maintain an effective level of longer duration. 1986; 112:1116-9 (Brief comm.)
— (see Ishikawa et al). 1986; 112:1116-9 (Brief comm.)
Iskandrian AS, Bemis CE, Hakki AH, Heo J, Kimbiris D, Mintz GS: Ventricular systolic and diastolic impairment during pacing-induced myocardial ischemia in coronary artery disease: simultaneous hemodynamic, electrocardiographic, and radionuclide angiographic evaluation. 1986; 112:382-91 (Curriculum cardiol.)

- , Hakki A-H: Age-related changes in left ventricular diastolic performance. 1986; 112:75-8
—, —: Determinants of the changes in left ventricular end-diastolic volume during upright exercises in patients with coronary artery disease. 1986; 112:441-6
—, Heo J: Left ventricular pressure/volume relationship in coronary artery disease. 1986; 112:375-81 (Curriculum cardiol.)
—, Mirtz GS: Pacemaker therapy in congestive heart failure: a new concept based on excessive utilization of the Frank-Starling mechanism. 1986; 112:867-70 (Editorial)
Isobe M, Yamaoki K, Tsuchimochi H, Sugiyama T, Yazaki Y: Transmitted reversed blood flow during mid- and end diastole in constrictive pericarditis. 1986; 112:855-8 (Brief comm.)
Israel I (see Kannel et al). 1986; 112:820-5 (Prog. cardiol.)
Ito I (see Sugishita et al). 1986; 112:728-38

J

- Jadraque LM (see Coma-Canella et al). 1986; 112:940-6
Jafri SM, Lakier JB, Rosman HS, Peterson E, Goldstein S: Symptoms and tests of ventricular performance in the evaluation of chronic heart failure. 1986; 112:194-6 (Editorial)
Jagger JD, McCaughan BC, Pawsey CGK: Tricuspid valve endocarditis cured by excision of a single vegetation. 1986; 112:626-7 (Brief comm.)
Jain A (see D'Cruz et al). 1986; 112:418-20 (Brief comm.)
Jain M (see D'Cruz et al). 1986; 112:418-20 (Brief comm.)
Janosik DL, Labovitz AJ, Kennedy HL: Anterior and inferior myocardial infarction in a young woman with angiographically normal coronary arteries. 1986; 112:606-9 (Brief comm.)
Jansen B (see Kruyswijk et al). 1986; 112:613-5 (Brief comm.)
Jolly SR, Kane WJ, Hook BG, Abrams GD, Kunkel SL, Lucchesia BR: Reduction of myocardial infarct size by neutrophil depletion: effect of duration of occlusion. 1986; 112:682-90
Jones JW (see Sobczyk et al). 1986; 112:1090-2 (Brief comm.)
Jordan MD (see Menke et al). 1986; 112:1319-20 (Brief comm.)
Josephson ME (see Kadish et al). 1986; 112:1134-40
Jugdutt BI, Rogers MC, Hutchins GM, Becker LC: Increased myocardial infarct size by thiopental after coronary occlusion in the dog. 1986; 112:485-94
Jureidini S, Nouri S, Goel DP: Similarity of anomalous origin of right pulmonary artery from the ascending aorta to d-transposition of the great arteries: 2D echographic and Doppler study. 1986; 112:175-6 (Brief comm.)
Just H (see Chen et al). 1986; 112:712-21
— (see Kasper et al). 1986; 112:1284-90

K

- Kadish AH, Marchlinski FE, Josephson ME, Buxton AE: Amiodarone: correlation of early and late electrophysiologic studies with outcome. 1986; 112:1134-40
Kahan A (see Nitenberg et al). 1986; 112:309-15
Kane WJ (see Jolly et al). 1986; 112:682-90
Kannel WB: Prevalence, incidence, and hazards of hypertension in the elderly. 1986; 112:1362-3 (Editorial)
—, Belanger A, D'Agostino R, Israel I: Physical activity and physical demand on the job and risk of cardiovascular disease and death: the Framingham Study. 1986; 112:820-5 (Prog. cardiol.)
—, Eaker ED: Psychosocial and other features of coronary heart disease: insights from the Framingham Study. 1986; 112:1066-73 (Prog. cardiol.)
—, Neaton JD, Wentworth D, Thomas HE, Stamler J, Hulley SB, Kjelsberg MO: Overall and coronary heart disease mortality rates in relation to major risk factors in 325,348 men screened for the MRFIT. 1986; 112:825-36 (Prog. cardiol.)
Kaplan S (see Murphy et al). 1986; 112:542-7
Karagueuzian HS, Sugi K, Ohta M, Meesmann M, Ino T, Peter T, Mandel WJ: The efficacy of cibenzoline and propafenone against inducible sustained and nonsustained ventricular tachycardias in conscious dogs with isolated chronic right ventricular infarction: a comparative study with procainamide. 1986; 112:1173-83
Kartodihardjo W (see Pelech et al). 1986; 112:1263-70
Karwoski T (see Nolan et al). 1986; 112:526-36
Kashiro S (see Ishikawa et al). 1986; 112:1116-9 (Brief comm.)
Kaski JC (see Crea et al). 1986; 112:249-54

- Kasper W, Meinertz T, Henkel B, Eissner D, Hahn K, Hofmann T, Zeiher A, Just H: Echocardiographic findings in patients with proved pulmonary embolism. 1986; 112:1284-90
— (see Chen et al). 1986; 112:712-21
- Kato A (see Uchida et al). 1986; 112:691-5
- Kato R (see Venkatesh et al). 1986; 112:916-22
- Katz M (see Vered et al). 1986; 112:972-6
- Kaul S: The interventricular septum in health and disease. 1986; 112:568-81 (Curriculum cardi.)
- Kaul U, Dogra B, Manchanda SC, Wasir HS, Rajani M, Bhatia ML: Myocardial infarction in young Indian patients: risk factors and coronary arteriographic profile. 1986; 112:71-5
- Kawasaki T (see Muratani et al). 1986; 112:361-7
- Kawazoe N (see Muratani et al). 1986; 112:361-7
- Keefe D (see Wynn et al). 1986; 112:174-5 (Brief comm.)
- Keirns C (see Vargas-Barron et al). 1986; 112:850-4 (Brief comm.)
- Kellermann JJ (see Drory et al). 1986; 112:854-5 (Brief comm.)
- Kennedy HL (see Janosik et al). 1986; 112:606-9 (Brief comm.)
- Kent KM (see Miller et al). 1986; 112:928-32
- Keren G, Bier A, Strom JA, Laniado S, Sonnenblick EH, LeJemtel TH: Dynamics of mitral regurgitation during nitroglycerin therapy: a Doppler echocardiographic study. 1986; 112:517-25
- Kern MJ (see Miller et al). 1986; 112:839-41 (Brief comm.)
— (see Present et al). 1986; 112:1317-9 (Brief comm.)
— (see Hart and Kern). 1986; 112:405-7 (Brief comm.)
- Kesson CM (see Northcote et al). 1986; 112:339-44
- Keyser PH (see Gordon et al). 1986; 112:89-96
- Khaja F (see Sabbah et al). 1986; 112:453-8
- Kikuchi Y (see Origuchi et al). 1986; 112:1096-7 (Brief comm.)
- Kim SG, Seiden SW, Matos JA, Waspe LE, Fisher JD: Discordance between ambulatory monitoring and programmed stimulation in assessing efficacy of mexiletine in patients with ventricular tachycardia. 1986; 112:14-9
— (see Waspe et al). 1986; 112:1141-52
- Kimbris D (see Iskandrian et al). 1986; 112:382-91 (Curriculum cardi.)
- Kimura T (see Kugiyama et al). 1986; 112:605-6 (Brief comm.)
- Kimura Y (see Muratani et al). 1986; 112:361-7
- Kinney EL, Machado H, Cortada X: Cooing intracardiac sound in a perforated porcine mitral valve detected by pulsed Doppler echocardiography. 1986; 112:420-3 (Brief comm.)
- Kiowski W (see Amann et al). 1986; 112:1084-7 (Brief comm.)
- Kirklin JK (see Saenz et al). 1986; 112:1092-4 (Brief comm.)
- Kirkorian G (see Touboul et al). 1986; 112:333-9
- Kishimoto S (see Takihara et al). 1986; 112:1278-84
- Kivovut CE (see Shell et al). 1986; 112:222-8 (Symposium)
- Kjelsberg MO (see Kannel et al). 1986; 112:825-36 (Prog. cardi.)
- Klausner SC (see Schwartz et al). 1986; 112:861-3 (Brief comm.)
- Klein JL (see Sebrechts et al). 1986; 112:1217-26
- Klein L (see Maisel et al). 1986; 112:705-11
- Kligfield P, Okin PM, Ameison O, Borer JS: Evaluation of coronary artery disease by an improved method of exercise electrocardiography: the ST segment/heart rate slope. 1986; 112:589-98 (Prog. cardi.)
- Kline EM (see Krell et al). 1986; 112:787-90
- Kohn M (see Matsuda et al). 1986; 112:947-53
- Kohtoku S (see Matsuda et al). 1986; 112:947-53
- Kojima S, Nakamura Y, Mori H, Abe S, Miyamori R, Miyazaki T, Sakurai K, Hattori S, Takahashi M: Comparative effects of intracoronary administration of propranolol with systemic administration on hypoxic canine myocardium. 1986; 112:1011-6
- Koller PT (see Nicklas et al). 1986; 112:923-8
- Kolodgie FD, Dawson AK, Roden DM, Forman MB, Virmani R: Effect of Fluosol-DA on infarct morphology and vulnerability to ventricular arrhythmia. 1986; 112:1192-201
- Kondos GT (see Rick et al). 1986; 112:392-6 (Prog. cardi.)
- Koren G, Weiss AT, Ben-David Y, Hasin Y, Luria MH, Gotsman MS: Bradycardia and hypotension following reperfusion with streptokinase (Bezold-Jarisch reflex): a sign of coronary thrombolysis and myocardial salvage. 1986; 112:463-71
- Kosek J (see Murphy-Chutorian et al). 1986; 112:739-44
- Kosek S (see Sugishita et al). 1986; 112:728-38
- Koutoku N, Matsuda Y, Ogawa H, Koutoku S, Matsuzaki M, Tamitani M, Kusakawa R: Episodic variant angina with sequential spasm of different coronary arteries. 1986; 112:404-5 (Brief comm.)
- Koutoku S (see Koutoku et al). 1986; 112:404-5 (Brief comm.)
- Krauss XH (see van der Laarse et al). 1986; 112:672-81
- Krell MJ, Kline EM, Bates ER, Hodgson JM, Dilworth LR, Laufer N, Vogel RA, Pitt B: Intermittent, ambulatory dobutamine infusions in patients with severe congestive heart failure. 1986; 112:787-90
- Kristensen SD (see Schultz et al). 1986; 112:609 (Brief comm.)
- Kristianson K (see Dickstein et al). 1986; 112:121-9
- Kron J, Curtis KL, Murphey E, Broudy D, Morris C, Griffith K, McAnulty JH: Prognostic value of programmed electrical stimulation in patients with a recent episode of unstable angina. 1986; 112:1-8
- Krucoff MW (see Miller et al). 1986; 112:928-32
- Kruyswijk HH, Jansen B, Müller EJ: Hyperventilation-induced coronary artery spasm. 1986; 112:613-5 (Brief comm.)
- Kubota J (see Yasue et al). 1986; 112:263-72
- Kugiyama K, Yasue H, Horio Y, Morikami Y, Fujii H, Kimura T: Possible role of parasympathetic nervous system in the pathogenesis of exercise-induced coronary artery spasm. 1986; 112:605-6 (Brief comm.)
- Kugler JD (see Bansal et al). 1986; 112:618-21 (Brief comm.)
— (see Sobczyk et al). 1986; 112:1102-5 (Brief comm.)
- Kunkel SL (see Jolly et al). 1986; 112:682-90
- Kushnik H (see Chadda et al). 1986; 112:1159-65
- Kusakawa R (see Koutoku et al). 1986; 112:404-5 (Brief comm.)
— (see Matsuda et al). 1986; 112:947-53

L

- Lababidi Z, Weinhaus L: Successful balloon valvuloplasty for neonatal critical aortic stenosis. 1986; 112:913-6
- Labovitz AJ (see Janosik et al). 1986; 112:606-9 (Brief comm.)
- Lacy-Niebla MC (see Vargas-Barron et al). 1986; 112:850-4 (Brief comm.)
- Lakier JB (see Jafri et al). 1986; 112:194-6 (Editorial)
- Lang P (see Rein et al). 1986; 112:97-103
- Langseth-Manrique K (see Barkve et al). 1986; 112:537-41
- Laniado S (see Belhassen et al). 1986; 112:1107-9 (Brief comm.)
— (see Keren et al). 1986; 112:517-25
- Larsen CE (see Schultz et al). 1986; 112:609 (Brief comm.)
- Laskey WK, Zeevi GR, Sutton MSJ, Martin JL, Hirshfeld JW Jr, Reichek N: Effects of nitroglycerin in patients with angina, normal coronary arteries, and left ventricular hypertrophy. 1986; 112:953-62
- Latson LA (see Sobczyk et al). 1986; 112:1102-5 (Brief comm.)
- Laufer N (see Krell et al). 1986; 112:787-90
- Lavaud P (see Touboul et al). 1986; 112:333-9
- Lawson DL (see Atay et al). 1986; 112:169-72 (Brief comm.)
- Leach JK (see Reed et al). 1986; 112:84-8
- Leavitt M (see Palacios et al). 1986; 112:1032-9
- Lebeau R (see Perrault et al). 1986; 112:1026-31
- Lebsack CS (see Dorian et al). 1986; 112:327-33
- Lee B (see Sakseena et al). 1986; 112:52-60
- Lee G, Garcia JM, Chan MC, Corso PJ, Bacos J, Lee MH, Pichard A, Reis RL, Mason DT: Clinically successful long-term laser coronary recanalization. 1986; 112:1323-5 (Brief comm.)
— (see Low et al). 1986; 112:1338-9 (Brief comm.)
— (see Lui et al). 1986; 112:1153-8
- Lee JC (see Downing et al). 1986; 112:273-9
- Lee JT (see Dorian et al). 1986; 112:327-33
- Lee MH (see Lee et al). 1986; 112:1323-5 (Brief comm.)
- Leenen FHH (see Pelech et al). 1986; 112:1263-70
- Leier CV (see Binkley et al). 1986; 112:424-6 (Brief comm.)
- Leinbach RC (see Ruddy et al). 1986; 112:1210-6
- LeJemtel TH (see Keren et al). 1986; 112:517-25
- Leman RB, Gillette PC, Zinner AJ: Resolution of congestive cardiomyopathy caused by supraventricular tachycardia using amiodarone. 1986; 112:622-4 (Brief comm.)
- Lemberger K (see Foster et al). 1986; 112:1309-16
- LeMire MS (see Buda et al). 1986; 112:1291-6 (Curriculum cardi.)
- Lenzi S (see Bugiardini et al). 1986; 112:255-62
- Leon CA (see Seals et al). 1986; 112:36-43
- Levy R (see Friedman et al). 1986; 112:653-65
- Levy RI: Introduction. 1986; 112:431 (Symposium)
—: Prevention of coronary heart disease. 1986; 112:431-40
- Lew AS (see Sasaki et al). 1986; 112:494-7
- Lewe R (see Binkley et al). 1986; 112:424-6 (Brief comm.)

- Lewin RF (see Sclarovsky et al). 1986; 112:459-62
— (see Sclarovsky et al). 1986; 112:463-7
Lichstein E (see Lichtenberg et al). 1986; 112:417-8 (Brief comm.)
Lichtenberg GS, Greengart A, Wasser H, Moran H, Hollander G, Shani J, Lichstein E: Echocardiographic demonstration of pseudoaneurysm after mitral valve replacement. 1986; 112:417-8 (Brief comm.)
Lilly LS (see Goldhaber et al). 1986; 112:409-12 (Brief comm.)
Lima J (see Binkley et al). 1986; 112:424-6 (Brief comm.)
Lin F-C (see Yeh et al). 1986; 112:1109-14 (Brief comm.)
Lipton JJ (see Schwartz et al). 1986; 112:861-3 (Brief comm.)
Lloyd TR, Evans TC, Marvin WJ Jr: Morphologic determinants of coronary blood flow in the hypoplastic left heart syndrome. 1986; 112:666-71
Loeb HS (see Stamato et al). 1986; 112:505-8
Lopez-Sendon J (see Coma-Canella et al). 1986; 112:940-6
Loscalzo J: Paradoxical embolism: Clinical presentation, diagnostic strategies, and therapeutic options. 1986; 112:141-5 (Curriculum cardiol.)
Low RI, Takeda PA, Lee G, Mason DT: Potential efficacy of calcium antagonists and heparin in patients with embolic stroke. 1986; 112:1338-9 (Brief comm.)
Lown B (see Hohnloser et al). 1986; 112:32-5
Lubsen J (see van der Laarse et al). 1986; 112:672-81
Lucchesi BR (see Jolly et al). 1986; 112:682-90
— (see Lynch et al). 1986; 112:752-8
Lui HK, Harris FJ, Chan MC, Lee G, Mason DT: Comparison of intravenous mexiletine and lidocaine for the treatment of ventricular arrhythmias. 1986; 112:1153-8
Luria MH (see Koren et al). 1986; 112:468-71
Lutas EM, Roberts RB, Devereux RB, Prieto LM: Relation between the presence of echocardiographic vegetations and the complication rate in infective endocarditis. 1986; 112:107-13
Lynch JJ, DiCarlo LA, Montgomery DG, Hassan T, Lucchesi BR: Electrophysiologic actions of pirlenol in dogs with recent myocardial infarction. 1986; 112:752-8

M

- MacFarlane P (see Northcote et al). 1986; 112:339-44
Machado H (see Kinney et al). 1986; 112:420-3 (Brief comm.)
Mackowiak PA (see Ugolini et al). 1986; 112:813-9 (Curriculum cardiol.)
MacPherson D (see Hsieh et al). 1986; 112:103-7
Magrini J (see Castaner et al). 1986; 112:1201-9
Mahler SA, (see Seals et al). 1986; 112:36-43
Maisei AS, Gilpin EA, Klein L, Winter ML, Henning H, Collins D: The murmur of papillary muscle dysfunction in acute myocardial infarction: clinical features and prognostic implications. 1986; 112:705-11
Man in 't Veld AJ (see van den Meirack et al). 1986; 112:368-74
Manchanda SC (see Kaul et al). 1986; 112:71-5
Mancini GBJ, Friedman HZ, Hramiec JE, DeBoe SF: The hemodynamic determinants of the isovolumic index. 1986; 112:791-9
Mandel WJ (see Karagueuzian et al). 1986; 112:1173-83
Mangiardi LM, Ronzani G, Gaita F, Presbitero P, Conte MR, Di Leo M, Commodo E, Brusca A: Clinical and electrocardiographic features and long-term results of electrical therapy in patients with isolated His bundle disease. 1986; 112:1183-91
Marchand E (see Roy et al). 1986; 112:1039-43
Marchetti S (see Muiesan et al). 1986; 112:233-8 (Symposium)
Marchlinski FE (see Kadish et al). 1986; 112:1134-40
Margonato A, Gerundini P, Vicedomini G, Gilardi MC, Pozza G, Fazio F: Abnormal cardiovascular response to exercise in young asymptomatic diabetic patients with retinopathy. 1986; 112:554-60
— (see Crea et al). 1986; 112:249-54
Markel ML, Zipes DP, Bailey JC: Continuous lidocaine infusion in an ambulatory patient with recurrent ventricular tachycardia. 1986; 112:184-6 (Brief comm.)
Maro TD (see Romano et al). 1986; 112:356-60
Martin JL (see Laskey et al). 1986; 112:953-62
Martinez JJ (see Miller et al). 1986; 112:1114-6 (Brief comm.)
Marvin (see Lloyd et al). 1986; 112:666-71
Marx GR, Goldberg SJ, Allen HD: Two methods for measurement of ascending aortic diameter by 2D echocardiography as compared with cineangiography. 1986; 112:172-3 (Brief comm.)

- Masden RR (see Goldman et al). 1986; 112:1325-8 (Brief comm.)
Masera A (see Bugiardini et al). 1986; 112:255-62
— (see Crea et al). 1986; 112:249-54
Mason DT (see Lee et al). 1986; 112:1323-5 (Brief comm.)
— (see Low et al). 1986; 112:1338-9 (Brief comm.)
— (see Lui et al). 1986; 112:1153-8
Mason TJ (see Cummings et al). 1986; 112:407-9 (Brief comm.)
Masuo M (see Uchida et al). 1986; 112:691-5
Mathey DG (see Schofer et al). 1986; 112:291-5
Matos JA (see Kim et al). 1986; 112:14-9
Matsuda M (see Matsuda et al). 1986; 112:947-53
— (see Sugishita et al). 1986; 112:728-38
Matsuda T, Moritani K, Ogawa H, Kohno M, Kohtoku S, Miura T, Hiro T, Yano M, Matsuda M, Kusukawa R: Response of the coronary artery to a small dose of ergonovine in variant angina. 1986; 112:947-53
Matsuda Y (see Kohtoku et al). 1986; 112:404-5 (Brief comm.)
Matsuhisa M, Shimomura K, Beppu S, Nakajima K: Jugular phlebogram in congenital absence of the pericardium. 1986; 112:1004-10
Matsuzaki M (see Kohtoku et al). 1986; 112:404-5 (Brief comm.)
Mauran P, Fouron J-C, Carceller A-M, Douste-Blazy M-Y, van Doesburg NH, Guérin R, Ducharme G, Davignon A: Value of respiratory variations of right ventricular dimension in the identification of small atrial septal defects (secundum type) not requiring surgery: an echocardiographic study. 1986; 112:548-53
Maza S (see Wynn et al). 1986; 112:174-5 (Brief comm.)
McAnulty JH (see Kron et al). 1986; 112:1-8
McCaughan BC (see Jagger et al). 1986; 112:626-7 (Brief comm.)
McComb JM (see Dunn et al). 1986; 112:745-51
McElroy PA (see Nolan et al). 1986; 112:526-36
McFarland TM (see Sabbah et al). 1986; 112:453-8
McManus BM (see Greene et al). 1986; 112:178-81 (Brief comm.)
— (see Sobczyk et al). 1986; 112:1090-2 (Brief comm.)
Mead RH (see Dorian et al). 1986; 112:327-33
Meermann M (see Karagueuzian et al). 1986; 112:1173-83
Mehta SK, Bahler RC, Hanson R, Walsh JT, Rakita L: Relative tachycardia in ambulant children with borderline hypertension. 1986; 112:1257-63
Meinertz T (see Kasper et al). 1986; 112:1284-90
Menke DM, Jordan MD, Aust CH, Waller BF: Isolated and severe left main coronary atherosclerosis and thrombosis: a complication of acute angle takeoff of the left main coronary artery. 1986; 112:1319-20 (Brief comm.)
Menkes CJ (see Nitenberg et al). 1986; 112:309-15
Meran DO (see Crea et al). 1986; 112:249-54
Mercier RJ (see Akaishi et al). 1986; 112:1226-31
Meyer RA (see Murphy et al). 1986; 112:542-7
Mickelson JK, Byrd BF II, Bouchard A, Botvinick EH, Schiller NB: Left ventricular dimensions and mechanics in distance runners. 1986; 112:1251-6
Miller AB (see Bass et al). 1986; 112:610-3 (Brief comm.)
Miller FC, Krucoff MW, Satler LF, Green CE, Fletcher RD, Del Negro AA, Pearle DL, Kent KM, Rackley CE: Ventricular arrhythmias during reperfusion. 1986; 112:928-32
Miller JT, Henry RL, Kern MJ: Potentiation of nitroglycerin-induced ST segment elevation by beta-adrenergic blockade. 1986; 112:839-41 (Brief comm.)
Miller SM, Martinez JJ, Deal BJ, Bauman JL, Scagliotti D, Hariman RJ, Gallastegui JL: Electrophysiologic testing of tocainide and mexiletine for ventricular tachycardia: assessment of the need to test both drugs. 1986; 112:1114-6 (Brief comm.)
Mintz GS (see Iskandrian et al). 1986; 112:382-91 (Curriculum cardiol.)
— (see Iskandrian and Mintz). 1986; 112:867-70 (Editorial)
— (see Panidis et al). 1986; 112:150-8 (Prog. cardiol.)
Miron SD (see Finkelhor et al). 1986; 112:296-304
Mitchell RS (see Schwartz et al). 1986; 112:861-3 (Brief comm.)
Miura D (see Wynn et al). 1986; 112:174-5 (Brief comm.)
Miura T (see Matsuda et al). 1986; 112:947-53
Miyamori R (see Kojima et al). 1986; 112:1011-6
Miyazaki T (see Kojima et al). 1986; 112:1011-6
Moak JP (see Bricker et al). 1986; 112:186-8 (Brief comm.)
Moleur P (see Touboul et al). 1986; 112:333-9
Moller JH, Adams FH: Pediatric cardiology manpower in the 1980s. 1986; 112:599-604 (Special report)

- Mombelli G (see Gallino et al). 1986; 112:285-90
 Montgomery DG (see Lynch et al). 1986; 112:752-8
 Moodie DS (see Gordon et al). 1986; 112:89-96
 — (see Otero-Cagide et al). 1986; 112:1304-8 (Prog. cardi.)
 Morady F, DiCarlo LA Jr, de Buitelir M, Baerman JM: Observations on QRS alternans in a patient with two types of narrow QRS tachycardia. 1986; 112:615-8 (Brief comm.)
 — (see Nicklas et al). 1986; 112:923-8
 Moran H (see Lichtenberg et al). 1986; 112:417-8 (Brief comm.)
 Moran JF (see Stamato et al). 1986; 112:505-8
 Mori H (see Kojima et al). 1986; 112:1011-6
 Morikami Y (see Kugiyama et al). 1986; 112:605-6 (Brief comm.)
 Morise AP, Goodwin C: Exercise radionuclide angiography in patients with mitral stenosis: value of right ventricular response. 1986; 112:509-17
 Moritani K (see Matsuda et al). 1986; 112:947-53
 Morris C (see Kron et al). 1986; 112:1-8
 Morrison DA, Boyden TW, Pamentier RW, Freund BJ, Stini WA, Harrington R, Wilmore JH: Effects of aerobic training on exercise tolerance and echocardiographic dimensions in untrained postmenopausal women. 1986; 112:561-7
 Moskowitz WB, Shula TJ, Schieken RM: Congenital aortic elongation: a rare cause of superior mediastinal widening. 1986; 112:1328-9 (Brief comm.)
 Movahed A, Wait J: Carcinoma of the heart presenting as myocardial infarction. 1986; 112:1329-33 (Brief comm.)
 Mower MM (see Huang et al). 1986; 112:841-3 (Brief comm.)
 Moya A (see Cinca et al). 1986; 112:315-21
 Muhammad A (see Douglas et al). 1986; 112:344-50
 Muesan G, Agabiti-Rosei E, Muesan L, Romanelli G, Pollavini P, Pasotti C, Fiori G, Muratori L, Zuarini AM, Pastorini C, Borziani S, Bozzi LB, Marchetti S: A multicenter trial of transdermal nitroglycerin in exercise-induced angina: individual antianginal response after repeated administration. 1986; 112:233-8 (Symposium)
 Muesan L (see Muesan et al). 1986; 112:233-8 (Symposium)
 Müller EJ (see Krusyswik et al). 1986; 112:613-5 (Brief comm.)
 Mullins CE (see Ali Khan et al). 1986; 112:158-66 (Prog. cardi.)
 Muratani H, Abe I, Tomita U, Ueno M, Kawazoe N, Kimura Y, Tsuchihashi T, Takishita S, Uezono K, Kawasaki T, Eto T, Fujishima M: Is single oral administration of captopril beneficial in screening for primary aldosteronism? 1986; 112:361-7
 Muratori L (see Muesan et al). 1986; 112:233-8 (Symposium)
 Murdock DK (see Stamato et al). 1986; 112:505-8
 Murphey E (see Kron et al). 1986; 112:1-8
 Murphy DA (see Talley et al). 1986; 112:1335-8 (Brief comm.)
 Murphy DJ Jr, Reller MD, Meyer RA, Kaplan S: Left ventricular function in normal newborn infants and asymptomatic infants with neonatal polycythemia. 1986; 112:542-7
 Murphy ML (see Peng et al). 1986; 112:1238-44
 Murphy-Chutorian D, Selzer PM, Kosek J, Quay SC, Profitt D, Ginsburg R: The interaction between excimer laser energy and vascular tissue. 1986; 112:739-44
- N**
- Nadeau RA (see Perrault et al). 1986; 112:1026-31
 Nagao M (see Yasue et al). 1986; 112:263-72
 Nakajima K (see Matsuhisa et al). 1986; 112:1004-10
 Nakamura M (see Hayata et al). 1986; 112:1245-50
 — (see Suyama et al). 1986; 112:44-51
 Nanas JN (see Anastasiou-Nana et al). 1986; 112:992-7
 Nanda NC (see Saenz et al). 1986; 112:1092-4 (Brief comm.)
 Nash DT (see Goldhaber et al). 1986; 112:409-12 (Brief comm.)
 Nasser FN (see Bellamy et al). 1986; 112:304-9
 Neaton JD (see Kannel et al). 1986; 112:825-36 (Prog. cardi.)
 Neely BH (see Urthaler et al). 1986; 112:765-70
 Neri Serneri GG, Gensini GF, Abbate R, Prisco D, Rogasi PG, Castellani S, Casolo GC, Fazi A, Fantini F, Di Donato M, Dabizzi RP: Impaired cardiac PGI₂ and PGE₂ biosynthesis in patients with angina pectoris. 1986; 112:472-8
 Neufeld HN (see Rotstein et al). 1986; 112:1094-5 (Brief comm.)
 — (see Vered et al). 1986; 112:972-6
 Newell JB (see Ruddy et al). 1986; 112:1210-6
 Newhouse KE (see Finkelhor et al). 1986; 112:296-304
 Nicholas JA (see Coplan et al). 1986; 112:145-9 (Curriculum cardi.)
- Nicklas JM, DiCarlo LA, Koller PT, Morady F, Diltz EA, Shenker Y, Grekin RJ: Plasma levels of immunoreactive atrial natriuretic factor increase during supraventricular tachycardia. 1986; 112:923-8
 Nicolosi GL (see Zardo et al). 1986; 112:621-2 (Brief comm.)
 Nishida S (see Yasue et al). 1986; 112:263-72
 Nitenberg A, Foults JM, Kahan A, Perennec J, Devaux JY, Menkes CJ, Amor B: Reduced coronary flow and resistance reserve in primary scleroderma myocardial disease. 1986; 112:309-15
 — (see Foults et al). 1986; 112:1232-7
 Nolan AC, Karwoski T, McElroy PA: Failure of nitroglycerin introduced after prolonged myocardial ischemia to improve collateral blood flow and function in tranquilized dogs. 1986; 112:526-36
 Norberg WJ (see Bansal et al). 1986; 112:618-21 (Brief comm.)
 Northcote RJ, MacFarlane P, Kesson CM, Ballantyne D: Continuous 24-hour electrocardiography in thyrotoxicosis before and after treatment. 1986; 112:339-44
 Nouri S (see Jureidini et al). 1986; 112:175-6 (Brief comm.)
- O**
- O'Connell JB (see Stamato et al). 1986; 112:505-8
 O'Connor WN (see Harrison et al). 1986; 112:414-7 (Brief comm.)
 Ogawa H (see Koutoku et al). 1986; 112:404-5 (Brief comm.)
 — (see Matsuda et al). 1986; 112:947-53
 Ohta H (see Takihara et al). 1986; 112:1278-84
 Ohta M (see Karagueuzian et al). 1986; 112:1173-83
 Okada M (see Ishikawa et al). 1986; 112:1116-9 (Brief comm.)
 Okada RD (see Palacios et al). 1986; 112:1032-9
 — (see Brown et al). 1986; 112:1321-2 (Brief comm.)
 Okin PM (see Kligfield et al). 1986; 112:589-98 (Prog. cardi.)
 Olley PM (see Pelech et al). 1986; 112:1263-70
 Olson J (see Saner et al). 1986; 112:977-84
 O'Mara V (see Huang et al). 1986; 112:841-3 (Brief comm.)
 Ooshima M (see Sugishita et al). 1986; 112:728-38
 Origuchi H, Shimokawa H, Sugihara M, Sagara T, Kikuchi Y: Demonstration of exercise-induced myocardial ischemia in a case of multiple coronary arterioventricular fistulas. 1986; 112:1096-7 (Brief comm.)
 Osbakken M (see Palacios et al). 1986; 112:1032-9
 Otero-Cagide M, Moodie DS, Sterba R, Gill CC: Digital subtraction angiography in the diagnosis of vascular rings. 1986; 112:1304-8 (Prog. cardi.)
- P**
- Pacifica A (see Ugolini et al). 1986; 112:813-9 (Curriculum Cardi.)
 Palacios I, Goldman A, Aretz T, Okada R, Osbakken M, Leavitt M, Block PC, Boucher C: Comparison of contrast x-ray biplane cineangiography and technetium-99m radionuclide scans for measurement of ventricular volumes in human autopsy hearts. 1986; 112:1032-9
 Palik I, Graham TP Jr, Burger J: Ventricular pump performance in patients with obstructed right ventricular-pulmonary artery conduits. 1986; 112:1271-8
 Pamentier RW (see Morrison et al). 1986; 112:561-7
 Panidis IP, Mintz GS, Ross J: Value and limitations of Doppler ultrasound in the evaluation of aortic stenosis: a statistical analysis of 70 consecutive patients. 1986; 112:150-8 (Prog. cardi.)
 Pannizzo F, Amikam S, Bagwell P, Furman S: Discrimination of antegrade and retrograde atrial depolarization by electrogram analysis. 1986; 112:780-6
 Pantopoulos D (see Saksena et al). 1986; 112:52-60
 Parrish D (see Binkley et al). 1986; 112:424-6 (Brief comm.)
 Pasotti C (see Muesan et al). 1986; 112:233-8 (Symposium)
 Pastorini C (see Muesan et al). 1986; 112:233-8 (Symposium)
 Pawsey CGK (see Jagger et al). 1986; 112:626-7 (Brief comm.)
 Pearle DL (see Miller et al). 1986; 112:928-32
 Pelech AN, Kartodihardjo W, Balfe JA, Balfe JW, Olley PM, Leenen FHH: Exercise in children before and after coarctectomy: hemodynamic, echocardiographic, and biochemical assessment. 1986; 112:1263-70
 Pels AE III (see Foster et al). 1986; 112:1309-16

- Peng CF, Davis JL, Murphy ML, Straub KD: Effects of reperfusion on myocardial wall thickness, oxidative phosphorylation, and Ca^{2+} metabolism following total and partial myocardial ischemia. 1986; 112:1238-44
- Perennec J (see Nitenberg et al). 1986; 112:309-15
- Perez JE (see Barzilai et al). 1986; 112:1088-90 (Brief comm.)
- Peronnet F (see Perrault et al). 1986; 112:1026-31
- Perrault H, Peronnet F, Lebeau R, Nadeau RA: Echocardiographic assessment of left ventricular performance before and after marathon running. 1986; 112:1026-31
- Perryman RA (see Bass et al). 1986; 112:610-3 (Brief comm.)
- Perticone F, Adinolfi L, Bonaduce D: Efficacy of magnesium sulfate in the treatment of torsade de pointes. 1986; 112:847-9 (Brief comm.)
- Peter T (see Karagueuzian et al). 1986; 112:1173-83
- Peterson E (see Jafri et al). 1986; 112:194-6 (Editorial)
- Pettigrew A (see Cleland et al). 1986; 112:130-5
- Pfisterer M (see Amann et al). 112:1084-7 (Brief comm.)
- Phair R (see Venkatesh et al). 1986; 112:916-22
- Pichard A (see Lee et al). 1986; 112:1323-5 (Brief comm.)
- Pierson RN (see Baum et al). 1986; 112:858-9 (Brief comm.)
- Pinsky WW (see Bansal et al). 1986; 112:618-21 (Brief comm.)
- Pitt B (see Krell et al). 1986; 112:787-90
- Pohost GM (see Brown et al). 1986; 112:1321-2 (Brief comm.)
- Pollavini P (see Muiresan et al). 1986; 112:233-8 (Symposium)
- Pollock ML (see Foster et al). 1986; 112:1309-16
- Poole JE, Werner JA, Bardy GH, Graham EL, Pulaski WP, Fahrnerbruch CE, Greene HL: Intolerance and ineffectiveness of mexiletine in patients with serious ventricular arrhythmias. 1986; 112:322-6
- Pouget JM (see Cummings et al). 1986; 112:407-9 (Brief comm.)
- Pouleur H, Rousseau MF, van Eyck C, Gurne O, Hanet C, Charlier AA: Impaired regional diastolic distensibility in coronary artery disease: relations with dynamic left ventricular compliance. 1986; 112:721-8
- Powell LH (see Friedman et al). 1986; 112:653-65
- Pozza G (see Margonato et al). 1986; 112:554-60
- Pratt CA (see Seals et al). 1986; 112:36-43
- Pratt CM (see Young et al). 1986; 112:181-4 (Brief comm.)
- Present S, Vandormael M, Kern MJ: Paradox of acute myocardial ischemia and successful PTCA: a case report of subtle coronary embolus. 1986; 112:1317-9 (Brief comm.)
- Presbitero P (see Mangiardi et al). 1986; 112:1183-91
- Price VA (see Friedman et al). 1986; 112:653-65
- Prieto LM (see Lutas et al). 1986; 112:107-13
- Prisco D (see Neri Serneri et al). 1986; 112:472-8
- Proffitt D (see Murphy-Chutorian et al). 1986; 112:739-44
- Pulaski WP (see Poole et al). 1986; 112:322-6
- Punatar HK (see Shenoy et al). 1986; 112:1339-42 (Brief comm.)
- Q**
- Quay SC (see Murphy-Chutorian et al). 1986; 112:739-44
- Quinones MA (see Seals et al). 1986; 112:36-43

R

- Rabin DD (see Friedman et al). 1986; 112:653-65
- Rackley CE (see Miller et al). 1986; 112:928-32
- Raeder EA (see Hohnloser et al). 1986; 112:32-5
- Rahimtoola SH (see Rose et al). 1986; 112:759-65
- Rajani M (see Kaul et al). 1986; 112:71-5
- Rakita L (see Mehta et al). 1986; 112:1257-63
- Rambotti P (see Gerli et al). 1986; 112:350-5
- Rasmussen HH (see Bellamy et al). 1986; 112:304-9
- Rath S (see Rotstein et al). 1986; 112:1094-5 (Brief comm.)
- (see Vered et al). 1986; 112:972-6
- Reddy HK (see D'Cruz et al). 1986; 112:1100-2 (Brief comm.)
- Reed WP, Leach JK, Chick TW, Goldblum SE, Albright E, Chavez RP: Depression of papillary muscle contractility by plasma incubated with pneumococci. 1986; 112:84-8
- Reichek N (see Douglas et al). 1986; 112:344-50
- (see Laskey et al). 1986; 112:972-6
- Rein AJJT, Hsieh KS, Elixson M, Colan SD, Lang P, Sanders SP, Castaneda AR: Cardiac output estimates in the pediatric intensive care unit using a continuous-wave Doppler computer: validation and limitations of the technique. 1986; 112:97-103
- Reis RL (see Lee et al). 1986; 112:1323-5 (Brief comm.)

S

- Reller MD (see Murphy et al). 1986; 112:542-7
- Res J (see van der Laarse et al). 1986; 112:672-81
- Reybrouck T, Weymans M, Stijns H, Van der Hauwaert LG: Exercise testing after correction of tetralogy of Fallot: the fallacy of a reduced heart rate response. 1986; 112:998-1003
- Rick S, Chomka EV, Stagl R, Shanes JG, Kondos GT, Brundage BH: Determination of left ventricular ejection fraction using ultrafast computed tomography. 1986; 112:392-6 (Prog. cardi.)
- Riemenschneider TA: Management of the hypoplastic left heart syndrome: a challenge to those who care for children with heart diseases. 1986; 112:864-7 (Editorial)
- Rius J (see Cinca et al). 1986; 112:315-21
- Roberts RB (see Lutas et al). 1986; 112:107-13
- Robertson JIS (see Cleland et al). 1986; 112:130-5
- Robertson RM (see Cates et al). 1986; 112:1297-303 (Curriculum cardi.)
- Roden DM (see Kolodgie et al). 1986; 112:1192-201
- Rodriguez-Plaza L (see Crea et al). 1986; 112:249-54
- Rodvold KA (see Hoon et al). 1986; 112:396-403 (Prog. cardi.)
- Rogasi PG (see Neri Serneri et al). 1986; 112:472-8
- Rogers MC (see Jugdutt et al). 1986; 112:485-94
- Roig E (see Castaner et al). 1986; 112:1201-9
- Roma F (see Cinca et al). 1986; 112:315-21
- Romanelli G (see Muiresan et al). 1986; 112:233-8 (Symposium)
- Romano M, Carella G, Cotecchia MR, Maro TD, Indolfi C, Ferro G, Chiariello M: Abnormal systolic time intervals in obesity and their relationship with the amount of overweight. 1986; 112:356-60
- Ronzani G (see Mangiardi et al). 1986; 112:1183-91
- Rose JS, Bhandari A, Rahimtoola SH, Wu D: Effective termination of reentrant supraventricular tachycardia by single dose oral combination therapy with pindolol and verapamil. 1986; 112:759-65
- Rosenshtraukh LV, Shugushev KK, Smetnev AS: Ethacizin: a new efficacious Soviet antiarrhythmic drug of the phenothiazine group. 1986; 112:932-9
- Rosman HS (see Jafri et al). 1986; 112:194-6 (Editorial)
- Ross J (see Panidis et al). 1986; 112:150-8 (Prog. cardi.)
- Rosseneu M (see De Backer et al). 1986; 112:478-94
- Rothbart ST (see Saksena et al). 1986; 112:52-60
- Rotstein Z, Schneeweiss A, Shotan A, Har-Zahav Y, Rath S, Battler A, Neufeld HN: Amiodarone as a cause of electrocardiographic changes simulating myocardial ischemia or subendocardial infarction. 1986; 112:1094-5 (Brief comm.)
- Rousseau MF (see Pouleur et al). 1986; 112:721-8
- Rowe RD (see Craig et al). 1986; 112:800-7
- Roy D, Marchand E, Gagne P, Chabot M, Cartier R: Usefulness of anticoagulant therapy in the prevention of embolic complications of atrial fibrillation. 1986; 112:1039-43
- Rubin MR (see Bass et al). 1986; 112:610-3 (Brief comm.)
- Rubins SB (see Shell et al). 1986; 112:222-8 (Symposium)
- Ruddy TD, Yasuda T, Gold HK, Leinbach RC, Newell JB, McKusick KA, Boucher CA, Strauss HW: Anterior ST segment depression in acute inferior myocardial infarction as a marker of greater inferior, apical, and posterolateral damage. 1986; 112:1210-6
- S**
- Sabbah HF, Khaja F, Hawkins ET, Brymer JF, McFarland TM, van der Bel-Kahn J, Doerger PT, Stein PD: Relation of atherosclerosis to arterial wall shear in the left anterior descending coronary artery of man. 1986; 112:453-8
- Saenz CB, Taylor JL, Soto B, Nanda NC, Kirkin JK: Acute myocardial infarction in a patient with anomalous right coronary artery. 1986; 112:1092-4 (Brief comm.)
- Safar ME (see Toto-Moukouo et al). 1986; 112:136-40
- Saffitz JE (see Barzilai et al). 1986; 112:1088-90 (Brief comm.)
- Sagara T (see Origuchi et al). 1986; 112:1096-7 (Brief comm.)
- Saksena S, Ciccone JM, Chandran P, Pantopoulos D, Lee B, Rothbart ST: Laser ablation of normal and diseased human ventricle. 1986; 112:52-60
- Sakurai K (see Kojima et al). 1986; 112:1011-6
- Sakurai S, Tanaka H: Temporal relationship between early systolic closure of the aortic valve and aortic flow: experimental study with and without systolic anterior motion of the mitral valve. 1986; 112:113-21
- Sanders SP (see Hsieh et al). 1986; 112:103-7
- (see Rein et al). 1986; 112:97-103

- Saner HE, Asinger RW, Daniel JA, Olson J: Two-dimensional echocardiographic identification of left ventricular pseudoaneurysm. 1986; 112:977-84
- Sanz G (see Castaner et al). 1986; 112:1201-9
- Sasaki H, Charuzi Y, Beeder C, Sugiki Y, Lew AS: Utility of echocardiography for the early assessment of patients with nondiagnostic chest pain. 1986; 112:494-7
- Satler LF (see Miller et al). 1986; 112:928-32
- Sawamura A (see Takihara et al). 1986; 112:1278-84
- Sawazaki A (see Ishikawa et al). 1986; 112:1116-9 (Brief comm.)
- Scagliotti D (see Miller et al). 1986; 112:1114-6 (Brief comm.)
- Scanlon PJ (see Euler et al). 1986; 112:25-31
- (see Stamato et al). 1986; 112:505-8
- Schalekamp MADH (see van den Meirack et al). 1986; 112:368-74
- Scheidt S: Lipid regulation: a clinician's view of patient management. 1986; 112:437-40 (Symposium)
- Summary and conclusions. 1986; 112:245-8 (Symposium)
- (see Charash and Scheidt). 1986; 112:207-15 (Symposium)
- Schieken RM (see Moskowitz et al). 1986; 112:1328-9 (Brief comm.)
- Schiller NB (see Mickelson et al). 1986; 112:1251-6
- Schiller VL, Fisbein MC, Siegel RJ: Unusual cardiac involvement in carcinoid syndrome. 1986; 112:1322-3 (Brief comm.)
- Schmidt DH (see Foster et al). 1986; 112:1309-16
- Schmidt EB (see Schultz et al). 1986; 112:609 (Brief comm.)
- Schneeweiss A (see Rotstein et al). 1986; 112:1094-5 (Brief comm.)
- Schneider RM (see Akaishi et al). 1986; 112:1226-31
- Schofer J, Spielmann RP, Bromel T, Bleifeld W, Mathey DG: Thallium-201/technetium-99m pyrophosphate overlap in patients with acute myocardial infarction after thrombolysis: prediction of depressed wall motion despite thallium uptake. 1986; 112:291-5
- Schondelmeyer RW, Sunderrajan EV, Atay AE, Strickland JL, Walls JT: Successful tricuspid valvulotomy without replacement for endocarditis during pregnancy. 1986; 112:859-61 (Brief comm.)
- Schroeder BA (see Greene et al). 1986; 112:178-81 (Brief comm.)
- Schultz A, Larsen CE, Kristensen SD, Schmidt EB, Astrup G: Serum myoglobin measured by latex agglutination: rapid test for exclusion of acute myocardial infarction. 1986; 112:609 (Brief comm.)
- Schwartz AB, Mitchell RS, Higgins CB, Lipton JJ, Klausner SC: Invasive calcific constrictive pericarditis simulating a left ventricular mass. 1986; 112:861-3 (Brief comm.)
- Sclarovsky S, Davidson E, Lewin RF, Strasberg B, Arditti A, Agmon J: Unstable angina pectoris evolving to acute myocardial infarction: significance of ECG changes during chest pain. 1986; 112:459-62
- , Strasberg B, Lewin RF, Arditti A, Wurtzel M, Agmon J: Unstable angina: the significance of ST segment elevation or depression in patients without evidence of increased myocardial oxygen demand. 1986; 112:463-7
- Seals AA, English L, Leon CA, Wierman AM, Young JB, Zoghbi W, Quinones MA, Mahler SA, Roberts R, Pratt CA: Hemodynamic effects of moricizine at rest and during supine bicycle exercise: results in patients with ventricular tachycardia and left ventricular dysfunction. 1986; 112:36-43
- Sebrechts CP, Klein JL, Ahnve S, Froelicher VF, Ashburn WL: Myocardial perfusion changes following 1 year of exercise training assessed by thallium-201 circumferential count profiles. 1986; 112:1217-26
- See J (see Shell et al). 1986; 112:222-8 (Symposium)
- Seiden SW (see Kim et al). 1986; 112:14-9
- Seiffert G (see Chen et al). 1986; 112:712-21
- Selwyn AP (see Goldhaber et al). 1986; 112:409-12 (Brief comm.)
- Selzer PM (see Murphy-Chutorian et al). 1986; 112:739-44
- Sengupta EE (see D'Cruz et al). 1986; 112:1100-2 (Brief comm.)
- Sennett SM (see Foster et al). 1986; 112:1309-16
- Serra A (see Castaner et al). 1986; 112:1201-9
- Serruys PW (see van der Laarse et al). 1986; 112:672-81
- Sewell CW (see Talley et al). 1986; 112:1335-8 (Brief comm.)
- Shah PM (see Vijayaraghavan et al). 1986; 112:985-91
- Shanes JG (see Rick et al). 1986; 112:392-6 (Prog. cardi.)
- Shani J (see Lichtenberg et al). 1986; 112:417-8 (Brief comm.)
- Shell WE, Kivowitz CE, Rubins SB, See J: Mechanisms and therapy of silent myocardial ischemia: the effect of transdermal nitroglycerin. 1986; 112:222-8 (Symposium)
- Shenker Y (see Nicklas et al). 1986; 112:923-8
- Shenoy MM, Hariman RJ, Balla S, Punatar HK: Triggered activity as a possible mechanism of ventricular tachycardia in mitral valve prolapse. 1986; 112:1339-42 (Brief comm.)
- Shimokawa H (see Origuchi et al). 1986; 112:1096-7 (Brief comm.)
- Shimomura K (see Matsuhisa et al). 1986; 112:1004-10
- Shoshani D (see Belhassen et al). 1986; 112:1107-9 (Brief comm.)
- Shotan A (see Rotstein et al). 1986; 112:1094-5 (Brief comm.)
- Shugushev KK (see Rosenshtraukh et al). 1986; 112:932-9
- Shula TJ (see Moskowitz et al). 1986; 112:1328-9 (Brief comm.)
- Siegel RJ (see Schiller et al). 1986; 112:1322-3 (Brief comm.)
- Simoons ML (see van der Laarse et al). 1986; 112:672-81
- Singh BN (see Venkatesh et al). 1986; 112:916-22
- Smallhorn JF (see Craig et al). 1986; 112:800-7
- Smetnev AS (see Rosenshtraukh et al). 1986; 112:932-9
- Smith MD (see Harrison et al). 1986; 112:414-7 (Brief comm.)
- Smitherman TC (see Ugolini et al). 1986; 112:813-9 (Curriculum cardi.)
- Sobczyk WL, Jones JW, McManus BM: Clinically occult "false-on-true" left ventricular aneurysm: association with late sudden death following mitral valve replacement. 1986; 112:1090-2 (Brief comm.)
- , Kugler JD, Latson LA, Cheatham JP, Fleming WH: Sinus tachycardia-induced left ventricular dysfunction after VDD pacemaker implantation in a patient with congenital complete atrioventricular block. 1986; 112:1102-5 (Brief comm.)
- Solinas P (see Gerli et al). 1986; 112:350-5
- Somani P (see Gross and Somani). 1986; 112:771-9
- (see Venkatesh et al). 1986; 112:916-22
- Somberg JC, Tepper D: Flecainide: a new antiarrhythmic agent. 1986; 112:808-13 (Curriculum cardi.)
- (see Wynn et al). 1986; 112:174-5 (Brief comm.)
- Sonnenblick EH (see Keren et al). 1986; 112:517-25
- Soto B (see Saenz et al). 1986; 112:1092-4 (Brief comm.)
- Sperelakis N (see Takihara et al). 1986; 112:1278-84
- Spielmann RP (see Schofer et al). 1986; 112:291-5
- Spinazzo F (see Gerli et al). 1986; 112:350-5
- Stagl R (see Rick et al). 1986; 112:392-6 (Prog. cardi.)
- Stamato NJ, O'Connell JB, Murdock DK, Moran JF, Loeb HS, Scanlon PJ: The response of patients with complex ventricular arrhythmias secondary to dilated cardiomyopathy to programmed electrical stimulation. 1986; 112:505-8
- Stamler J (see Kannel et al). 1986; 112:825-36 (Prog. cardi.)
- Stein PD (see Sabbah et al). 1986; 112:453-8
- Stephens MR (see Watt et al). 1986; 112:1333-5 (Brief comm.)
- Sterba R (see Gordon et al). 1986; 112:89-96
- (see Otero-Cagide et al). 1986; 112:1304-8 (Prog. cardi.)
- Stevenson LW (see Wohlgeleit et al). 1986; 112:837-9 (Brief comm.)
- Stevenson WG (see Weiss and Stevenson). 1986; 112:843-7 (Brief comm.)
- Stijns H (see Reybrouck et al). 1986; 112:998-1003
- Stini WA (see Morrison et al). 1986; 112:561-7
- Stowers SA (see Bass et al). 1986; 112:610-3 (Brief comm.)
- Strasberg B (see Drory et al). 1986; 112:854-5 (Brief comm.)
- (see Sclarovsky et al). 1986; 112:459-62
- (see Sclarovsky et al). 1986; 112:463-7
- Straub KD (see Peng et al). 1986; 112:1238-44
- Straub PW (see Gallino et al). 1986; 112:285-90
- Strauss HW (see Ruddy et al). 1986; 112:1210-6
- Strickland JL (see Schondelmeyer et al). 1986; 112:859-61 (Brief comm.)
- Strom JA (see Keren et al). 1986; 112:517-25
- Stump DC (see Collen et al). 1986; 112:1083-4 (Brief comm.)
- Sugi K (see Karagueuzian et al). 1986; 112:1173-83
- Sugihara M (see Origuchi et al). 1986; 112:1096-7 (Brief comm.)
- Sugiki Y (see Sasaki et al). 1986; 112:494-7
- Sugimoto T (see Uchida et al). 1986; 112:691-5
- Sugishita Y, Koseki S, Ajsaka R, Matsuda M, Iida K, Iida K, Ito I, Ooshima M, Takeda T, Akisada M: Daily variations of ECG and left ventricular parameters at exercise in patients with anginal attacks but normal coronary arteriograms. 1986; 112:728-38
- Sugiyama T (see Isobe et al). 1986; 112:855-8 (Brief comm.)
- Sunderrajan EV (see Schondelmeyer et al). 1986; 112:859-61 (Brief comm.)
- Sutton MGSJ (see Douglas et al). 1986; 112:344-50
- (see Laskey et al). 1986; 112:953-62
- Suyama A, Anan T, Araki H, Takeshita A, Nakamura M: Prevalence of ventricular tachycardia in patients with different

underlying heart diseases: a study by Holter ECG monitoring. 1986; 112:44-51

T

- Takahashi M (see Kojima et al). 1986; 112:1011-6
Takeda PA (see Low et al). 1986; 112:1338-9 (Brief comm.)
Takeda T (see Sugishita et al). 1986; 112:728-38
Takeshita A (see Suyama et al). 1986; 112:44-51
Takahara K, Azuma J, Awata N, Ohta H, Hamaguchi T, Sawamura A, Tanaka Y, Kishimoto S, Sperelakis N: Beneficial effect of taurine in rabbits with chronic congestive heart failure. 1986; 112:1278-84
Takishita S (see Muratani et al). 1986; 112:361-7
Takizawa A (see Yasue et al). 1986; 112:263-72
Talley JD, Franch RH, Clements SD, Murphy DA, Sewell CW: Primary right ventricular leiomyosarcoma producing outflow tract obstruction. 1986; 112:1335-8 (Brief comm.)
Tamitani M (see Koutoku et al). 1986; 112:404-5 (Brief comm.)
Tanaka H (see Sakurai and Tanaka). 1986; 112:113-21
Tanaka Y (see Takihara et al). 1986; 112:1278-84
Taylor D (see Bashour et al). 1986; 112:176-8 (Brief comm.)
Taylor JL (see Saenz et al). 1986; 112:1092-4 (Brief comm.)
Taylor SH: The role of transdermal nitroglycerin in the treatment of coronary heart disease. 1986; 112:197-207 (Symposium)
Tei C (see Vijayaraghavan et al). 1986; 112:985-91
Tepper D (see Somberg and Tepper). 1986; 112:808-13 (Curriculum cardiol.)
Thomas HE (see Kannel et al). 1986; 112:825-36 (Prog. cardiol.)
Thomas R (see Brodsky et al). 1986; 112:1166-72
Thompson L (see Friedman et al). 1986; 112:653-65
Thompson NN (see Foster et al). 1986; 112:1309-16
Thoresen CE (see Friedman et al). 1986; 112:653-65
Timmis GC (see Ciske et al). 1986; 112:1016-25
Tomaru T (see Uchida et al). 1986; 112:691-5
Tomita U (see Muratani et al). 1986; 112:361-7
Tomoda H: Development of an experimental model of acute myocardial infarction and the effects of a thromboxane synthase inhibitor (OKY-046). 1986; 112:696-704
Toto-Moukoko JJ, Achimastos A, Asmar RG, Hugues CJ, Safar ME: Pulse wave velocity in patients with obesity and hypertension. 1986; 112:136-40
Touboul P, Atallah G, Kirkorian G, de Zuloaga C, Dufour A, Aymard MF, Lavaud P, Moleur P: Electrophysiologic effects of cibenzoline in humans related to dose and plasma concentration. 1986; 112:333-9
Traweck MS (see Bricker et al). 1986; 112:186-8 (Brief comm.)
Trusler GA (see Craig et al). 1986; 112:800-7
Tsuchihasi T (see Muratani et al). 1986; 112:361-7
Tsuchimochi H (see Isobe et al). 1986; 112:855-8 (Brief comm.)
Turlapati RV (see D'Cruz et al). 1986; 112:1100-2 (Brief comm.)

U

- Uchida Y, Masuo M, Tomaru T, Kato A, Sugimoto T: Fiberoptic observation of thrombosis and thrombolysis in isolated human coronary arteries. 1986; 112:691-5
Ueno M (see Muratani et al). 1986; 112:361-7
Uezono K (see Muratani et al). 1986; 112:361-7
Ugolini V, Pacifica A, Smitherman TC, Mackowiak PA: Pneumococcal endocarditis update: analysis of 10 cases diagnosed between 1974 and 1984. 1986; 112:813-9 (Curriculum cardiol.)
Ulmer D (see Friedman et al). 1986; 112:653-65
Urthaler F, Neely BH, Hageman GR: Differential interaction of adrenergic and cholinergic effects on AV junctional automaticity and AV conduction. 1986; 112:765-70

V

- Vacek JL, Davis WR: Antegrade in vivo angiographic depiction of the coronary venous system. 1986; 112:412-4 (Brief comm.)
Van de Werf (see Collen et al). 1986; 112:1083-4 (Brief comm.)
van den Meirack AH, Man in't Veld AJ, van Eck HJR, Schalekamp MADH: Systemic and renal vasodilation after beta-adrenoceptor blockade with pindolol: a hemodynamic study on the onset and maintenance of its antihypertensive effect. 1986; 112:368-74
van der Bel-Kahn J (see Sabbah et al). 1986; 112:453-8
Van der Hauwaert LG (see Reybrouck et al). 1986; 112:998-1003

- van der Laarse A, Vermeer F, Hermens WT, Willems GM, de Neef K, Simoons ML, Serruys PW, Res J, Verheugt FWA, Krauss XH, Bär F, de Zwaan C, Lubsen J: Effects of early intracoronary streptokinase on infarct size estimated from cumulative enzyme release and on enzyme release rate: a randomized trial of 533 patients with acute myocardial infarction. 1986; 112:672-81
van der Werf T (see Visser et al). 1986; 112:963-72
van Doesburg NH (see Mauran et al). 1986; 112:548-53
van Eck HJR (see van den Meirack et al). 1986; 112:368-74
van Eyll C (see Pouleur et al). 1986; 112:721-8
Van Parijs L (see De Backer et al). 1986; 112:478-94
Vandermolen LA (see Young et al). 1986; 112:181-4 (Brief comm.)
Vandormael M (see Presant et al). 1986; 112:1317-9 (Brief comm.)
Vargas-Barron J, Lacy-Niebla MC, Keirns C, Gonzales-Medina AR, Bassa-Kury R, Dubach P: Pulsed Doppler echocardiographic analysis of atrioventricular flow changes in patients with atrial myxomas. 1986; 112:850-4 (Brief comm.)
Vargo TA (see Bricker et al). 1986; 112:186-8 (Brief comm.)
Vaughn WK (see Cates et al). 1986; 112:1297-303 (Curriculum cardiol.)
Venkatesh N, Somani P, Bersohn M, Phair R, Kato R, Singh BN: Electropharmacology of amiodarone: absence of relationship to serum, myocardial, and cardiac sarcolemmal membrane drug concentrations. 1986; 112:916-22
Vered Z, Katz M, Rath S, Har-Zahav Y, Battler A, Benjamin P, Neufeld HN: Two-dimensional echocardiographic analysis of proximal left main coronary artery in humans. 1986; 112:972-6
Verheugt FWA (see van der Laarse et al). 1986; 112:672-81
Vermeer F (see van der Laarse et al). 1986; 112:672-81
Verrier RL (see Hohnloser et al). 1986; 112:32-5
Vicedomini G (see Margonato et al). 1986; 112:554-60
Vijayaraghavan G, Boltwood CM, Tei C, Wong M, Shah PM: Simplified echocardiographic measurement of the mitral annulus. 1986; 112:985-91
Vincent GM: The heart rate of Romano-Ward syndrome patients. 1986; 112:61-4
Virmani R (see Cates et al). 1986; 112:1297-303 (Curriculum cardiol.)
— (see Kolodgie et al). 1986; 112:1192-201
Visser RF, van der Werf T, Ascoop CAPL, Bruschke AVG: The influence of anatomic evolution of coronary artery disease on left ventricular contraction: an angiographic follow-up study of 300 nonoperated patients. 1986; 112:963-72
Vlay SC: The automatic internal cardioverter-defibrillator: comprehensive clinical follow-up, economic and social impact: the Stony Brook experience. 1986; 112:189-94 (Editorial)
Vogel MB (see Hackworthy et al). 1986; 112:279-84
Vogel RA (see Krell et al). 1986; 112:787-90
Vrobel TR (see Finkelhor et al). 1986; 112:296-304

W

- Waagstein F (see Herlitz et al). 1986; 112:1120-6 (Editorial)
Wait J (see Movahed and Wait). 1986; 112:1329-33 (Brief comm.)
Waller BF (see Armstrong et al). 1986; 112:627-31 (Brief comm.)
— (see Menke et al). 1986; 112:1319-20 (Brief comm.)
Wallock ME (see Euler et al). 1986; 112:25-31
Walls JT (see Schondelmeyer et al). 1986; 112:859-61 (Brief comm.)
Walsh JT (see Mehta et al). 1986; 112:1257-63
Wasir HS (see Kaul et al). 1986; 112:71-5
Waspe LE, Brodman R, Kim SG, Fisher JD: Susceptibility to atrial fibrillation and ventricular tachyarrhythmia in the Wolff-Parkinson-White syndrome: role of the accessory pathway. 1986; 112:1141-52
— (see Kim et al). 1986; 112:14-9
Wasser H (see Lichtenberg et al). 1986; 112:417-8 (Brief comm.)
Watt AH, Fraser AG, Stephens MR: Q fever endocarditis presenting as myocardial infarction. 1986; 112:1333-5 (Brief comm.)
Weber JR: Recent studies on transdermal nitroglycerin patch efficacy. 1986; 112:238-41 (Symposium)
Weinhaus L (see Lababidi and Weinhaus). 1986; 112:913-6
Weintraub WS (see Akaishi et al). 1986; 112:1226-31
Weiss AT (see Koren et al). 1986; 112:468-71

- Weiss J, Stevenson WG: Narrow QRS ventricular tachycardia. 1986; 112:843-7 (Brief comm.)
- Wentworth D (see Kannel et al). 1986; 112:825-36 (Prog. cardiol.)
- Werner JA (see Poole et al). 1986; 112:322-6
- Werner JC (see Downing et al). 1986; 112:273-9
- Weymans M (see Reybrouck et al). 1986; 112:998-1003
- Wierman AM (see Seals et al). 1986; 112:36-43
- Willems GM (see van der Laarse et al). 1986; 112:672-81
- Wilmore JH (see Morrison et al). 1986; 112:561-7
- Winkle RA (see Dorian et al). 1986; 112:19-25
- (see Dorian et al). 1986; 112:327-33
- Winter ML (see Maisel et al). 1986; 112:705-11
- Wiseman JC (see Bellamy et al). 1986; 112:304-9
- Wohlgeleitner D, Stevenson LW, Brunken R: Reversal of ischemic myocardial dysfunction by PTCA in a cardiac transplant patient. 1986; 112:837-9 (Brief comm.)
- Woie L (see Dickstein et al). 1986; 112:121-9
- Wolf WJ: Echocardiographic detection of a left atrial thrombus in an infant with complex congenital heart disease. 1986; 112:624-6 (Brief comm.)
- Wolinsky DG (see Baum et al). 1986; 112:858-9 (Brief comm.)
- Wollschlaeger H (see Chen et al). 1986; 112:712-21
- Wong M (see Vijayaraghavan et al). 1986; 112:985-91
- Wu D (see Rose et al). 1986; 112:759-65
- (see Yeh et al). 1986; 112:1109-14 (Brief comm.)
- Wurtzel M (see Sclarovsky et al). 1986; 112:463-7
- Wynn J, Fingerhook M, Keefe D, Maza S, Miura D, Somberg JC: Refractory ventricular tachycardia with flecainide. 1986; 112:174-5 (Brief comm.)
- Y**
- Yamaoki K (see Isobe et al). 1986; 112:855-8 (Brief comm.)
- Yano M (see Matsuda et al). 1986; 112:947-53
- Yared S (see Goldman et al). 1986; 112:1325-8 (Brief comm.)
- Yasuda T (see Ruddy et al). 1986; 112:1210-6
- Yasue H, Takizawa A, Nagao M, Nishida S, Horie M, Kubota J, Fujii H: Pathogenesis of angina pectoris in patients with one-vessel disease: possible role of dynamic coronary obstruction. 1986; 112:263-72
- (see Kugiyama et al). 1986; 112:605-6 (Brief comm.)
- Yazaki Y (see Isobe et al). 1986; 112:855-8 (Brief comm.)
- Yeh S-J, Lin F-C, Wu D: Exercise provocation of multiple reentrant tachycardias in a patient with permanent form of junctional tachycardia and intermittent ventricular preexcitation. 1986; 112:1109-14 (Brief comm.)
- Yiannikas J (see Gordon et al). 1986; 112:89-96
- Yokota N (see Ishikawa et al). 1986; 112:1116-9 (Brief comm.)
- Young JB, Vandermolen LA, Pratt CM: Torsade de pointes: an unusual manifestation of chloral hydrate poisoning. 1986; 112:181-4 (Brief comm.)
- (see Seals et al). 1986; 112:36-43
- Al Yousef S (see Ali Khan et al). 1986; 112:158-66 (Prog. cardiol.)
- Z**
- Zanuttini D (see Zardo et al). 1986; 112:621-2 (Brief comm.)
- Zardo F, Nicolosi GL, Burelli C, Zanuttini D: Dual-chamber transvenous pacemaker implantation via anomalous left superior vena cava. 1986; 112:621-2 (Brief comm.)
- Zeevi GR (see Laskey et al). 1986; 112:953-62
- Zeiher A (see Chen et al). 1986; 112:712-21
- (see Kasper et al). 1986; 112:1284-90
- Zeman TW (see Euler et al). 1986; 112:25-31
- Zimmermeister AR (see Clements et al). 1986; 112:582-8 (Prog. cardiol.)
- Zinner AJ (see Leman et al). 1986; 112:622-4 (Brief comm.)
- Zipes DP (see Markel et al). 1986; 112:184-6 (Brief comm.)
- Zoghbi W (see Seals et al). 1986; 112:36-43
- Zotz RJ (see Buda and Zotz). 1986; 112:447-52
- (see Buda et al). 1986; 112:1291-6 (Curriculum cardiol.)
- Zouiouèche S (see Foul et al). 1986; 112:1232-7
- Zuarini AM (see Muiesan et al). 1986; 112:233-8 (Symposium)

Subject index*

A

- Ablation**
Laser ablation of normal and diseased human ventricle (Saksena et al). 1986; 112:52-60
- Abstracts**
American Academy of Pediatrics, Section on Cardiology. 1986; 112:642-51
- Accessory pathways**
Identification of multiple accessory pathways by exercise testing (Drory et al). 1986; 112:854-5 (Brief comm.)
- Acquired immune deficiency syndrome**
Cardiac involvement, including tuberculous pericardial effusion, complicating acquired immune deficiency syndrome (D'Cruz et al). 1986; 112:1100-2 (Brief comm.)
- Adenosine**
Coronary vascular responses to hypoxia in the diabetic lamb: independence from adenosine and autonomic mechanisms (Downing et al). 1986; 112:273-9
- Adrenergic agents**
Differential interaction of adrenergic and cholinergic effects on AV junctional automaticity and AV conduction (Urthaler et al). 1986; 112:765-70
Potentiation of nitroglycerin-induced ST segment elevation by beta-adrenergic blockade (Miller et al). 1986; 112:839-41 (Brief comm.)
Systemic and renal vasodilation after beta-adrenoceptor blockade with pindolol: a hemodynamic study on the onset and

- Adrenergic agents—Cont'd**
maintenance of its antihypertensive effect (van den Meirack et al). 1986; 112:368-74
- Aerobic exercise**
Effects of aerobic training on exercise tolerance and echocardiographic dimensions in untrained postmenopausal women (Morrison et al). 1986; 112:561-7
- Age**
Age-related changes in left ventricular diastolic performance (Iskandrian and Hakki). 1986; 112:75-8
- Agglutination**
Serum myoglobin measured by latex agglutination: rapid test for exclusion of acute myocardial infarction (Schultz et al). 1986; 112:609 (Brief comm.)
- Aggregation**
Fibrin formation and platelet aggregation in patients with acute myocardial infarction: effects of intravenous and subcutaneous low-dose heparin (Gallino et al). 1986; 112:285-90
- Aldosteronism**
Is single oral administration of captopril beneficial in screening for primary aldosteronism? (Muratani et al). 1986; 112:361-7
- Ambulatory patient**
Continuous lidocaine infusion in an ambulatory patient with recurrent ventricular tachycardia (Markel et al). 1986; 112:184-6 (Brief comm.)
Discordance between ambulatory monitoring and programmed stimulation in assessing efficacy of mexiletine in patients with ventricular tachycardia (Kim et al). 1986; 112:14-9

*July, pp. 1-248; August, pp. 249-440; September, pp. 441-652; October, pp. 653-912; November, pp. 913-1128; December, pp. 1129-1400.

American Academy of Pediatrics

Program and abstracts. 1986; 112:642-51

Amiodarone

- Amiodarone as a cause of electrocardiographic changes simulating myocardial ischemia or subendocardial infarction (Rotstein et al). 1986; 112:1094-5 (Brief comm.)
- Amiodarone: correlation of early and late electrophysiologic studies with outcome (Kadish et al). 1986; 112:1134-40
- Amiodarone-induced ultrastructural changes in canine myocardial fibers (Gross and Somani). 1986; 112:771-9
- Electropharmacology of amiodarone: absence of relationship to serum, myocardial, and cardiac sarcolemmal membrane drug concentrations (Venkatesh et al). 1986; 112:916-22
- Resolution of congestive cardiomyopathy caused by supraventricular tachycardia using amiodarone (Leman et al). 1986; 112:622-4 (Brief comm.)

Anatomy

- The influence of anatomic evolution of coronary artery disease on left ventricular contraction: an angiographic follow-up study of 300 nonoperated patients (Visser et al). 1986; 112:963-72

Aneurysm

- Clinically occult "false-on-true" left ventricular aneurysm: association with late sudden death following mitral valve replacement (Sobczyk et al). 1986; 112:1090-2 (Brief comm.)
- Dynamic intracavitary echoes in left ventricular pseudoaneurysm (D'Cruz et al). 1986; 112:418-20 (Brief comm.)
- Echocardiographic demonstration of pseudoaneurysm after mitral valve replacement (Lichtenberg et al). 1986; 112:417-8 (Brief comm.)
- Postoperative valve ring aneurysm formation, coronary arteritis, and myocardial infarction in systemic lupus erythematosus (Harrison et al). 1986; 112:414-7 (Brief comm.)
- Right sinus of Valsalva aneurysm presenting as an echocardiographic right atrial mass (Atay et al). 1986; 112:169-72 (Brief comm.)
- Two-dimensional echocardiographic identification of left ventricular pseudoaneurysm (Saner et al). 1986; 112:977-84

Angina

- Clinical relevance of nitrate hemodynamic attenuation (Flaherty). 1986; 112:216-20 (Symposium)
- Daily variations of ECG and left ventricular parameters at exercise in patients with anginal attacks but normal coronary arteriograms (Sugishita et al). 1986; 112:728-38
- Effects of nicorandil on exercise tolerance in patients with stable effort angina: a double-blind study (Hayata et al). 1986; 112:1245-50
- Effects of nitroglycerin in patients with angina, normal coronary arteries, and left ventricular hypertrophy (Laskey et al). 1986; 112:953-62
- Episodic variant angina with sequential spasm of different coronary arteries (Koutoku et al). 1986; 112:404-5 (Brief comm.)
- Impaired cardiac PGI₂ and PGE₂ biosynthesis in patients with angina pectoris (Sermeri et al). 1986; 112:472-8
- A multicenter trial of transdermal nitroglycerin in exercise-induced-angina: individual antianginal response after repeated administration (Muiesan et al). 1986; 112:233-8 (Symposium)
- Pathogenesis of angina pectoris in patients with one-vessel disease: possible role of dynamic coronary obstruction (Yasue et al). 1986; 112:263-72
- Prognostic value of programmed electrical stimulation in patients with a recent episode of unstable angina (Kron et al). 1986; 112:1-8
- Response of the coronary artery to a small dose of ergonovine in variant angina (Matsuda et al). 1986; 112:947-53
- Unstable angina: the significance of ST segment elevation or depression in patients without evidence of increased myocardial oxygen demand (Sclarovsky et al). 1986; 112:463-7
- Unstable angina pectoris evolving to acute myocardial infarction: significance of ECG changes during chest pain (Sclarovsky et al). 1986; 112:459-62
- Usefulness of intravenous and transdermal nitroglycerin therapy in patients with unstable angina (Flaherty). 1986; 112:220-1 (Symposium)
- Variability of results during repeat exercise stress testing in patients with stable angina pectoris: role of dynamic coronary flow reserve (Crea et al). 1986; 112:249-54

Angiography

- Antegrade in vivo angiographic depiction of the coronary venous system (Vacek and Davis). 1986; 112:412-4 (Brief comm.)
- Anterior and inferior myocardial infarction in a young woman with angiographically normal coronary arteries (Janosik et al). 1986; 112:606-9 (Brief comm.)
- Comparison of contrast x-ray biplane cineangiography and technetium-99m radionuclide scans for measurement of ventricular volumes in human autopsy hearts (Palacios et al). 1986; 112:1032-9
- Digital subtraction angiography in the diagnosis of vascular rings (Otero-Cagide et al). 1986; 112:1304-8 (Progress in cardiology)
- Exercise radionuclide angiography in patients with mitral stenosis: value of right ventricular response (Morise and Goodwin). 1986; 112:509-17
- The influence of anatomic evolution of coronary artery disease on left ventricular contraction: an angiographic follow-up study of 300 nonoperated patients (Visser et al). 1986; 112:963-72
- Myocardial infarction in young Indian patients: risk factors and coronary arteriographic profile (Kaul et al). 1986; 112:71-5
- Symptomatic coronary disease for 20 or more years: Clinical aspects, angiographic findings, and therapeutic implications (Hamby et al). 1986; 112:65-70
- Two methods for measurement of ascending aortic diameter by 2D echocardiography as compared with cineangiography (Marx et al). 1986; 112:172-3 (Brief comm.)
- Unsuspected partial anomalous pulmonary venous drainage in a patient with coronary disease: detection by radionuclide angiography (Baum et al). 1986; 112:858-9 (Brief comm.)
- The use of digital subtraction angiography in the evaluation of tetralogy of Fallot (Gordon et al). 1986; 112:89-96
- Ventricular systolic and diastolic impairment during pacing-induced myocardial ischemia in coronary artery disease: simultaneous hemodynamic, electrocardiographic, and radionuclide angiographic evaluation (Iskandrian et al). 1986; 112:382-91 (Curriculum cardiol.)

Angioplasty

- Acute rupture of the left anterior descending coronary artery secondary to percutaneous transluminal angioplasty (Goldman et al). 1986; 112:1325-8 (Brief comm.)
- Reversal of ischemic myocardial dysfunction by PTCA in a cardiac transplant patient (Wohlgeleitner et al). 1986; 112:837-9 (Brief comm.)
- Transluminal angioplasty of anomalous coronary arteries (Bass et al). 1986; 112:610-3 (Brief comm.)

Angiotensin-converting enzyme

- Acute hemodynamic and hormonal effects of lisinopril (MK-521) in congestive heart failure (Dickstein et al). 1986; 112:121-9

Anomaly

- Acute myocardial infarction in a patient with anomalous right coronary artery (Saenz et al). 1986; 112:1092-4 (Brief comm.)
- Transluminal angioplasty of anomalous coronary arteries (Bass et al). 1986; 112:610-3 (Brief comm.)
- Unsuspected partial anomalous pulmonary venous drainage in a patient with coronary disease: detection by radionuclide angiography (Baum et al). 1986; 112:858-9 (Brief comm.)

Antegrade depiction

- Antegrade in vivo angiographic depiction of the coronary venous system (Vacek and Davis). 1986; 112:412-4 (Brief comm.)

Anterior descending coronary artery

- Relation of atherosclerosis to arterial wall shear in the left anterior descending coronary artery of man (Sabbah et al). 1986; 112:453-8

Antiarrhythmic agent

- Electrophysiologic and clinical factors influencing response to class 1A antiarrhythmic agents in patients with inducible sustained monomorphic ventricular tachycardia (Gold et al). 1986; 112:9-13
- Electrophysiologic effects of cibenzoline in humans related to dose and plasma concentration (Touboul et al). 1986; 112:333-9
- Ethacizin: a new efficacious Soviet antiarrhythmic drug of the phenothiazine group (Rosenshtraukh et al). 1986; 112:932-9

Antiarrhythmic agent—Cont'd

Ethmozine: electrophysiology, hemodynamics, and antiarrhythmic efficacy in patients with life-threatening ventricular arrhythmias (Dorian et al). 1986; 112:327-33

Flecainide: a new antiarrhythmic agent (Somborg and Tepper). 1986; 112:808-13 (Curriculum cardiol.)

Intolerance and ineffectiveness of mexiletine in patients with serious ventricular arrhythmias (Poole et al). 1986; 112:322-6

Anticoagulant

Usefulness of anticoagulant therapy in the prevention of embolic complications of atrial fibrillation (Roy et al). 1986; 112:1039-43

Antihypertensive therapy

Systemic and renal vasodilation after beta-adrenoceptor blockade with pindolol: a hemodynamic study on the onset and maintenance of its antihypertensive effect (van den Meirack et al). 1986; 112:368-74

Transdermal antihypertensive therapy: clinical and metabolic considerations (Weber). 1986; 112:906-12 (Symposium)

Anulus

Simplified echocardiographic measurement of the mitral annulus (Vijayaraghavan et al). 1986; 112:985-91

Aorta

Congenital aortic elongation: a rare cause of superior mediastinal widening (Moskowitz et al). 1986; 112:1328-9

Cross-sectional echocardiography in the evaluation of aortic valve prolapse associated with ventricular septal defect (Craig et al). 1986; 112:800-7

Isolated thoracic aortic thrombosis in occult aortitis: diagnostic contribution of computed tomography (Greene et al). 1986; 112:178-81 (Brief comm.)

Similarity of anomalous origin of right pulmonary artery from the ascending aorta to d-transposition of the great arteries: 2D echographic and Doppler study (Jureidini et al). 1986; 112:175-6 (Brief comm.)

Successful balloon valvuloplasty for neonatal critical aortic stenosis (Lababidi and Weinhaus). 1986; 112:913-6

Temporal relationship between early systolic closure of the aortic valve and aortic flow: experimental study with and without systolic anterior motion of the mitral valve (Sakurai and Tanaka). 1986; 112:113-21

Two methods for measurement of ascending aortic diameter by 2D echocardiography as compared with cineangiography (Marx et al). 1986; 112:172-3 (Brief comm.)

Value and limitations of Doppler ultrasound in the evaluation of aortic stenosis: a statistical analysis of 70 consecutive patients (Panidis et al). 1986; 112:150-8 (Prog. cardiol.)

Apoproteins

Serum lipids and apoproteins in students whose parents suffered prematurely from a myocardial infarction (De Backer et al). 1986; 112:478-94

Arrest; see also Myocardial infarction; Sudden death

Burnout in the care and management of survivors of out-of-hospital cardiac arrest (Graboyes). 1986; 112:428-30 (Editorial)

Arrhythmia

Bradycardia and hypotension following reperfusion with streptokinase (Bezold-Jarisch reflex): a sign of coronary thrombolysis and myocardial salvage (Koren et al). 1986; 112:468-71

Burnout in the care and management of survivors of out-of-hospital cardiac arrest (Graboyes). 1986; 112:428-30 (Editorial)

Cognitive stress and cardiovascular reactivity: relationship to atherosclerosis, arrhythmias, and cognitive control (Cinciripini). 1986; 112:1051-65 (Curriculum cardiol.)

Comparison of intravenous mexiletine and lidocaine for the treatment of ventricular arrhythmias (Lui et al). 1986; 112:1153-8

Effect of Fluosol-DA on infarct morphology and vulnerability to ventricular arrhythmia (Kolodgie). 1986; 112:1192-201

Ethmozine: electrophysiology, hemodynamics, and antiarrhythmic efficacy in patients with life-threatening ventricular arrhythmias (Dorian et al). 1986; 112:327-33

The impact of transtelephonic documentation of arrhythmia on morbidity and mortality rate in sudden death survivors (Chadda et al). 1986; 112:1159-65

Intolerance and ineffectiveness of mexiletine in patients with serious ventricular arrhythmias (Poole et al). 1986; 112:322-6

Arrhythmia—Cont'd

The response of patients with complex ventricular arrhythmias secondary to dilated cardiomyopathy to programmed electrical stimulation (Stamato et al). 1986; 112:505-8

Ventricular arrhythmias during reperfusion (Miller et al). 1986; 112:928-32

Arterial wall

Relation of atherosclerosis to arterial wall shear in the left anterior descending coronary artery of man (Sabbah et al). 1986; 112:453-8

Arteriograms

Daily variations of ECG and left ventricular parameters at exercise in patients with anginal attacks but normal coronary arteriograms (Sugishita et al). 1986; 112:728-38

Arterioventricular fistula

Demonstration of exercised-induced myocardial ischemia in a case of multiple coronary arterioventricular fistulas (Origuchi et al). 1986; 112:1096-7 (Brief comm.)

Arteritis

Postoperative valve ring aneurysm formation, coronary arteritis, and myocardial infarction in systemic lupus erythematosus (Harrison et al). 1986; 112:414-7 (Brief comm.)

Artery; see specific artery**Assessment**

Electrophysiologic testing of tocainide and mexiletine for ventricular tachycardia: assessment of the need to test both drugs (Miller et al). 1986; 112:1114-6 (Brief comm.)

Exercise in children before and after coarctectomy: hemodynamic, echocardiographic, and biochemical assessment (Pelch et al). 1986; 112:1263-70

Intraoperative assessment of left ventricular heterogeneity (Douglas et al). 1986; 112:344-50

Serial assessment of circumferential regional left ventricular function following complete coronary occlusion (Buda and Zotz). 1986; 112:447-52

Utility of echocardiography for the early assessment of patients with nondiagnostic chest pain (Sasaki et al). 1986; 112:494-7

Atherosclerosis

Cognitive stress and cardiovascular reactivity: relationship to atherosclerosis, arrhythmias, and cognitive control (Cinciripini). 1986; 112:1051-65 (Curriculum cardiol.)

Isolated and severe left main coronary atherosclerosis and thrombosis: a complication of acute angle takeoff of the left main coronary artery (Menke et al). 1986; 112:1319-20 (Brief comm.)

Relation of atherosclerosis to arterial wall shear in the left anterior descending coronary artery of man (Sabbah et al). 1986; 112:453-8

Atrioventricular node

Differential interaction of adrenergic and cholinergic effects on AV junctional automaticity and AV conduction (Urthaler et al). 1986; 112:765-70

Multilevel block in the atrioventricular node following acute inferior myocardial infarction (Huang and Guerro-Servin). 1986; 112:1105-6 (Brief comm.)

Paroxysmal atrioventricular block triggered by orthostatic hypotension (Belhassen et al). 1986; 112:1107-9 (Brief comm.)

Sinus tachycardia-induced left ventricular dysfunction after VDD pacemaker implantation in a patient with congenital complete atrioventricular block (Sobczyk et al). 1986; 112:1102-5 (Brief comm.)

Atrioventricular flow

Pulsed Doppler echocardiographic analysis of atrioventricular flow changes in patients with atrial myxomas (Vargas-Barron et al). 1986; 112:850-4 (Brief comm.)

Atrium

Discrimination of antegrade and retrograde atrial depolarization by electrogram analysis (Pannizzo et al). 1986; 112:780-6

Echocardiographic detection of a left atrial thrombus in an infant with complex congenital heart disease (Wolf). 1986; 112:624-6 (Brief comm.)

Plasma levels of immunoreactive atrial natriuretic factor increase during supraventricular tachycardia (Nicklas et al). 1986; 112:923-8

Pulsed Doppler echocardiographic analysis of atrioventricular flow changes in patients with atrial myxomas (Vargas-Barron et al). 1986; 112:850-4 (Brief comm.)

Right sinus of Valsalva aneurysm presenting as an echocardiographic

Atrium—Cont'd

- graphic right atrial mass (Atay et al). 1986; 112:169-72 (Brief comm.)
- Susceptibility to atrial fibrillation and ventricular tachyarrhythmia in the Wolff-Parkinson-White syndrome: role of the accessory pathway (Waspe et al). 1986; 112:1141-52
- Usefulness of anticoagulant therapy in the prevention of embolic complications of atrial fibrillation (Roy et al). 1986; 112:1039-43
- Value of respiratory variations of right ventricular dimension in the identification of small atrial septal defects (secundum type) not requiring surgery: an echocardiographic study (Mauran et al). 1986; 112:548-53

Attenuation

- Clinical relevance of nitrate hemodynamic attenuation (Flaherty). 1986; 112:216-20 (Symposium)

Automatic internal cardioverter-defibrillator

- The automatic internal cardioverter-defibrillator: comprehensive clinical follow-up, economic and social impact: the Stony Brook experience (Vlay). 1986; 112:189-94 (Editorial)

Autonomic mechanisms

- Coronary vascular responses to hypoxia in the diabetic lamb: independence from adenosine and autonomic mechanisms (Downing et al). 1986; 112:273-9

Autopsy

- Comparison of contrast x-ray biplane cineangiography and technetium-99m radionuclide scans for measurement of ventricular volumes in human autopsy hearts (Palacios et al). 1986; 112:1032-9

B

Balloon pulmonary valvuloplasty

- Percutaneous transluminal balloon pulmonary valvuloplasty for the relief of pulmonary valve stenosis with special reference to double-balloon technique (Ali Khan et al). 1986; 112:158-66 (Prog. cardiol.)
- Successful balloon valvuloplasty for neonatal critical aortic stenosis (Lababidi and Weinhaus). 1986; 112:913-6

Behavior

- Alteration of type A behavior and its effect on cardiac recurrences in post myocardial infarction patients: summary results of the recurrent coronary prevention project (Friedman et al). 1986; 112:653-65

Beta-adrenergic agents

- Attenuation of exercise training effects in patients taking beta blockers during early cardiac rehabilitation (Ciske et al). 1986; 112:1016-25
- Beta blockade and chest pain in acute myocardial infarction (Herlitz et al). 1986; 112:1120-6 (Editorial)
- Enhanced ventricular ectopy following pindolol: an adverse effect of a beta blocker with intrinsic sympathomimetic activity (Binkley et al). 1986; 112:424-6 (Brief comm.)
- Potentiation of nitroglycerin-induced ST segment elevation by beta-adrenergic blockade (Miller et al). 1986; 112:839-41 (Brief comm.)
- Systemic and renal vasodilation after beta-adrenoceptor blockade with pindolol: a hemodynamic study on the onset and maintenance of its antihypertensive effect (van den Meirack et al). 1986; 112:368-74

Bicycle exercise

- Hemodynamic effects of moricizine at rest and during supine bicycle exercise: results in patients with ventricular tachycardia and left ventricular dysfunction (Seals et al). 1986; 112:36-43

Biochemical assessment

- Exercise in children before and after coarctectomy: hemodynamic, echocardiographic, and biochemical assessment (Pelach et al). 1986; 112:1263-70

Biplane cineangiography

- Comparison of contrast x-ray biplane cineangiography and technetium-99m radionuclide scans for measurement of ventricular volumes in human autopsy hearts (Palacios et al). 1986; 112:1032-9

Björk-Shiley prosthesis

- Detection of thrombotic obstruction of a Björk-Shiley prosthesis by Doppler echocardiography (Barzilai et al). 1986; 112:1088-90 (Brief comm.)

Block; see also Atrioventricular node; Beta-adrenergic agents

Blood

- Immunologic studies of peripheral blood from patients with idiopathic dilated cardiomyopathy (Gerli et al). 1986; 112:350-5

Blood flow

- Failure of nitroglycerin introduced after prolonged myocardial ischemia to improve collateral blood flow and function in tranquilized dogs (Nolan et al). 1986; 112:526-36
- Morphologic determinants of coronary blood flow in the hypoplastic left heart syndrome (Lloyd et al). 1986; 112:666-71
- Transmitral reversed blood flow during mid- and end diastole in constrictive pericarditis (Isobe et al). 1986; 112:855-8 (Brief comm.)

Blood pressure; see also Hypertension

- Pulse wave velocity in patients with obesity and hypertension (Toto-Moukoko et al). 1986; 112:136-40

Bookshelf

- Bookshelf. 1986; 112:1364

Bradycardia

- Bradycardia and hypotension following reperfusion with streptokinase (Bezold-Jarisch reflex): a sign of coronary thrombolysis and myocardial salvage (Koren et al). 1986; 112:468-71

Bretylium

- Deleterious effects of bretylium on hemodynamic recovery from ventricular fibrillation (Euler et al). 1986; 112:25-31
- Effect of quinidine and bretylium on defibrillation energy requirements (Dorian et al). 1986; 112:19-25

Brief communications

- Brief communications. 1986; 112:167-88, 404-26, 605-31, 837-63, 1083-119, 1317-39

Burnout

- Burnout in the care and management of survivors of out-of-hospital cardiac arrest (Graboyes). 1986; 112:428-30 (Editorial)

C

Calcium

- Effects of reperfusion on myocardial wall thickness, oxidative phosphorylation, and Ca^{2+} metabolism following total and partial myocardial ischemia (Peng et al). 1986; 112:1238-44
- Invasive calcific constrictive pericarditis simulating a left ventricular mass (Schwartz et al). 1986; 112:861-3 (Brief comm.)
- Potential efficacy of calcium antagonists and heparin in patients with embolic stroke (Low et al). 1986; 112:1338-9 (Brief comm.)

Captopril

- The effects of captopril on serum digoxin and urinary urea and digoxin clearances in patients with congestive heart failure (Cleland et al). 1986; 112:130-5
- Is single oral administration of captopril beneficial in screening for primary aldosteronism? (Muratani et al). 1986; 112:361-7

Carcinoid syndrome

- Unusual cardiac involvement in carcinoid syndrome (Schiller et al). 1986; 112:1322-3 (Brief comm.)

Carcinoma

- Carcinoma of the heart presenting as myocardial infarction (Movahed and Wait). 1986; 112:1329-33 (Brief comm.)

Cardiac arrest

- Burnout in the care and management of survivors of out-of-hospital cardiac arrest (Graboyes). 1986; 112:428-30 (Editorial)

Cardiac output

- Cardiac output estimates in the pediatric intensive care unit using a continuous-wave Doppler computer: validation and limitations of the technique (Rein et al). 1986; 112:97-103

Cardiac rupture

- Cardiac rupture before completed myocardial infarction (Bashour et al). 1986; 112:176-8 (Brief comm.)

Cardiology

- Pediatric cardiology manpower in the 1980s (Moller and Adams). 1986; 112:599-604 (Special report)

Cardiomyopathy

- Immunologic studies of peripheral blood from patients with idiopathic dilated cardiomyopathy (Gerli et al). 1986; 112:350-5
- Resolution of congestive cardiomyopathy caused by supraventricular

Cardiomyopathy—Cont'd

tricular tachycardia using amiodarone (Leman et al). 1986; 112:622-4 (Brief comm.)

The response of patients with complex ventricular arrhythmias secondary to dilated cardiomyopathy to programmed electrical stimulation (Stamato et al). 1986; 112:505-8

Spontaneous remission and prolonged survival in postinfarction cardiomyopathy (Goldhaber et al). 1986; 112:409-12 (Brief comm.)

Cardiovascular response

Abnormal cardiovascular response to exercise in young asymptomatic diabetic patients with retinopathy (Margonato et al). 1986; 112:554-60

Cognitive stress and cardiovascular reactivity. II. Relationship to atherosclerosis, arrhythmias, and cognitive control (Cinciripini). 1986; 112:1051-65 (Curriculum cardi.)

Cognitive stress and cardiovascular reactivity. I. Relationship to hypertension (Cinciripini). 1986; 112:1044-50 (Curriculum cardi.)

Cardioverter-defibrillator

The automatic internal cardioverter-defibrillator: comprehensive clinical follow-up, economic and social impact: the Stony Brook experience (Vlay). 1986; 112:189-94 (Editorial)

Chest pain

Beta blockade and chest pain in acute myocardial infarction (Herlitz et al). 1986; 112:1120-6 (Editorial)

Unstable angina pectoris evolving to acute myocardial infarction: significance of ECG changes during chest pain (Sclerovsky et al). 1986; 112:459-62

Utility of echocardiography for the early assessment of patients with nondiagnostic chest pain (Sasaki et al). 1986; 112:494-7

Child

Cardiac output estimates in the pediatric intensive care unit using a continuous-wave Doppler computer: validation and limitations of the technique (Rein et al). 1986; 112:97-103

Exercise-related ventricular tachycardia in children (Bricker et al). 1986; 112:186-8 (Brief comm.)

Management of the hypoplastic left heart syndrome: a challenge to those who care for children with heart diseases (Riemenschneider). 1986; 112:864-7 (Editorial)

Chloral hydrate

Torsade de pointes: an unusual manifestation of chloral hydrate poisoning (Young et al). 1986; 112:181-4 (Brief comm.)

Cholinergic effects

Differential interaction of adrenergic and cholinergic effects on AV junctional automaticity and AV conduction (Urthaler et al). 1986; 112:765-70

Cibenzoline

The efficacy of cibenzoline and propafenone against inducible sustained and nonsustained ventricular tachycardias in conscious dogs with isolated chronic right ventricular infarction: a comparative study with procainamide (Karagueuzian et al). 1986; 112:1173-83

Electrophysiologic effects of cibenzoline in humans related to dose and plasma concentration (Touboul et al). 1986; 112:333-9

Cineangiography; see also Angiography

Comparison of contrast x-ray biplane cineangiography and technetium-99m radionuclide scans for measurement of ventricular volumes in human autopsy hearts (Palacios et al). 1986; 112:1032-9

Two methods for measurement of ascending aortic diameter by 2D echocardiography as compared with cineangiography (Marx et al). 1986; 112:172-3 (Brief comm.)

Circadian variations

Circadian variations in the electrical properties of the human heart assessed by sequential bedside electrophysiologic testing (Cinca et al). 1986; 112:315-21

Circumferential regional left ventricular function

Serial assessment of circumferential regional left ventricular function following complete coronary occlusion (Buda and Zotz). 1986; 112:447-52

Claudication

Intermittent claudication: not so benign (Coffman). 1986; 112:1127-8 (Editorial)

Clonidine

Clinical acceptability of transdermal clonidine: a large-scale evaluation by practitioners (Hollifield). 1986; 112:900-6 (Symposium)

Clonidine—Cont'd

Efficacy of clonidine as transdermal therapeutic system: the international clinical trial experience (Lowenthal et al). 1986; 112:893-900 (Symposium)

Coarctectomy

Exercise in children before and after coarctectomy: hemodynamic, echocardiographic, and biochemical assessment (Pelach et al). 1986; 112:1263-70

Cognitive control

Cognitive stress and cardiovascular reactivity. II. Relationship to atherosclerosis, arrhythmias, and cognitive control (Cinciripini). 1986; 112:1051-65 (Curriculum cardi.)

Collateral blood flow

Failure of nitroglycerin introduced after prolonged myocardial ischemia to improve collateral blood flow and function in tranquilized dogs (Nolan et al). 1986; 112:526-36

Computed tomography

Determination of left ventricular ejection fraction using ultrafast computed tomography (Rick et al). 1986; 112:392-6 (Prog. cardi.)

Isolated thoracic aortic thrombosis in occult aortitis: diagnostic contribution of computed tomography (Greene et al). 1986; 112:178-81 (Brief comm.)

Computer

Cardiac output estimates in the pediatric intensive care unit using a continuous-wave Doppler computer: validation and limitations of the technique (Rein et al). 1986; 112:97-103

Congenital disease

Congenital aortic elongation: a rare cause of superior mediastinal widening (Moskowitz et al). 1986; 112:1328-9 (Brief comm.)

Jugular phlebogram in congenital absence of the pericardium (Matsuhisa et al). 1986; 112:1004-10

Echocardiographic detection of a left atrial thrombus in an infant with complex congenital heart disease (Wolf). 1986; 112:624-6 (Brief comm.)

Sinus tachycardia-induced left ventricular dysfunction after VDD pacemaker implantation in a patient with congenital complete atrioventricular block (Sobczyk et al). 1986; 112:1102-5 (Brief comm.)

Congestive cardiomyopathy

Resolution of congestive cardiomyopathy caused by supraventricular tachycardia using amiodarone (Leman et al). 1986; 112:622-4 (Brief comm.)

Congestive heart failure

Acute hemodynamic and hormonal effects of lisinopril (MK-521) in congestive heart failure (Dickstein et al). 1986; 112:121-9

Beneficial effect of taurine in rabbits with chronic congestive heart failure (Takahara et al). 1986; 112:1278-84

The effects of captopril on serum digoxin and urinary urea and digoxin clearances in patients with congestive heart failure (Cleland et al). 1986; 112:130-5

Intermittent, ambulatory dobutamine infusions in patients with severe congestive heart failure (Krell et al). 1986; 112:787-90

Pacemaker therapy in congestive heart failure: a new concept based on excessive utilization of the Frank-Starling mechanism (Iskandrian and Mirtz). 1986; 112:867-70 (Editorial)

Constrictive pericarditis

Invasive calcific constrictive pericarditis simulating a left ventricular mass (Schwartz et al). 1986; 112:861-3

Transmitral reversed blood flow during mid- and end diastole in constrictive pericarditis (Isobe et al). 1986; 112:855-8 (Brief comm.)

Contraction

The influence of anatomic evolution of coronary artery disease on left ventricular contraction: an angiographic follow-up study of 300 nonoperated patients (Visser et al). 1986; 112:963-72

Coronary angioplasty

Reversal of ischemic myocardial dysfunction by PTCA in a cardiac transplant patient (Wohlgeleitner et al). 1986; 112:837-9 (Brief comm.)

Coronary artery

Acute myocardial infarction in a patient with anomalous right coronary artery (Saenz et al). 1986; 112:1092-4 (Brief comm.)

Acute rupture of the left anterior descending coronary artery secondary to percutaneous transluminal angioplasty (Goldman et al). 1986; 112:1325-8 (Brief comm.)

Coronary artery—Cont'd

- Age-related changes in left ventricular diastolic performance (Iskandrian and Hakki). 1986; 112:75-8
- Anterior and inferior myocardial infarction in a young woman with angiographically normal coronary arteries (Janosik et al). 1986; 112:606-9 (Brief comm.)
- Bradycardia and hypotension following reperfusion with streptokinase (Bezold-Jarisch reflex): a sign of coronary thrombolysis and myocardial salvage (Koren et al). 1986; 112:468-71
- Clinically successful long-term laser coronary recanalization (Lee et al). 1986; 112:1323-5 (Brief comm.)
- Coronary spasm presenting as syncope during ventricular demand pacing (Hart and Kern). 1986; 112:405-7 (Brief comm.)
- Coronary thrombolysis in patients with acute myocardial infarction by intravenous infusion of synergic thrombolytic agents (Collen et al). 1986; 112:1083-4 (Brief comm.)
- Daily variations of ECG and left ventricular parameters at exercise in patients with anginal attacks but normal coronary arteriograms (Sugishita et al). 1986; 112:728-38
- Demonstration of exercise-induced myocardial ischemia in a case of multiple coronary arterioventricular fistulas (Origuchi et al). 1986; 112:1096-7 (Brief comm.)
- Determinants of the changes in left ventricular end-diastolic volume during upright exercises in patients with coronary artery disease (Iskandrian and Hakki). 1986; 112:441-6
- Effect of diltiazem on coronary reactive hyperemia in patients with flow-limiting coronary artery stenosis (Foult et al). 1986; 112:1232-7
- Effects of nitroglycerin in patients with angina, normal coronary arteries, and left ventricular hypertrophy (Laskey et al). 1986; 112:953-62
- Episodic variant angina with sequential spasm of different coronary arteries (Koutoku et al). 1986; 112:404-5 (Brief comm.)
- Evaluation of coronary artery disease by an improved method of exercise electrocardiography: the ST segment/heart rate slope (Kligfield et al). 1986; 112:589-98 (Prog. cardiol.)
- Exercise radionuclide ventriculography in evaluation of coronary artery disease (Clements et al). 1986; 112:582-8 (Prog. cardiol.)
- Fiberoptic observation of thrombosis and thrombolysis in isolated human coronary arteries (Uchida et al). 1986; 112:691-5
- Hyperventilation-induced coronary artery spasm (Kruyswijk et al). 1986; 112:613-5 (Brief comm.)
- Impaired regional diastolic distensibility in coronary artery disease: relations with dynamic left ventricular compliance (Pouleur et al). 1986; 112:721-8
- Increased myocardial infarct size by thiopental after coronary occlusion in the dog (Jugdutt et al). 1986; 112:485-94
- The influence of anatomic evolution of coronary artery disease on left ventricular contraction: an angiographic follow-up study of 300 nonoperated patients (Visser et al). 1986; 112:963-72
- Isolated and severe left main coronary atherosclerosis and thrombosis: a complication of acute angle takeoff of the left main coronary artery (Menke et al). 1986; 112:1319-20 (Brief comm.)
- Left ventricular pressure/volume relationship in coronary artery disease (Iskandrian and Heo). 1986; 112:375-81 (Curriculum cardiol.)
- Morphologic determinants of coronary blood flow in the hypoplastic left heart syndrome (Lloyd et al). 1986; 112:666-71
- Myocardial infarction in young Indian patients: risk factors and coronary arteriographic profile (Kaul et al). 1986; 112:71-5
- Paradox of acute myocardial ischemia and successful PTCA: a case report of subtle coronary embolus (Presant et al). 1986; 112:1317-9 (Brief comm.)
- Pathogenesis of angina pectoris in patients with one-vessel disease: possible role of dynamic coronary obstruction (Yasue et al). 1986; 112:263-72
- Possible role of parasympathetic nervous system in the pathogenesis of exercise-induced coronary artery spasm (Kugiyama et al). 1986; 112:605-6 (Brief comm.)
- Postoperative valve ring aneurysm formation, coronary arteritis, and myocardial infarction in systemic lupus erythematosus (Harrison et al). 1986; 112:414-7 (Brief comm.)
- Principles of exercise prescription for patients with coronary

Coronary artery—Cont'd

- artery disease (Coplan et al). 1986; 112:145-9 (Curriculum cardiol.)
 - Profound hypotension and near syncope during coronary artery spasm (Huang et al). 1986; 112:841-3 (Brief comm.)
 - Reduced coronary flow and resistance reserve in primary scleroderma myocardial disease (Nitenberg et al). 1986; 112:309-15
 - Reduction of myocardial infarct size by neutrophil depletion: effect of duration of occlusion (Jolly et al). 1986; 112:682-90
 - Relation of atherosclerosis to arterial wall shear in the left anterior descending coronary artery of man (Sabbah et al). 1986; 112:453-8
 - Relationship between changes in ST segment elevation and patency of the infarct-related coronary artery in acute myocardial infarction (Hackworthy et al). 1986; 112:279-84
 - Response of the coronary artery to a small dose of ergonovine in variant angina (Matsuda et al). 1986; 112:947-53
 - Reversal of ischemic myocardial dysfunction by PTCA in a cardiac transplant patient (Wohlgeleitner et al). 1986; 112:837-9 (Brief comm.)
 - Serial assessment of circumferential regional left ventricular function following complete coronary occlusion (Buda and Zolt). 1986; 112:447-52
 - The significance of underlying coronary stenosis for recovery of myocardial function after transient ischemia in the dog (Akaishi et al). 1986; 112:1226-31
 - The ST segment/heart rate slope as a predictor of coronary artery disease: comparison with quantitative thallium imaging and conventional ST segment criteria (Finkelhor et al). 1986; 112:296-304
 - Symptomatic coronary disease for 20 or more years: clinical aspects, angiographic findings, and therapeutic implications (Hamby et al). 1986; 112:65-70
 - Transluminal angioplasty of anomalous coronary arteries (Bass et al). 1986; 112:610-3 (Brief comm.)
 - Two-dimensional echocardiographic analysis of proximal left main coronary artery in humans (Vered et al). 1986; 112:972-6
 - Variability of results during repeat exercise stress testing in patients with stable angina pectoris: role of dynamic coronary flow reserve (Crea et al). 1986; 112:249-54
 - Ventricular systolic and diastolic impairment during pacing-induced myocardial ischemia in coronary artery disease: simultaneous hemodynamic, electrocardiographic, and radionuclide angiographic evaluation (Iskandrian et al). 1986; 112:382-91 (Curriculum cardiol.)
- ## Coronary heart disease
- Overall and coronary heart disease mortality rates in relation to major risk factors in 325,348 men screened for the MRFIT (Kannel et al). 1986; 112:825-36 (Prog. cardiol.)
 - Psychosocial and other features of coronary heart disease: insights from the Framingham Study (Kannel and Eaker). 1986; 112:1066-73 (Prog. cardiol.)
 - The role of transdermal nitroglycerin in the treatment of coronary heart disease (Taylor). 1986; 112:197-207 (Symposium)
- ## Coronary vascular responses
- Coronary vascular responses to hypoxia in the diabetic lamb: independence from adenosine and autonomic mechanisms (Downing et al). 1986; 112:273-9
- ## Coronary vein
- Antegrade in vivo angiographic depiction of the coronary venous system (Vacek and Davis). 1986; 112:412-4 (Brief comm.)
- ## Curriculum in cardiology
- Curriculum in cardiology. 1986; 112:141-9, 375-91, 568-98, 808-19, 1044-64, 1291-1303
- ## D
- ## Death
- Clinically occult "false-on-true" left ventricular aneurysm: association with late sudden death following mitral valve replacement (Sobczyk et al). 1986; 112:1090-2 (Brief comm.)
 - The impact of transtelephonic documentation of arrhythmia on morbidity and mortality rate in sudden death survivors (Chadda et al). 1986; 112:1159-65
 - Prognostic value of programmed electrical stimulation in

Death—Cont'd

patients with a recent episode of unstable angina (Kron et al). 1986; 112:1-8

Defect

Cross-sectional echocardiography in the evaluation of aortic valve prolapse associated with ventricular septal defect (Craig et al). 1986; 112:800-7

Value of respiratory variations of right ventricular dimension in the identification of small atrial septal defects (secundum type) not requiring surgery: an echocardiographic study (Mauran et al). 1986; 112:548-53

Defibrillation

The automatic internal cardioverter-defibrillator: comprehensive clinical follow-up, economic and social impact: the Stony Brook experience (Vlay). 1986; 112:189-94 (Editorial)

Effect of quinidine and bretylium on defibrillation energy requirements (Dorian et al). 1986; 112:19-25

Depolarization

Discrimination of antegrade and retrograde atrial depolarization by electrogram analysis (Pannizzo et al). 1986; 112:780-5

Diabetes

Abnormal cardiovascular response to exercise in young asymptomatic diabetic patients with retinopathy (Margonato et al). 1986; 112:554-60

Coronary vascular responses to hypoxia in the diabetic lamb: independence from adenosine and autonomic mechanisms (Downing et al). 1986; 112:273-9

Diastole

Age-related changes in left ventricular diastolic performance (Iskandrian and Hakki). 1986; 112:75-8

Impaired regional diastolic distensibility in coronary artery disease: relations with dynamic left ventricular compliance (Pouleur et al). 1986; 112:721-8

Ventricular systolic and diastolic impairment during pacing-induced myocardial ischemia in coronary artery disease: simultaneous hemodynamic, electrocardiographic, and radionuclide angiographic evaluation (Iskandrian et al). 1986; 112:382-91 (Curriculum cardiol.)

Digital subtraction angiography

Digital subtraction angiography in the diagnosis of vascular rings (Otero-Cagide et al). 1986; 112:1304-8 (Prog. cardiol.)

The use of digital subtraction angiography in the evaluation of tetralogy of Fallot (Gordon et al). 1986; 112:89-96

Digoxin

The effects of captopril on serum digoxin and urinary urea and digoxin clearances in patients with congestive heart failure (Cleland et al). 1986; 112:130-5

Dilated cardiomyopathy

Immunologic studies of peripheral blood from patients with idiopathic dilated cardiomyopathy (Gerli et al). 1986; 112:350-5

Diltiazem

Effect of diltiazem on coronary reactive hyperemia in patients with flow-limiting coronary artery stenosis (Foult et al). 1986; 112:1232-7

Disc prosthesis

Fibrinolytic treatment in thrombotic obstruction of a tilting disc prosthesis (Amann et al). 1986; 112:1084-7 (Brief comm.)

D-isomer

The pharmacodynamic and pharmacokinetic differences of the D- and L-isomers of verapamil: implications in the treatment of paroxysmal supraventricular tachycardia (Hoon et al). 1986; 112:396-403 (Prog. cardiol.)

Distensibility

Impaired regional diastolic distensibility in coronary artery disease: relations with dynamic left ventricular compliance (Pouleur et al). 1986; 112:721-8

Dobutamine

Intermittent, ambulatory dobutamine infusions in patients with severe congestive heart failure (Krell et al). 1986; 112:787-90

Doppler technology

Cardiac output estimates in the pediatric intensive care unit using a continuous-wave Doppler computer: validation and limitations of the technique (Rein et al). 1986; 112:97-103 (Clin. invest.)

Cooling intracardiac sound in a perforated porcine mitral valve detected by pulsed Doppler echocardiography (Kinney et al). 1986; 112:420-3 (Brief comm.)

Detection of thrombotic obstruction of a Björk-Shiley prosthesis

Doppler technology—Cont'd

by Doppler echocardiography (Barzilai et al). 1986; 112:1088-90 (Brief comm.)

Dynamics of mitral regurgitation during nitroglycerin therapy: a Doppler echocardiographic study (Keren et al). 1986; 112:517-25

Pulsed Doppler echocardiographic analysis of atrioventricular flow changes in patients with atrial myxomas (Vargas-Barron et al). 1986; 112:850-4 (Brief comm.)

Right ventricular systolic time intervals: comparison of echocardiographic and Doppler-derived values (Hsieh et al). 1986; 112:103-7

Similarity of anomalous origin of right pulmonary artery from the ascending aorta to d-transposition of the great arteries: 2D echographic and Doppler study (Jureidini et al). 1986; 112:175-6 (Brief comm.)

Value and limitations of Doppler ultrasound in the evaluation of aortic stenosis: a statistical analysis of 70 consecutive patients (Panidis et al). 1986; 112:150-8 (Prog. cardiol.)

Double-chambered right ventricle

The right ventricular outflow pouch with double-chambered right ventricle (Folger and Hajar). 1986; 112:423-4 (Brief comm.)

Drug intolerance

Intolerance and ineffectiveness of mexiletine in patients with serious ventricular arrhythmias (Poole et al). 1986; 112:322-6

Dual-chamber transvenous pacemaker

Dual-chamber transvenous pacemaker implantation via anomalous left superior vena cava (Zardo et al). 1986; 112:621-2 (Brief comm.)

E**Echocardiography**

Cardiac involvement by lymphoma: detection and follow-up by two-dimensional echocardiography (Armstrong et al). 1986; 112:627-31 (Brief comm.)

Cooling intracardiac sound in a perforated porcine mitral valve detected by pulsed Doppler echocardiography (Kinney et al). 1986; 112:420-3 (Brief comm.)

Cross-sectional echocardiography in the evaluation of aortic valve prolapse associated with ventricular septal defect (Craig et al). 1986; 112:800-7

Detection of thrombotic obstruction of a Björk-Shiley prosthesis by Doppler echocardiography (Barzilai et al). 1986; 112:1088-90 (Brief comm.)

Dynamics of mitral regurgitation during nitroglycerin therapy: a Doppler echocardiographic study (Keren et al). 1986; 112:517-25

Echocardiographic assessment of left ventricular performance before and after marathon running (Perrault et al). 1986; 112:1026-31

Echocardiographic demonstration of pseudoaneurysm after mitral valve replacement (Lichtenberg et al). 1986; 112:417-8 (Brief comm.)

Echocardiographic detection of a left atrial thrombus in an infant with complex congenital heart disease (Wolf). 1986; 112:624-6 (Brief comm.)

Echocardiographic findings in patients with proved pulmonary embolism (Kasper et al). 1986; 112:1284-90

Effects of aerobic training on exercise tolerance and echocardiographic dimensions in untrained postmenopausal women (Morrison et al). 1986; 112:561-7

Exercise in children before and after coarctectomy: hemodynamic, echocardiographic, and biochemical assessment (Pelch et al). 1986; 112:1263-70

Prognostic significance of vegetations detected by two-dimensional echocardiography in infective endocarditis (Buda et al). 1986; 112:1291-6 (Curriculum cardiol.)

Pulsed Doppler echocardiographic analysis of atrioventricular flow changes in patients with atrial myxomas (Vargas-Barron et al). 1986; 112:850-4 (Brief comm.)

Relation between the presence of echocardiographic vegetations and the complication rate in infective endocarditis (Lutas et al). 1986; 112:107-13

Right ventricular systolic time intervals: comparison of echocardiographic and Doppler-derived values (Hsieh et al). 1986; 112:103-7

Similarity of anomalous origin of right pulmonary artery from

Echocardiography—Cont'd

the ascending aorta to d-transposition of the great arteries: 2D echographic and Doppler study (Jureidini et al). 1986; 112:175-6 (Brief comm.)

Simplified echocardiographic measurement of the mitral annulus (Vijayaraghavan et al). 1986; 112:985-91

Two methods for measurement of ascending aortic diameter by 2D echocardiography as compared with cineangiography (Marx et al). 1986; 112:172-3 (Brief comm.)

Two-dimensional echocardiographic analysis of proximal left main coronary artery in humans (Vered et al). 1986; 112:972-6

Two-dimensional echocardiographic identification of left ventricular pseudoaneurysm (Saner et al). 1986; 112:977-84

Utility of echocardiography for the early assessment of patients with nondiagnostic chest pain (Sasaki et al). 1986; 112:494-7

Value of two-dimensional echocardiography, electrocardiography, and clinical signs in detecting right ventricular infarction (Bellamy et al). 1986; 112:304-9

Ectopy

Enhanced ventricular ectopy following pindolol: an adverse effect of a beta blocker with intrinsic sympathomimetic activity (Binkley et al). 1986; 112:424-6 (Brief comm.)

Editorials

Editorials. 1986; 112:189-96, 427-30, 632-4, 864-70, 1120-8, 1359-63

Effusion

Cardiac involvement, including tuberculous pericardial effusion, complicating acquired immune deficiency syndrome (D'Cruz et al). 1986; 112:1100-2 (Brief comm.)

Ejection fraction

Determination of left ventricular ejection fraction using ultrafast computed tomography (Rick et al). 1986; 112:392-6 (Prog. cardiol.)

Elderly

Prevalence, incidence, and hazards of hypertension in the elderly (Kannel). 1986; 112:1362-3 (Editorial)

Electrical properties

Circadian variations in the electrical properties of the human heart assessed by sequential bedside electrophysiologic testing (Cinca et al). 1986; 112:315-21

Electrical stimulation

Clinical and electrocardiographic features and long-term results of electrical therapy in patients with isolated His bundle disease (Mangiardi et al). 1986; 112:1183-91

Myofibrillar disarray produced in normal hearts by chronic electrical pacing (Adomian and Beazell). 1986; 112:79-83 (Clin. invest.)

Prognostic value of programmed electrical stimulation in patients with a recent episode of unstable angina (Kron et al). 1986; 112:1-8

The response of patients with complex ventricular arrhythmias secondary to dilated cardiomyopathy to programmed electrical stimulation (Stamato et al). 1986; 112:505-8

Electrocardiography

Amiodarone as a cause of electrocardiographic changes simulating myocardial ischemia or subendocardial infarction (Rotstein et al). 1986; 112:1094-5 (Brief comm.)

Clinical and electrocardiographic features and long-term results of electrical therapy in patients with isolated His bundle disease (Mangiardi et al). 1986; 112:1183-91

Continuous 24-hour electrocardiography in thyrotoxicosis before and after treatment (Northcote et al). 1986; 112:339-44

Daily variations of ECG and left ventricular parameters at exercise in patients with anginal attacks but normal coronary arteriograms (Sugishita et al). 1986; 112:725-38

Electrocardiographic alterations in leads V_1 to V_5 in the diagnosis of right and left ventricular infarction (Coma-Canella et al). 1986; 112:940-6

Electrocardiographic markers of cardiac metastasis (Cates et al). 1986; 112:1297-303 (Curriculum cardiol.)

Evaluation of coronary artery disease by an improved method of exercise electrocardiography: the ST segment/heart rate slope (Kligfield et al). 1986; 112:589-98 (Prog. cardiol.)

Prevalence of ventricular tachycardia in patients with different underlying heart diseases: a study by Holter ECG monitoring (Suyama et al). 1986; 112:44-51

Unstable angina pectoris evolving to acute myocardial infarction: significance of ECG changes during chest pain (Sclarovsky et al). 1986; 112:459-62

Electrocardiography—Cont'd

Value of two-dimensional echocardiography, electrocardiography, and clinical signs in detecting right ventricular infarction (Bellamy et al). 1986; 112:304-9

Ventricular systolic and diastolic impairment during pacing-induced myocardial ischemia in coronary artery disease: simultaneous hemodynamic, electrocardiographic, and radionuclide angiographic evaluation (Iskandrian et al). 1986; 112:382-91 (Curriculum cardiol.)

Electrogram

Discrimination of antegrade and retrograde atrial depolarization by electrogram analysis (Pannizzo et al). 1986; 112:780-6

The human sinus nodal electrogram: techniques and clinical results of intra-atrial recordings in patients with and without sick sinus syndrome (Bethge and Gebhardt-Seehausen). 1986; 112:1074-82 (Prog. cardiol.)

Electropharmacology

Electropharmacology of amiodarone: absence of relationship to serum, myocardial, and cardiac sarcolemmal membrane drug concentrations (Venkatesh et al). 1986; 112:916-22

Electrophysiology

Amiodarone: correlation of early and late electrophysiologic studies with outcome (Kadish et al). 1986; 112:1134-40

Circadian variations in the electrical properties of the human heart assessed by sequential bedside electrophysiologic testing (Cinca et al). 1986; 112:315-21

Electrophysiologic actions of pirlenol in dogs with recent myocardial infarction (Lynch et al). 1986; 112:752-8

Electrophysiologic effects of cibenzoline in humans related to dose and plasma concentration (Touboul et al). 1986; 112:333-9

Electrophysiologic testing of tocainide and mexiletine for ventricular tachycardia: assessment of the need to test both drugs (Miller et al). 1986; 112:1114-6 (Brief communications)

Ethmozine: electrophysiology, hemodynamics, and antiarrhythmic efficacy in patients with life-threatening ventricular arrhythmias (Dorian et al). 1986; 112:327-33

Prognostic value of programmed electrical stimulation in patients with a recent episode of unstable angina (Kron et al). 1986; 112:1-8

Elongation of aorta

Congenital aortic elongation: a rare cause of superior mediastinal widening (Moskowitz et al). 1986; 112:1328-9 (Brief comm.)

Embolism

Echocardiographic findings in patients with proved pulmonary embolism (Kasper et al). 1986; 112:1284-90

Paradox of acute myocardial ischemia and successful PTCA: a case report of subtle coronary embolus (Presant et al). 1986; 112:1317-9 (Brief comm.)

Paradoxical embolism: Clinical presentation, diagnostic strategies, and therapeutic options (Localzo). 1986; 112:141-5 (Curriculum cardiol.)

Potential efficacy of calcium antagonists and heparin in patients with embolic stroke (Low et al). 1986; 112:1338-9 (Brief comm.)

Usefulness of anticoagulant therapy in the prevention of embolic complications of atrial fibrillation (Roy et al). 1986; 112:1039-43

End-diastolic volume

Determinants of the changes in left ventricular end-diastolic volume during upright exercises in patients with coronary artery disease (Iskandrian and Hakki). 1986; 112:441-6

Endless loop tachycardia

Discrimination of antegrade and retrograde atrial depolarization by electrogram analysis (Pannizzo et al). 1986; 112:780-6

Endocarditis

Pneumococcal endocarditis update: analysis of 10 cases diagnosed between 1974 and 1984 (Ugolini et al). 1986; 112:813-9 (Curriculum cardiol.)

Prognostic significance of vegetations detected by two-dimensional echocardiography in infective endocarditis (Buda et al). 1986; 112:1291-6 (Curriculum cardiol.)

Q fever endocarditis presenting as myocardial infarction (Watt et al). 1986; 112:1333-5 (Brief comm.)

Relation between the presence of echocardiographic vegetations and the complication rate in infective endocarditis (Lutas et al). 1986; 112:107-13

Successful tricuspid valvulotomy without replacement for

Endocarditis—Cont'd

endocarditis during pregnancy (Schondelmeyer et al). 1986; 112:859-61 (Brief comm.)

Tricuspid valve endocarditis cured by excision of a single vegetation (Jagger et al). 1986; 112:626-7 (Brief comm.)

Enzyme

Acute hemodynamic and hormonal effects of lisinopril (MK-521) in congestive heart failure (Dickstein et al). 1986; 112:121-9

Effects of early intracoronary streptokinase on infarct size estimated from cumulative enzyme release and on enzyme release rate: a randomized trial of 533 patients with acute myocardial infarction (van der Laarse et al). 1986; 112:672-81

Ergonovine

Differential transmural platelet behavior in response to pacing and ergonovine-induced myocardial ischemia (Bugiardini et al). 1986; 112:255-62

Response of the coronary artery to a small dose of ergonovine in variant angina (Matsuda et al). 1986; 112:947-53

Esmolol

Intravenous esmolol for the treatment of supraventricular tachyarrhythmias: results of a multicenter, baseline-controlled safety and efficacy study in 160 patients (Esmolol Research Group). 1986; 112:498-505

Ethacizine

Ethacizine: a new efficacious Soviet antiarrhythmic drug of the phenothiazine group (Rosenshtaukh et al). 1986; 112:932-9

Ethmozine

Ethmozine: electrophysiology, hemodynamics, and antiarrhythmic efficacy in patients with life-threatening ventricular arrhythmias (Dorian et al). 1986; 112:327-33

Excimer laser energy

The interaction between excimer laser energy and vascular tissue (Murphy-Chutorian et al). 1986; 112:739-44

Exercise

Abnormal cardiovascular response to exercise in young asymptomatic diabetic patients with retinopathy (Margonato et al). 1986; 112:554-60

Attenuation of exercise training effects in patients taking beta blockers during early cardiac rehabilitation (Ciske et al). 1986; 112:1016-25

Clinical relevance of nitrate hemodynamic attenuation (Flaherty). 1986; 112:216-20 (Symposium)

Daily variations of ECG and left ventricular parameters at exercise in patients with anginal attacks but normal coronary arteriograms (Sugishita et al). 1986; 112:728-38

Demonstration of exercise-induced myocardial ischemia in a case of multiple coronary arterioventricular fistulas (Origuchi et al). 1986; 112:1096-7 (Brief comm.)

Determinants of the changes in left ventricular end-diastolic volume during upright exercises in patients with coronary artery disease (Iskandrian and Hakki). 1986; 112:441-6

Effects of aerobic training on exercise tolerance and echocardiographic dimensions in untrained postmenopausal women (Morrison et al). 1986; 112:561-7

Effects of nicorandil on exercise tolerance in patients with stable effort angina: a double-blind study (Hayata et al). 1986; 112:1245-50

Evaluation of coronary artery disease by an improved method of exercise electrocardiography: the ST segment/heart rate slope (Kligfield et al). 1986; 112:589-98 (Prog. cardiol.)

Exercise provocation of multiple reentrant tachycardias in a patient with permanent form of junctional tachycardia and intermittent ventricular preexcitation (Yeh et al). 1986; 112:1109-14 (Brief comm.)

Exercise radionuclide angiography in patients with mitral stenosis: value of right ventricular response (Morise and Goodwin). 1986; 112:509-17

Exercise radionuclide ventriculography in evaluation of coronary artery disease (Clements et al). 1986; 112:582-8 (Prog. cardiol.)

Exercise testing after correction of tetralogy of Fallot: the fallacy of a reduced heart rate response (Reybrouck et al). 1986; 112:998-1003

Exercise-related tachycardia in children (Bricker et al). 1986; 112:186-8 (Brief comm.)

Functional translation of exercise responses from graded exercise testing to exercise training (Foster et al). 1986; 112:1309-16

Hemodynamic effects of moricizine at rest and during supine bicycle exercise: results in patients with ventricular tachycardia

Exercise—Cont'd

and left ventricular dysfunction (Seals et al). 1986; 112:36-43

Identification of multiple accessory pathways by exercise testing (Drory et al). 1986; 112:854-5 (Brief comm.)

Increased uptake of transdermal glyceryl trinitrate during physical exercise and during high ambient temperature (Barkve et al). 1986; 112:537-41

Long-term exercise and hemodynamic follow-up in patients with previous right ventricular myocardial infarction (Brown et al). 1986; 112:1321-2 (Brief comm.)

A multicenter trial of transdermal nitroglycerin in exercise-induced angina: individual antianginal response after repeated administration (Muiesan et al). 1986; 112:233-8 (Symposium)

Myocardial perfusion changes following 1 year of exercise training assessed by thallium-201 circumferential count profiles (Sebrechts et al). 1986; 112:1217-26

Possible role of parasympathetic nervous system in the pathogenesis of exercise-induced coronary artery spasm (Kugiyama et al). 1986; 112:605-6 (Brief comm.)

Principles of exercise prescription for patients with coronary artery disease (Coplan et al). 1986; 112:145-9 (Curriculum cardi.)

Variability of results during repeat exercise stress testing in patients with stable angina pectoris: role of dynamic coronary flow reserve (Crea et al). 1986; 112:249-54

Eye

Abnormal cardiovascular response to exercise in young asymptomatic diabetic patients with retinopathy (Margonato et al). 1986; 112:554-60

F**Factor**

Plasma levels of immunoreactive atrial natriuretic factor increase during supraventricular tachycardia (Nicklas et al). 1986; 112:923-8

Fallot's tetralogy

The use of digital subtraction angiography in the evaluation of tetralogy of Fallot (Gordon et al). 1986; 112:89-96

Fiber

Amiodarone-induced ultrastructural changes in canine myocardial fibers (Gross and Somani). 1986; 112:771-9

Fiberoptics

Fiberoptic observation of thrombosis and thrombolysis in isolated human coronary arteries (Uchida et al). 1986; 112:691-5

Fibrillation

Deleterious effects of bretylium on hemodynamic recovery from ventricular fibrillation (Euler et al). 1986; 112:25-31

Effect of hypokalemia on susceptibility to ventricular fibrillation in the normal and ischemic canine heart (Hohnloser et al). 1986; 112:32-5

Survival to leave hospital from ventricular fibrillation (Dunn et al). 1986; 112:745-51

Susceptibility to atrial fibrillation and ventricular tachyarrhythmia in the Wolff-Parkinson-White syndrome: role of the accessory pathway (Waspe et al). 1986; 112:1141-52

Usefulness of anticoagulant therapy in the prevention of embolic complications of atrial fibrillation (Roy et al). 1986; 112:1039-43

Fibrin

Fibrin formation and platelet aggregation in patients with acute myocardial infarction: effects of intravenous and subcutaneous low-dose heparin (Gallino et al). 1986; 112:285-90

Fibrinolytic therapy

Fibrinolytic therapy of acute myocardial infarction in the heparin thrombosis syndrome (Cummings et al). 1986; 112:407-9 (Brief comm.)

Fibrinolytic treatment in thrombotic obstruction of a tilting disc prosthesis (Amann et al). 1986; 112:1084-7 (Brief comm.)

Fistula

Demonstration of exercise-induced myocardial ischemia in a case of multiple coronary arterioventricular fistulas (Origuchi et al). 1986; 112:1096-7 (Brief comm.)

Flecainide

Flecainide: a new antiarrhythmic agent (Somberg and Tepper). 1986; 112:808-13 (Curriculum cardi.)

Flecainide—Cont'd

Refractory ventricular tachycardia with flecainide (Wynn et al). 1986; 112:174-5 (Brief comm.)

Flow tracing

Right ventricular systolic time intervals: comparison of echocardiographic and Doppler-derived values (Hsieh et al). 1986; 112:103-7

Fluosol-DA

Effect of Fluosol-DA on infarct morphology and vulnerability to ventricular arrhythmia (Kolodgie et al). 1986; 112:1192-201

Forum

Letters to the Editor. 1986; 112:1343-58 (Forum)

Framingham Study

Physical activity and physical demand on the job and risk of cardiovascular disease and death: the Framingham Study (Kannel et al). 1986; 112:820-5 (Prog. cardiol.)

Psychosocial and other features of coronary heart disease: insights from the Framingham Study (Kannel and Eaker). 1986; 112:1066-73 (Prog. cardiol.)

The triglyceride issue: a view from Framingham (Castelli). 1986; 112:432-7 (Symposium)

Frank-Starling mechanism

Pacemaker therapy in congestive heart failure: a new concept based on excessive utilization of the Frank-Starling mechanism (Iskandrian and Mirtz). 1986; 112:867-70 (Editorial)

Function

The significance of underlying coronary stenosis for recovery of myocardial function after transient ischemia in the dog (Akaishi et al). 1986; 112:1226-31

G

Glyceryl trinitrate

Increased uptake of transdermal glyceryl trinitrate during physical exercise and during high ambient temperature (Barkve et al). 1986; 112:537-41

Great arteries

Similarity of anomalous origin of right pulmonary artery from the ascending aorta to d-transposition of the great arteries: 2D echographic and Doppler study (Jureidini et al). 1986; 112:175-6 (Brief comm.)

H

Heart failure

Acute hemodynamic and hormonal effects of lisinopril (MK-521) in congestive heart failure (Dickstein et al). 1986; 112:121-9

Beneficial effect of taurine in rabbits with chronic congestive heart failure (Takiyama et al). 1986; 112:1278-84

The effects of captopril on serum digoxin and urinary urea and digoxin clearances in patients with congestive heart failure (Cleland et al). 1986; 112:130-5

Enhanced survival in patients with heart failure and life-threatening ventricular tachyarrhythmias (Brodsky et al). 1986; 112:1166-72

Intermittent, ambulatory dobutamine infusions in patients with severe congestive heart failure (Krell et al). 1986; 112:787-90

Pacemaker therapy in congestive heart failure: a new concept based on excessive utilization of the Frank-Starling mechanism (Iskandrian and Mirtz). 1986; 112:867-70 (Editorial)

Symptoms and tests of ventricular performance in the evaluation of chronic heart failure (Jafri et al). 1986; 112:194-6 (Editorial)

Heart rate

Evaluation of coronary artery disease by an improved method of exercise electrocardiography: the ST segment/heart rate slope (Kligfield et al). 1986; 112:589-98 (Prog. cardiol.)

The heart rate of Romano-Ward syndrome patients (Vincent). 1986; 112:61-4

The ST segment/heart rate slope as a predictor of coronary artery disease: comparison with quantitative thallium imaging and conventional ST segment criteria (Finkelhor et al). 1986; 112:296-304

Heart transplant

Reversal of ischemic myocardial dysfunction by PTCA in a cardiac transplant patient (Wohlgeleitner et al). 1986; 112:837-9 (Brief comm.)

Hemodynamics

Acute hemodynamic and hormonal effects of lisinopril (MK-521) in congestive heart failure (Dickstein et al). 1986; 112:121-9

Clinical relevance of nitrate hemodynamic attenuation (Flaherty). 1986; 112:216-20 (Symposium)

Deleterious effects of bretylium on hemodynamic recovery from ventricular fibrillation (Euler et al). 1986; 112:25-31 (Clin. invest.)

Ethmozine: Electrophysiology, hemodynamics, and antiarrhythmic efficacy in patients with life-threatening ventricular arrhythmias (Dorian et al). 1986; 112:327-33

Exercise in children before and after coarctectomy: hemodynamic, echocardiographic, and biochemical assessment (Pelch et al). 1986; 112:1263-70

The hemodynamic determinants of the isovolumic index (Mancini et al). 1986; 112:791-9

Hemodynamic effects of moricizine at rest and during supine bicycle exercise: results in patients with ventricular tachycardia and left ventricular dysfunction (Seals et al). 1986; 112:36-43

Long-term exercise and hemodynamic follow-up in patients with previous right ventricular myocardial infarction (Brown et al). 1986; 112:1321-2 (Brief comm.)

Ventricular systolic and diastolic impairment during pacing-induced myocardial ischemia in coronary artery disease: simultaneous hemodynamic, electrocardiographic, and radionuclide angiographic evaluation (Iskandrian et al). 1986; 112:382-91 (Curriculum cardiol.)

Heparin

Fibrin formation and platelet aggregation in patients with acute myocardial infarction: effects of intravenous and subcutaneous low-dose heparin (Gallino et al). 1986; 112:285-90

Fibrinolytic therapy of acute myocardial infarction in the heparin thrombosis syndrome (Cummings et al). 1986; 112:407-9 (Brief comm.)

Potential efficacy of calcium antagonists and heparin in patients with embolic stroke (Low et al). 1986; 112:1338-9 (Brief comm.)

His bundle

Clinical and electrocardiographic features and long-term results of electrical therapy in patients with isolated His bundle disease (Mangiardi et al). 1986; 112:1183-91

HLA-DR

HLA-DR typing and lymphocyte subset evaluation in rheumatic heart disease: a search for immune response factors (Anastasiou-Nana et al). 1986; 112:992-7

Holter electrocardiogram monitoring

Prevalence of ventricular tachycardia in patients with different underlying heart diseases: a study by Holter ECG monitoring (Suyama et al). 1986; 112:44-51

Hormone

Acute hemodynamic and hormonal effects of lisinopril (MK-521) in congestive heart failure (Dickstein et al). 1986; 112:121-9

Continuous 24-hour electrocardiography in thyrotoxicosis before and after treatment (Northcote et al). 1986; 112:339-44

Hyperemia

Effect of diltiazem on coronary reactive hyperemia in patients with flow-limiting coronary artery stenosis (Foult et al). 1986; 112:1232-7

Hypertension

Clinical acceptability of transdermal clonidine: a large-scale evaluation by practitioners (Hollifield). 1986; 112:900-6 (Symposium)

Cognitive stress and cardiovascular reactivity. I. Relationship to hypertension (Cinciripini). 1986; 112:1044-50 (Curriculum cardiol.)

Efficacy of clonidine as transdermal therapeutic system: the international clinical trial experience (Lowenthal et al). 1986; 112:893-900 (Symposium)

Heterogeneous pathophysiology of essential hypertension: implications for therapy (Messerli et al). 1986; 112:886-93 (Symposium)

Mild hypertension: the rationale for treatment (Schoenberg). 1986; 112:872-6 (Symposium)

Prevalence, incidence, and hazards of hypertension in the elderly (Kannel). 1986; 112:1362-3 (Editorial)

Pulse wave velocity in patients with obesity and hypertension (Toto-Moukouo et al). 1986; 112:136-40

Hypertension—Cont'd

Relative tachycardia in ambulant children with borderline hypertension (Mehta et al). 1986; 112:1257-63

The sympathetic nervous system in essential hypertension (Tuck). 1986; 112:877-86 (Symposium)

Systemic and renal vasodilation after beta-adrenoceptor blockade with pindolol: a hemodynamic study on the onset and maintenance of its antihypertensive effect (van den Meirack et al). 1986; 112:368-74

Transdermal antihypertensive therapy: clinical and metabolic considerations (Weber). 1986; 112:986-12 (Symposium)

Hypertrophy

Effects of nitroglycerin in patients with angina, normal coronary arteries, and left ventricular hypertrophy (Laskey et al). 1986; 112:953-62

Hyperventilation

Hyperventilation-induced coronary artery spasm (Kruyswijk et al). 1986; 112:613-5 (Brief comm.)

Hypokalemia

Effect of hypokalemia on susceptibility to ventricular fibrillation in the normal and ischemic canine heart (Hohnloser et al). 1986; 112:32-5

Hypoplastic left heart syndrome

Management of the hypoplastic left heart syndrome: a challenge to those who care for children with heart diseases (Riemenschneider). 1986; 112:864-7 (Editorial)

Morphologic determinants of coronary blood flow in the hypoplastic left heart syndrome (Lloyd et al). 1986; 112:666-71

Hypotension

Bradycardia and hypotension following reperfusion with streptokinase (Bezold-Jarisch reflex): a sign of coronary thrombolysis and myocardial salvage (Koren et al). 1986; 112:468-71

Paroxysmal atrioventricular block triggered by orthostatic hypotension (Belhassen et al). 1986; 112:1107-9 (Brief comm.)

Profound hypotension and near syncope during coronary artery spasm (Huang et al). 1986; 112:841-3 (Brief comm.)

Hypoxia

Comparative effects of intracoronary administration of propranolol with systemic administration on hypoxic canine myocardium (Kojima et al). 1986; 112:1011-6

Coronary vascular responses to hypoxia in the diabetic lamb: independence from adenosine and autonomic mechanisms (Downing et al). 1986; 112:273-9

I**Idiopathic dilated cardiomyopathy**

Immunologic studies of peripheral blood from patients with idiopathic dilated cardiomyopathy (Gerli et al). 1986; 112:350-5

Imaging; see also Angiography; Tomography

The ST segment/heart rate slope as a predictor of coronary artery disease: comparison with quantitative thallium imaging and conventional ST segment criteria (Finkelhor et al). 1986; 112:296-304

Immune deficiency syndrome

Cardiac involvement, including tuberculous pericardial effusion, complicating acquired immune deficiency syndrome (D'Cruz et al). 1986; 112:1100-2 (Brief comm.)

Immunology

Immunologic studies of peripheral blood from patients with idiopathic dilated cardiomyopathy (Gerli et al). 1986; 112:350-5

Plasma levels of immunoreactive atrial Natriuretic factor increase during supraventricular tachycardia (Nicklas et al). 1986; 112:923-8

Infant

Left ventricular function in normal newborn infants and asymptomatic infants with neonatal polycythemia (Murphy et al). 1986; 112:542-7

Infarction

Amiodarone as a cause of electrocardiographic changes simulating myocardial ischemia or subendocardial infarction (Rotstein et al). 1986; 112:1094-5 (Brief comm.)

The efficacy of cibenzoline and propafenone against inducible sustained and nonsustained ventricular tachycardias in conscious dogs with isolated chronic right ventricular infarction:

Infarction—Cont'd

a comparative study with procainamide (Karagueuzian et al). 1986; 112:1173-83

Electrocardiographic alterations in leads V₁ to V₃ in the diagnosis of right and left ventricular infarction (Coma-Canella et al). 1986; 112:940-6

Spontaneous remission and prolonged survival in postinfarction cardiomyopathy (Goldhaber et al). 1986; 112:409-12 (Brief comm.)

Value of two-dimensional echocardiography, electrocardiography, and clinical signs in detecting right ventricular infarction (Bellamy et al). 1986; 112:304-9

Infection; see also Endocarditis

Isolated thoracic aortic thrombosis in occult aortitis: diagnostic contribution of computed tomography (Greene et al). 1986; 112:178-81 (Brief comm.)

Infusion

Continuous lidocaine infusion in an ambulatory patient with recurrent ventricular tachycardia (Markel et al). 1986; 112:184-6 (Brief comm.)

Coronary thrombolysis in patients with acute myocardial infarction by intravenous infusion of synergic thrombolytic agents (Collen et al). 1986; 112:1083-4 (Brief comm.)

Intermittent, ambulatory dobutamine infusions in patients with severe congestive heart failure (Krell et al). 1986; 112:787-90

Intensive care unit

Cardiac output estimates in the pediatric intensive care unit using a continuous-wave Doppler computer: validation and limitations of the technique (Rein et al). 1986; 112:97-103 (Clin. invest.)

Intermittent claudication

Intermittent claudication: not so benign (Coffman). 1986; 112:1127-8 (Editorial)

Intermittent ventricular preexcitation

Exercise provocation of multiple reentrant tachycardias in a patient with permanent form of junctional tachycardia and intermittent ventricular preexcitation (Yeh et al). 1986; 112:1109-14 (Brief comm.)

Internal cardioverter-defibrillator

The automatic internal cardioverter-defibrillator: comprehensive clinical follow-up, economic and social impact: the Stony Brook experience (Vlay). 1986; 112:189-94 (Editorial)

Interventricular septum

The interventricular septum in health and disease (Kaul). 1986; 112:568-81 (Curriculum cardiol.)

Intolerance

Intolerance and ineffectiveness of mexiletine in patients with serious ventricular arrhythmias (Poole et al). 1986; 112:322-6

Intra-atrial recordings

The human sinus nodal electrogram: techniques and clinical results of intra-atrial recordings in patients with and without sick sinus syndrome (Bethge and Gebhardt-Seehausen). 1986; 112:1074-82 (Prog. cardiol.)

Intracavitary echoes

Dynamic intracavitary echoes in left ventricular pseudoaneurysm (D'Cruz et al). 1986; 112:418-20 (Brief comm.)

Intracardiac sound

Cooing intracardiac sound in a perforated porcine mitral valve detected by pulsed Doppler echocardiography (Kinney et al). 1986; 112:420-3 (Brief comm.)

Intracoronary administration

Comparative effects of intracoronary administration of propranolol with systemic administration on hypoxic canine myocardium (Kojima et al). 1986; 112:1011-6

Effects of early intracoronary streptokinase on infarct size estimated from cumulative enzyme release and on enzyme release rate: a randomized trial of 533 patients with acute myocardial infarction (van der Laarse). 1986; 112:672-81

Intraoperative assessment

Intraoperative assessment of left ventricular heterogeneity (Douglas et al). 1986; 112:344-50

Intravenous administration

Comparison of intravenous mexiletine and lidocaine for the treatment of ventricular arrhythmias (Lui et al). 1986; 112:1153-8

Coronary thrombolysis in patients with acute myocardial infarction by intravenous infusion of synergic thrombolytic agents (Collen et al). 1986; 112:1083-4 (Brief comm.)

Intravenous esmolol for the treatment of supraventricular

Intravenous administration—Cont'd

- tachyarrhythmias: results of a multicenter, baseline-controlled safety and efficacy study in 160 patients (Esmolol Research Group). 1986; 112:498-505
- Usefulness of intravenous and transdermal nitroglycerin therapy in patients with unstable angina (Flaherty). 1986; 112:220-1 (Symposium)

Intravenous digital subtraction angiography

- The use of digital subtraction angiography in the evaluation of tetralogy of Fallot (Gordon et al). 1986; 112:89-96

Irradiation

- Isolated right heart tamponade following mediastinal irradiation (Gheorghiade et al). 1986; 112:167-9 (Brief comm.)

Ischemia

- Amiodarone as a cause of electrocardiographic changes simulating myocardial ischemia or subendocardial infarction (Rotstein et al). 1986; 112:1094-5 (Brief comm.)
- Demonstration of exercise-induced myocardial ischemia in a case of multiple coronary arterioventricular fistulas (Origuchi et al). 1986; 112:1096-7 (Brief comm.)
- Differential transmural platelet behavior in response to pacing and ergonovine-induced myocardial ischemia (Bucardini et al). 1986; 112:255-62
- Effect of hypokalemia on susceptibility to ventricular fibrillation in the normal and ischemic canine heart (Hohnloser et al). 1986; 112:32-5
- Effects of reperfusion on myocardial wall thickness, oxidative phosphorylation, and Ca^{2+} metabolism following total and partial myocardial ischemia (Peng et al). 1986; 112:1238-44
- Failure of nitroglycerin introduced after prolonged myocardial ischemia to improve collateral blood flow and function in tranquilized dogs (Nolan et al). 1986; 112:526-36
- Mechanisms and therapy of silent myocardial ischemia: the effect of transdermal nitroglycerin (Shell et al). 1986; 112:222-8 (Symposium)
- Paradox of acute myocardial ischemia and successful PTCA: a case report of subtle coronary embolus (Presant et al). 1986; 112:1317-9 (Brief comm.)
- Reversal of ischemic myocardial dysfunction by PTCA in a cardiac transplant patient (Wohlgeleit et al). 1986; 112:837-9 (Brief comm.)
- The significance of underlying coronary stenosis for recovery of myocardial function after transient ischemia in the dog (Akaishi et al). 1986; 112:1226-31
- Ventricular systolic and diastolic impairment during pacing-induced myocardial ischemia in coronary artery disease: simultaneous hemodynamic, electrocardiographic, and radionuclide angiographic evaluation (Iskandrian et al). 1986; 112:382-91 (Curriculum cardi.)

Isomer

- The pharmacodynamic and pharmacokinetic differences of the D- and L-isomers of verapamil: implications in the treatment of paroxysmal supraventricular tachycardia (Hoon et al). 1986; 112:396-403 (Prog. cardi.)

Isovolumic index

- The hemodynamic determinants of the isovolumic index (Manicini et al). 1986; 112:791-9

J

Job

- Physical activity and physical demand on the job and risk of cardiovascular disease and death: the Framingham Study (Kannel et al). 1986; 112:820-5 (Prog. cardi.)

Jugular vein

- Jugular phlebogram in congenital absence of the pericardium (Matsuhisa et al). 1986; 112:1004-10

Junctional tachycardia

- Exercise provocation of multiple reentrant tachycardias in a patient with permanent form of junctional tachycardia and intermittent ventricular preexcitation (Yeh et al). 1986; 112:1109-14 (Brief comm.)

K

Kidney

- Systemic and renal vasodilation after beta-adrenoceptor blockade with pindolol: a hemodynamic study on the onset and maintenance of its antihypertensive effect (van den Meirack et al). 1986; 112:368-74

L

Laser

- Clinically successful long-term laser coronary recanalization (Lee et al). 1986; 112:1323-5 (Brief comm.)
- The interaction between excimer laser energy and vascular tissue (Murphy-Chutorian et al). 1986; 112:739-44
- Laser ablation of normal and diseased human ventricle (Sak-sena et al). 1986; 112:52-60

Latex agglutination

- Serum myoglobin measured by latex agglutination: rapid test for exclusion of acute myocardial infarction (Schultz et al). 1986; 112:609 (Brief comm.)

Leads V₁ to V₃

- Electrocardiographic alterations in leads V₁ to V₃ in the diagnosis of right and left ventricular infarction (Coma-Canella et al). 1986; 112:940-6

Left heart syndrome

- Management of the hypoplastic left heart syndrome: a challenge to those who care for children with heart diseases (Riemenschneider). 1986; 112:864-7 (Editorial)
- Morphologic determinants of coronary blood flow in the hypoplastic left heart syndrome (Lloyd et al). 1986; 112:666-71

Left ventricle

- Age-related changes in left ventricular diastolic performance (Iskandrian and Hakki). 1986; 112:75-8
- Daily variations of ECG and left ventricular parameters at exercise in patients with anginal attacks but normal coronary arteriograms (Sugishita et al). 1986; 112:728-38
- Determinants of the changes in left ventricular end-diastolic volume during upright exercises in patients with coronary artery disease (Iskandrian and Hakki). 1986; 112:441-6
- Determination of left ventricular ejection fraction using ultra-fast computed tomography (Rick et al). 1986; 112:392-6 (Prog. cardi.)
- Dynamic intracavitary echoes in left ventricular pseudoaneurysm (D'Cruz et al). 1986; 112:418-20 (Brief comm.)
- Echocardiographic assessment of left ventricular performance before and after marathon running (Perrault et al). 1986; 112:1026-31
- Effects of nitroglycerin in patients with angina, normal coronary arteries, and left ventricular hypertrophy (Laskey et al). 1986; 112:953-62
- Impaired regional diastolic distensibility in coronary artery disease: relations with dynamic left ventricular compliance (Pouleur et al). 1986; 112:721-8
- The influence of anatomic evolution of coronary artery disease on left ventricular contraction: an angiographic follow-up study of 300 nonoperated patients (Visser et al). 1986; 112:963-72
- Intraoperative assessment of left ventricular heterogeneity (Douglas et al). 1986; 112:344-50
- Invasive calcific constrictive pericarditis simulating a left ventricular mass (Schwartz et al). 1986; 112:861-3 (Brief comm.)
- Left ventricular dimensions and mechanics in distance runners (Mickelson et al). 1986; 112:1251-6
- Left ventricular function in normal newborn infants and asymptomatic infants with neonatal polycythemia (Murphy et al). 1986; 112:542-7
- Left ventricular pressure/volume relationship in coronary artery disease (Iskandrian and Heo). 1986; 112:375-81 (Curriculum cardi.)
- Quantitative assessment of temporal and spatial ventricular wall motion in normal and infarcted human left ventricles (Chen et al). 1986; 112:712-21
- Serial assessment of circumferential regional left ventricular function following complete coronary occlusion (Buda and Zolt). 1986; 112:447-52
- Sinus tachycardia-induced left ventricular dysfunction after VDD pacemaker implantation in a patient with congenital complete atrioventricular block (Sobczyk et al). 1986; 112:1102-5 (Brief comm.)
- Two-dimensional echocardiographic identification of left ventricular pseudoaneurysm (Saner et al). 1986; 112:977-84 (Clin. invest.)

Leiomyosarcoma

- Primary right ventricular leiomyosarcoma producing outflow tract obstruction (Talley et al). 1986; 112:1335-8 (Brief comm.)

Letters to the Editor

- Forum. 1986; 112:1343-58

Lidocaine

- Comparison of intravenous mexiletine and lidocaine for the treatment of ventricular arrhythmias (Lui et al). 1986; 112:1153-8
- Continuous lidocaine infusion in an ambulatory patient with recurrent ventricular tachycardia (Markel et al). 1986; 112:184-6 (Brief comm.)
- Torsade de pointes: successful acute control by lidocaine and chronic control by tocainide in two patients—one each with acquired long QT and the congenital long QT syndrome (Bansal et al). 1986; 112:618-21 (Brief comm.)

Lipid

- Lipid regulation: a clinician's view of patient management (Scheidt). 1986; 112:437-40 (Symposium)
- Serum lipids and apoproteins in students whose parents suffered prematurely from a myocardial infarction (De Backer et al). 1986; 112:478-94

Lisinopril

- Acute hemodynamic and hormonal effects of lisinopril (MK-521) in congestive heart failure (Dickstein et al). 1986; 112:121-9

L-isomer

- The pharmacodynamic and pharmacokinetic differences of the D- and L-isomers of verapamil: implications in the treatment of paroxysmal supraventricular tachycardia (Hoon et al). 1986; 112:396-403 (Prog. cardiol.)

Lupus erythematosus

- Postoperative valve ring aneurysm formation, coronary arteritis, and myocardial infarction in systemic lupus erythematosus (Harrison et al). 1986; 112:414-7 (Brief comm.)

Lymphocyte

- HLA-DR typing and lymphocyte subset evaluation in rheumatic heart disease: a search for immune response factors (Anastasiou-Nana et al). 1986; 112:992-7

Lymphoma

- Cardiac involvement by lymphoma: detection and follow-up by two-dimensional echocardiography (Armstrong et al). 1986; 112:627-31 (Brief comm.)

M**Magnesium sulfate**

- Efficacy of magnesium sulfate in the treatment of torsade de pointes (Perticone et al). 1986; 112:847-9 (Brief comm.)

Malignant ventricle

- Burnout in the care and management of survivors of out-of-hospital cardiac arrest (Graboyes). 1986; 112:428-30 (Editorial)

Manpower

- Pediatric cardiology manpower in the 1980s (Moller and Adams). 1986; 112:599-604 (Special report)

Marathon running

- Echocardiographic assessment of left ventricular performance before and after marathon running (Perrault et al). 1986; 112:1026-31

Mass

- Invasive calcific constrictive pericarditis simulating a left ventricular mass (Schwartz et al). 1986; 112:861-3 (Brief comm.)

Mediastinum

- Congenital aortic elongation: a rare cause of superior mediastinal widening (Moskowitz et al). 1986; 112:1328-9 (Brief comm.)
- Isolated right heart tamponade following mediastinal irradiation (Gheorghiadu et al). 1986; 112:167-9 (Brief comm.)

Membrane

- Electropharmacology of amiodarone: absence of relationship to serum, myocardial, and cardiac sarcolemmal membrane drug concentrations (Venkatesh et al). 1986; 112:916-22

Metabolism

- Transdermal antihypertensive therapy: clinical and metabolic considerations (Weber). 1986; 112:906-12 (Symposium)

Metastasis

- Electrocardiographic markers of cardiac metastasis (Cates et al). 1986; 112:1297-303 (Curriculum clinical.)

Mexiletine

- Comparison of intravenous mexiletine and lidocaine for the treatment of ventricular arrhythmias (Lui et al). 1986; 112:1153-8
- Discordance between ambulatory monitoring and programmed stimulation in assessing efficacy of mexiletine in patients with ventricular tachycardia (Kim et al). 1986; 112:14-9

Mexiletine—Cont'd

- Electrophysiologic testing of tocainide and mexiletine for ventricular tachycardia: assessment of the need to test both drugs (Miller et al). 1986; 112:1114-6 (Brief comm.)

- Intolerance and ineffectiveness of mexiletine in patients with serious ventricular arrhythmias (Poole et al). 1986; 112:322-6

Mitral valve

- Clinically occult "false-on-true" left ventricular aneurysm: association with late sudden death following mitral valve replacement (Sobczyk et al). 1986; 112:1090-2

- Cooing intracardiac sound in a perforated porcine mitral valve detected by pulsed Doppler echocardiography (Kinney et al). 1986; 112:420-3 (Brief comm.)

- Dynamics of mitral regurgitation during nitroglycerin therapy: a Doppler echocardiographic study (Keren et al). 1986; 112:517-25

- Echocardiographic demonstration of pseudoaneurysm after mitral valve replacement (Lichtenberg et al). 1986; 112:417-8 (Brief comm.)

- Exercise radionuclide angiography in patients with mitral stenosis: value of right ventricular response (Morise and Goodwin). 1986; 112:509-17

- Mitral valve prolapse: multifactorial etiologies and variable prognosis (Baddour and Bisno). 1986; 112:1359-62 (Editorial)

- Simplified echocardiographic measurement of the mitral annulus (Vijayaraghavan et al). 1986; 112:985-91

- Temporal relationship between early systolic closure of the aortic valve and aortic flow: experimental study with and without systolic anterior motion of the mitral valve (Sakurai and Tanaka). 1986; 112:113-21

- Triggered activity as a possible mechanism of ventricular tachycardia in mitral valve prolapse (Shenoy et al). 1986; 112:1339-42 (Brief comm.)

Monitoring

- Discordance between ambulatory monitoring and programmed stimulation in assessing efficacy of mexiletine in patients with ventricular tachycardia (Kim et al). 1986; 112:14-9

- Prevalence of ventricular tachycardia in patients with different underlying heart diseases: a study by Holter ECG monitoring (Suyama et al). 1986; 112:44-51

Monomorphic ventricular tachycardia

- Electrophysiologic and clinical factors influencing response to class 1A antiarrhythmic agents in patients with inducible sustained monomorphic ventricular tachycardia (Gold et al). 1986; 112:9-13

Moricizine

- Hemodynamic effects of moricizine at rest and during supine bicycle exercise: results in patients with ventricular tachycardia and left ventricular dysfunction (Seals et al). 1986; 112:36-43

Morphology

- Morphologic determinants of coronary blood flow in the hypoplastic left heart syndrome (Lloyd et al). 1986; 112:666-71

Mortality

- Overall and coronary heart disease mortality rates in relation to major risk factors in 325,348 men screened for the MRFIT (Kannel et al). 1986; 112:825-36 (Prog. cardiol.)

Motion

- Thallium-201/technetium-99m pyrophosphate overlap in patients with acute myocardial infarction after thrombolysis: prediction of depressed wall motion despite thallium uptake (Schofer et al). 1986; 112:291-5

Multiple Risk Factor Intervention Trial

- Overall and coronary heart disease mortality rates in relation to major risk factors in 325,348 men screened for the MRFIT (Kannel et al). 1986; 112:825-36 (Prog. cardiol.)

Murmur

- The murmur of papillary muscle dysfunction in acute myocardial infarction: clinical features and prognostic implications (Maisei et al). 1986; 112:705-11

Muscle; see also Myocardial infarction; Myocardium

- Depression of papillary muscle contractility by plasma incubated with pneumococci (Reed et al). 1986; 112:84-8

- The murmur of papillary muscle dysfunction in acute myocardial infarction: clinical features and prognostic implications (Maisei et al). 1986; 112:705-11

Myocardial infarction

- Acute myocardial infarction in a patient with anomalous right coronary artery (Saenz et al). 1986; 112:1092-4 (Brief comm.)

Myocardial infarction—Cont'd

- Alteration of type A behavior and its effect on cardiac recurrences in post myocardial infarction patients: summary results of the recurrent coronary prevention project (Friedman et al). 1986; 112:653-65
- Anterior and inferior myocardial infarction in a young woman with angiographically normal coronary arteries (Janosik et al). 1986; 112:606-9 (Brief comm.)
- Anterior ST segment depression in acute inferior myocardial infarction as a marker of greater inferior, apical, and posterolateral damage (Ruddy et al). 1986; 112:1210-6
- Beta blockade and chest pain in acute myocardial infarction (Herlitz et al). 1986; 112:1120-6 (Editorial)
- Carcinoma of the heart presenting as myocardial infarction (Movahed and Wait). 1986; 112:1329-33 (Brief comm.)
- Cardiac rupture before completed myocardial infarction (Bashour et al). 1986; 112:176-8 (Brief comm.)
- Clinical course and risk stratification of myocardial infarct survivors with three-vessel disease (Castaner et al). 1986; 112:1201-9
- Coronary thrombolysis in patients with acute myocardial infarction by intravenous infusion of synergic thrombolytic agents (Collen et al). 1986; 112:1083-4 (Brief comm.)
- Development of an experimental model of acute myocardial infarction and the effects of a thromboxane synthetase inhibitor (OKY-046) (Tomoda). 1986; 112:696-704
- Effects of early intracoronary streptokinase on infarct size estimated from cumulative enzyme release and on enzyme release rate: a randomized trial of 533 patients with acute myocardial infarction (van der Laarse et al). 1986; 112:672-81
- Electrophysiologic actions of pirlmenol in dogs with recent myocardial infarction (Lynch et al). 1986; 112:752-8
- Fibrin formation and platelet aggregation in patients with acute myocardial infarction: effects of intravenous and subcutaneous low-dose heparin (Gallino et al). 1986; 112:285-90
- Fibrinolytic therapy of acute myocardial infarction in the heparin thrombosis syndrome (Cummings et al). 1986; 112:407-9 (Brief comm.)
- Increased myocardial infarct size by thiopental after coronary occlusion in the dog (Jugdutt et al). 1986; 112:485-94
- Long-term exercise and hemodynamic follow-up in patients with previous right ventricular myocardial infarction (Brown et al). 1986; 112:1321-2 (Brief comm.)
- Multilevel block in the atrioventricular node following acute inferior myocardial infarction (Huang and Guerro-Servin). 1986; 112:1105-6 (Brief comm.)
- The murmur of papillary muscle dysfunction in acute myocardial infarction: clinical features and prognostic implications (Maisel et al). 1986; 112:705-11
- Myocardial infarction in young Indian patients: risk factors and coronary arteriographic profile (Kaul et al). 1986; 112:71-5
- Postoperative valve ring aneurysm formation, coronary arteritis, and myocardial infarction in systemic lupus erythematosus (Harrison et al). 1986; 112:414-7 (Brief comm.)
- Q fever endocarditis presenting as myocardial infarction (Watt et al). 1986; 112:1333-5 (Brief comm.)
- Reduction of myocardial infarct size by neutrophil depletion: effect of duration of occlusion (Jolly et al). 1986; 112:682-90
- Relationship between changes in ST segment elevation and patency of the infarct-related coronary artery in acute myocardial infarction (Hackworthy et al). 1986; 112:279-84
- Serum lipids and apoproteins in students whose parents suffered prematurely from a myocardial infarction (De Backer et al). 1986; 112:478-94
- Serum myoglobin measured by latex agglutination: rapid test for exclusion of acute myocardial infarction (Schultz et al). 1986; 112:609 (Brief comm.)
- Thallium-201/technetium-99m pyrophosphate overlap in patients with acute myocardial infarction after thrombolysis: prediction of depressed wall motion despite thallium uptake (Schofer et al). 1986; 112:291-5
- Unstable angina pectoris evolving to acute myocardial infarction: significance of ECG changes during chest pain (Sclarovsky et al). 1986; 112:459-62

Myocardial ischemia; see also Ischemia

- Amiodarone as a cause of electrocardiographic changes simulating myocardial ischemia or subendocardial infarction (Rotstein et al). 1986; 112:1094-5 (Brief comm.)

Myocardial ischemia—Cont'd

- Demonstration of exercise-induced myocardial ischemia in a case of multiple coronary arterioventricular fistulas (Origuchi et al). 1986; 112:1096-7 (Brief comm.)
- Failure of nitroglycerin introduced after prolonged myocardial ischemia to improve collateral blood flow and function in tranquilized dogs (Nolan et al). 1986; 112:526-36
- Mechanisms and therapy of silent myocardial ischemia: the effect of transdermal nitroglycerin (Shell et al). 1986; 112:222-8 (Symposium)
- Paradox of acute myocardial ischemia and successful PTCA: a case report of subtle coronary embolus (Presant et al). 1986; 112:1317-9 (Brief comm.)
- Myocardium; see also Ischemia**
- Amidone-induced ultrastructural changes in canine myocardial fibers (Gross and Somani). 1986; 112:771-9
- Bradycardia and hypotension following reperfusion with streptokinase (Bezold-Jarisch reflex): a sign of coronary thrombolysis and myocardial salvage (Koren et al). 1986; 112:468-71
- Comparative effects of intracoronary administration of propranolol with systemic administration on hypoxic canine myocardium (Kojima et al). 1986; 112:1011-6
- Electropharmacology of amiodarone: absence of relationship to serum, myocardial, and cardiac sarcolemmal membrane drug concentrations (Venkatesh et al). 1986; 112:916-22
- Of myocardial life, hibernation, and death (Bashour). 1986; 112:427-8 (Editorial)
- Myocardial perfusion changes following 1 year of exercise training assessed by thallium-201 circumferential count profiles (Sebrechts et al). 1986; 112:1217-26
- Reduced coronary flow and resistance reserve in primary scleroderma myocardial disease (Nitenberg et al). 1986; 112:309-15
- Unstable angina: the significance of ST segment elevation or depression in patients without evidence of increased myocardial oxygen demand (Sclarovsky et al). 1986; 112:463-7
- Myofibrillar disarray**
- Myofibrillar disarray produced in normal hearts by chronic electrical pacing (Adomian and Beazell). 1986; 112:79-83
- Myoglobin**
- Serum myoglobin measured by latex agglutination: rapid test for exclusion of acute myocardial infarction (Schultz et al). 1986; 112:609 (Brief comm.)
- Myxoma**
- Pulsed Doppler echocardiographic analysis of atrioventricular flow changes in patients with atrial myxomas (Vargas-Barron et al). 1986; 112:850-4 (Brief comm.)

N

Natriuretic factor

- Plasma levels of immunoreactive atrial natriuretic factor increase during supraventricular tachycardia (Nicklas et al). 1986; 112:923-8

Neonate

- Left ventricular function in normal newborn infants and asymptomatic infants with neonatal polycythemia (Murphy et al). 1986; 112:542-7
- Successful balloon valvuloplasty for neonatal critical aortic stenosis (Lababidi and Weinhaus). 1986; 112:913-6

Nervous system

- Possible role of parasympathetic nervous system in the pathogenesis of exercise-induced coronary artery spasm (Kugiyama et al). 1986; 112:605-6 (Brief comm.)
- The sympathetic nervous system in essential hypertension (Tuck). 1986; 112:877-86 (Symposium)

Neutrophil

- Reduction of myocardial infarct size by neutrophil depletion: effect of duration of occlusion (Jolly et al). 1986; 112:682-90

Newborn; see Neonate

Nicorandil

- Effects of nicorandil on exercise tolerance in patients with stable effort angina: a double-blind study (Hayata et al). 1986; 112:1245-50

Nifedipine

- Rectal administration of perforated nifedipine capsules to maintain an effective level of longer duration (Ishikawa et al). 1986; 112:1116-9 (Brief comm.)

Nitrate

Clinical relevance of nitrate hemodynamic attenuation (Flaherty). 1986; 112:216-20 (Symposium)

Nitroglycerin

The controversy over transdermal nitroglycerin: an update (Charash and Scheidt). 1986; 112:207-15 (Symposium)

Dynamics of mitral regurgitation during nitroglycerin therapy: a Doppler echocardiographic study (Keren et al). 1986; 112:517-25

Effects of nitroglycerin in patients with angina, normal coronary arteries, and left ventricular hypertrophy (Laskey et al). 1986; 112:953-62

Failure of nitroglycerin introduced after prolonged myocardial ischemia to improve collateral blood flow and function in tranquilized dogs (Nolan et al). 1986; 112:526-36

Mechanisms and therapy of silent myocardial ischemia: the effect of transdermal nitroglycerin (Shell et al). 1986; 112:222-8 (Symposium)

A multicenter trial of transdermal nitroglycerin in exercise-induced angina: individual antianginal response after repeated administration (Muesan et al). 1986; 112:233-8 (Symposium)

Potential of nitroglycerin-induced ST segment elevation by beta-adrenergic blockade (Miller et al). 1986; 112:839-41 (Brief comm.)

Recent studies on transdermal nitroglycerin patch efficacy (Weber). 1986; 112:238-41 (Symposium)

The role of transdermal nitroglycerin in the treatment of coronary heart disease (Taylor). 1986; 112:197-207 (Symposium)

Some issues concerning transdermal nitroglycerin patches (Atkins). 1986; 112:229-32 (Symposium)

Usefulness of intravenous and transdermal nitroglycerin therapy in patients with unstable angina (Flaherty). 1986; 112:220-1 (Symposium)

Node

Multilevel block in the atrioventricular node following acute inferior myocardial infarction (Huang and Guerro-Servin). 1986; 112:1105-6 (Brief comm.)

O**Obesity**

Abnormal systolic time intervals in obesity and their relationship with the amount of overweight (Romano et al). 1986; 112:356-60

Pulse wave velocity in patients with obesity and hypertension (Toto-Moukoku et al). 1986; 112:136-40

Obstruction; see also Ischemia

Detection of thrombotic obstruction of a Björk-Shiley prosthesis by Doppler echocardiography (Barzilay et al). 1986; 112:1088-90 (Brief comm.)

Fibrinolytic treatment in thrombotic obstruction of a tilting disc prosthesis (Amann et al). 1986; 112:1084-7 (Brief comm.)

Increased myocardial infarct size by thiopental after coronary occlusion in the dog (Jugdutt et al). 1986; 112:485-94

Pathogenesis of angina pectoris in patients with one-vessel disease: possible role of dynamic coronary obstruction (Yasue et al). 1986; 112:263-72

Primary right ventricular leiomyosarcoma producing outflow tract obstruction (Talley et al). 1986; 112:1335-8 (Brief comm.)

Reduction of myocardial infarct size by neutrophil depletion: effect of duration of occlusion (Jolly et al). 1986; 112:682-90

Serial assessment of circumferential regional left ventricular function following complete coronary occlusion (Buda and Zolt). 1986; 112:447-52

Ventricular pump performance in patients with obstructed right ventricular-pulmonary artery conduits (Palik et al). 1986; 112:1271-8

OKY-046

Development of an experimental model of acute myocardial infarction and the effects of a thromboxane synthetase inhibitor (OKY-046) (Tomoda). 1986; 112:696-704

Oral administration

Is single oral administration of captopril beneficial in screening for primary aldosteronism? (Muratani et al). 1986; 112:361-7

Orthostatic hypotension; see also Hypotension

Paroxysmal atrioventricular block triggered by orthostatic hypotension (Belhassen et al). 1986; 112:1107-9 (Brief comm.)

Output

Cardiac output estimates in the pediatric intensive care unit using a continuous-wave Doppler computer: validation and limitations of the technique (Rein et al). 1986; 112:97-103

Oxidative phosphorylation

Effects of reperfusion on myocardial wall thickness, oxidative phosphorylation, and Ca^{2+} metabolism following total and partial myocardial ischemia (Peng et al). 1986; 112:1238-44

Oxygen demand

Unstable angina: the significance of ST segment elevation or depression in patients without evidence of increased myocardial oxygen demand (Sclarovsky et al). 1986; 112:463-7

P**Pacing**

Coronary spasm presenting as syncope during ventricular demand pacing (Hart and Kern). 1986; 112:405-7 (Brief comm.)

Differential transmural platelet behavior in response to pacing and ergonovine-induced myocardial ischemia (Bugiardini et al). 1986; 112:255-62

Dual-chamber transvenous pacemaker implantation via anomalous left superior vena cava (Zardo et al). 1986; 112:621-2 (Brief comm.)

Discrimination of antegrade and retrograde atrial depolarization by electrogram analysis (Pannizzo et al). 1986; 112:780-6

Myofibrillar disarray produced in normal hearts by chronic electrical pacing (Adomian and Beazell). 1986; 112:79-83

Pacemaker therapy in congestive heart failure: a new concept based on excessive utilization of the Frank-Starling mechanism (Iskandrian and Mirtz). 1986; 112:867-70 (Editorial)

Sinus tachycardia-induced left ventricular dysfunction after VDD pacemaker implantation in a patient with congenital complete atrioventricular block (Sobczyk et al). 1986; 112:1102-5 (Brief comm.)

Trends in cardiac pacing 1970-1983 (Gillum). 1986; 112:632-4 (Editorial)

Ventricular systolic and diastolic impairment during pacing-induced myocardial ischemia in coronary artery disease: simultaneous hemodynamic, electrocardiographic, and radionuclide angiographic evaluation (Iskandrian et al). 1986; 112:382-91 (Curriculum cardiol.)

Pain

Beta blockade and chest pain in acute myocardial infarction (Herlitz et al). 1986; 112:1120-6 (Editorial)

Unstable angina pectoris evolving to acute myocardial infarction: significance of ECG changes during chest pain (Sclarovsky et al). 1986; 112:459-62

Utility of echocardiography for the early assessment of patients with nondiagnostic chest pain (Sasaki et al). 1986; 112:494-7

Papillary muscle

Depression of papillary muscle contractility by plasma incubated with pneumococci (Reed et al). 1986; 112:84-8

The murmur of papillary muscle dysfunction in acute myocardial infarction: clinical features and prognostic implications (Maisel et al). 1986; 112:705-11

Paradoxical embolism; see also Embolism

Paradoxical embolism: clinical presentation, diagnostic strategies, and therapeutic options (Loscalzo). 1986; 112:141-5 (Curriculum cardiol.)

Parasympathetic nervous system

Possible role of parasympathetic nervous system in the pathogenesis of exercise-induced coronary artery spasm (Kugiyama et al). 1986; 112:605-6 (Brief comm.)

Paroxysmal atrioventricular block

Paroxysmal atrioventricular block triggered by orthostatic hypotension (Belhassen et al). 1986; 112:1107-9 (Brief comm.)

Paroxysmal supraventricular tachycardia

The pharmacodynamic and pharmacokinetic differences of the D- and L-isomers of verapamil: implications in the treatment of paroxysmal supraventricular tachycardia (Hoon et al). 1986; 112:396-403 (Prog. cardiol.)

Pediatric cardiology

- Cardiac output estimates in the pediatric intensive care unit using a continuous-wave Doppler computer: validation and limitations of the technique (Rein et al). 1986; 112:97-103
- Pediatric cardiology manpower in the 1980s (Moller and Adams). 1986; 112:599-604 (Special report)

Percutaneous transluminal angioplasty

- Acute rupture of the left anterior descending coronary artery secondary to percutaneous transluminal angioplasty (Goldman et al). 1986; 112:1325-8 (Brief comm.)
- Percutaneous transluminal balloon pulmonary valvuloplasty for the relief of pulmonary valve stenosis with special reference to double-balloon technique (Ali Khan et al). 1986; 112:158-66 (Prog. cardi.)
- Reversal of ischemic myocardial dysfunction by PTCA in a cardiac transplant patient (Wohlgeleit et al). 1986; 112:837-9 (Brief comm.)

Perforated porcine mitral valve

- Cooling intracardiac sound in a perforated porcine mitral valve detected by pulsed Doppler echocardiography (Kinney et al). 1986; 112:420-3 (Brief comm.)

Perfusion

- Myocardial perfusion changes following 1 year of exercise training assessed by thallium-201 circumferential count profiles (Sebrechts et al). 1986; 112:1217-26

Pericardial effusion

- Cardiac involvement, including tuberculous pericardial effusion, complicating acquired immune deficiency syndrome (D'Cruz et al). 1986; 112:1100-2 (Brief comm.)

Pericardium

- Jugular phlebogram in congenital absence of the pericardium (Matsuhisa et al). 1986; 112:1004-10
- Invasive calcific constrictive pericarditis simulating a left ventricular mass (Schwartz et al). 1986; 112:861-3 (Brief comm.)
- Transmitral reversed blood flow during mid- and end diastole in constrictive pericarditis (Isobe et al). 1986; 112:855-8 (Brief comm.)

Peripheral blood

- Immunologic studies of peripheral blood from patients with idiopathic dilated cardiomyopathy (Gerli et al). 1986; 112:350-5

Pharmacodynamics

- The pharmacodynamic and pharmacokinetic differences of the D- and L-isomers of verapamil: implications in the treatment of paroxysmal supraventricular tachycardia (Hoon et al). 1986; 112:396-403 (Prog. cardi.)

Phenothiazine

- Ethacizin: a new efficacious Soviet antiarrhythmic drug of the phenothiazine group (Rosenshtaukh et al). 1986; 112:932-9

Phlebogram

- Jugular phlebogram in congenital absence of the pericardium (Matsuhisa et al). 1986; 112:1004-10

Phosphorylation

- Effects of reperfusion on myocardial wall thickness, oxidative phosphorylation, and Ca^{2+} metabolism following total and partial myocardial ischemia (Peng et al). 1986; 112:1238-44

Physiology

- Physical activity and physical demand on the job and risk of cardiovascular disease and death: the Framingham Study (Kannel et al). 1986; 112:820-5 (Prog. cardi.)

Pindolol

- Effective termination of reentrant supraventricular tachycardia by single dose oral combination therapy with pindolol and verapamil (Rose et al). 1986; 112:759-65
- Enhanced ventricular ectopy following pindolol: an adverse effect of a beta blocker with intrinsic sympathomimetic activity (Binkley et al). 1986; 112:424-6 (Brief comm.)
- Systemic and renal vasodilation after beta-adrenoceptor blockade with pindolol: a hemodynamic study on the onset and maintenance of its antihypertensive effect (van den Meirack et al). 1986; 112:368-74

Pirmenol

- Electrophysiologic actions of pirmenol in dogs with recent myocardial infarction (Lynch et al). 1986; 112:752-8

Plasma

- Electrophysiologic effects of cibenzoline in humans related to dose and plasma concentration (Toupoul et al). 1986; 112:333-9
- Plasma levels of immunoreactive atrial natriuretic factor increase during supraventricular tachycardia (Nicklas et al). 1986; 112:923-8

Platelet

- Differential transmyocardial platelet behavior in response to pacing and ergonovine-induced myocardial ischemia (Bucchi et al). 1986; 112:255-62

- Fibrin formation and platelet aggregation in patients with acute myocardial infarction: effects of intravenous and subcutaneous low-dose heparin (Gallino et al). 1986; 112:285-90

Pneumococcal disease

- Depression of papillary muscle contractility by plasma incubated with pneumococci (Reed et al). 1986; 112:84-8
- Pneumococcal endocarditis update: analysis of 10 cases diagnosed between 1974 and 1984 (Ugolini et al). 1986; 112:813-9 (Curriculum cardi.)

Poisoning

- Torsade de pointes: an unusual manifestation of chloral hydrate poisoning (Young et al). 1986; 112:181-4 (Brief comm.)

Polycythemia

- Left ventricular function in normal newborn infants and asymptomatic infants with neonatal polycythemia (Murphy et al). 1986; 112:542-7

Porcine mitral valve

- Cooling intracardiac sound in a perforated porcine mitral valve detected by pulsed Doppler echocardiography (Kinney et al). 1986; 112:420-3 (Brief comm.)

Postmenopausal women

- Effects of aerobic training on exercise tolerance and echocardiographic dimensions in untrained postmenopausal women (Morrison et al). 1986; 112:561-7

Preexcitation

- Exercise provocation of multiple reentrant tachycardias in a patient with permanent form of junctional tachycardia and intermittent ventricular preexcitation (Yeh et al). 1986; 112:1109-14 (Brief comm.)

Pregnancy

- Successful tricuspid valvectomy without replacement for endocarditis during pregnancy (Schondelmeyer et al). 1986; 112:859-61 (Brief comm.)

Primary aldosteronism

- Is single oral administration of captopril beneficial in screening for primary aldosteronism? (Muratani). 1986; 112:361-7

Progress in cardiology

- Progress in cardiology. 1986; 112:150-66, 392-403, 582-598, 820-36, 1066-82, 1304-16

Prolapse

- Cross-sectional echocardiography in the evaluation of aortic valve prolapse associated with ventricular septal defect (Craig et al). 1986; 112:800-7
- Mitral valve prolapse: multifactorial etiologies and variable prognosis (Baddour and Bisno). 1986; 112:1359-62 (Editorial)
- Triggered activity as a possible mechanism of ventricular tachycardia in mitral valve prolapse (Shenoy et al). 1986; 112:1339-42 (Brief comm.)

Propafenone

- The efficacy of cibenzoline and propafenone against inducible sustained and nonsustained ventricular tachycardias in conscious dogs with isolated chronic right ventricular infarction: a comparative study with procainamide (Karagueuzian et al). 1986; 112:1173-83

Propranolol

- Comparative effects of intracoronary administration of propranolol with systemic administration on hypoxic canine myocardium (Kojima et al). 1986; 112:1011-6

Prostaglandin

- Impaired cardiac PGI₂ and PGE₂ biosynthesis in patients with angina pectoris (Neri Serneri et al). 1986; 112:472-8

Prosthesis

- Detection of thrombotic obstruction of a Björk-Shiley prosthesis by Doppler echocardiography (Barzilai et al). 1986; 112:1088-90 (Brief comm.)
- Fibrinolytic treatment in thrombotic obstruction of a tilting disc prosthesis (Amann et al). 1986; 112:1084-7

Pseudoaneurysm; see also Aneurysm

- Dynamic intracavitary echoes in left ventricular pseudoaneurysm (D'Cruz et al). 1986; 112:418-20 (Brief comm.)
- Echocardiographic demonstration of pseudoaneurysm after mitral valve replacement (Lichtenberg et al). 1986; 112:417-8 (Brief comm.)
- Two-dimensional echocardiographic identification of left ventricular pseudoaneurysm (Saner et al). 1986; 112:977-84

Psychosocial factors

Psychosocial and other features of coronary heart disease: insights from the Framingham Study (Kannel and Eaker). 1986; 112:1066-73 (Prog. cardiol.)

PTCA

Paradox of acute myocardial ischemia and successful PTCA: a case report of subtle coronary embolus (Presant et al). 1986; 112:1317-9 (Brief comm.)

Pulmonary artery

Similarity of anomalous origin of right pulmonary artery from the ascending aorta to d-transposition of the great arteries: 2D echographic and Doppler study (Jureidini et al). 1986; 112:175-6 (Brief comm.)

Ventricular pump performance in patients with obstructed right ventricular-pulmonary artery conduits (Palik et al). 1986; 112:1271-8

Pulmonary vein

Unsuspected partial anomalous pulmonary venous drainage in a patient with coronary disease: detection by radionuclide angiography (Baum et al). 1986; 112:858-9 (Brief communication)

Pulmonary embolism

Echocardiographic findings in patients with proved pulmonary embolism (Kasper et al). 1986; 112:1284-90

Pulmonary valve

Percutaneous transluminal balloon pulmonary valvuloplasty for the relief of pulmonary valve stenosis with special reference to double-balloon technique (Ali Khan et al). 1986; 112:158-66 (Prog. cardiol.)

Pulse wave velocity

Pulse wave velocity in patients with obesity and hypertension (Toto-Moukoko et al). 1986; 112:136-40

Pulsed Doppler echocardiography

Cooing intracardiac sound in a perforated porcine mitral valve detected by pulsed Doppler echocardiography (Kinney et al). 1986; 112:420-3 (Brief comm.)

Pulsed Doppler echocardiographic analysis of atrioventricular flow changes in patients with atrial myxomas (Vargas-Barron et al). 1986; 112:850-4 (Brief comm.)

Pump

Ventricular pump performance in patients with obstructed right ventricular-pulmonary artery conduits (Palik et al). 1986; 112:1271-8

Q**Q fever**

Q fever endocarditis presenting as myocardial infarction (Watt et al). 1986; 112:1333-5 (Brief comm.)

QRS complex

Narrow QRS ventricular tachycardia (Weiss and Stevenson). 1986; 112:843-7 (Brief comm.)

Observations on QRS alternans in a patient with two types of narrow QRS tachycardia (Morady et al). 1986; 112:615-8 (Brief comm.)

QT interval

The heart rate of Romano-Ward syndrome patients (Vincent). 1986; 112:61-4

Torsade de pointes: successful acute control by lidocaine and chronic control by tocainide in two patients—one each with acquired long QT and the congenital long QT syndrome (Bansal et al). 1986; 112:618-21 (Brief comm.)

Quinidine

Effect of quinidine and bretylium on defibrillation energy requirements (Dorian et al). 1986; 112:19-25

R**Radiation**

Isolated right heart tamponade following mediastinal irradiation (Gheorghide et al). 1986; 112:167-9 (Brief comm.)

Radionuclide

Comparison of contrast x-ray biplane cineangiography and technetium-99m radionuclide scans for measurement of ventricular volumes in human autopsy hearts (Palacios et al). 1986; 112:1032-9

Exercise radionuclide angiography in patients with mitral stenosis: value of right ventricular response (Morise and Goodwin). 1986; 112:509-17

Radionuclide—Cont'd

Exercise radionuclide ventriculography in evaluation of coronary artery disease (Clements et al). 1986; 112:582-8 (Prog. cardiol.)

Unsuspected partial anomalous pulmonary venous drainage in a patient with coronary disease: detection by radionuclide angiography (Baum et al). 1986; 112:858-9 (Brief comm.)

Ventricular systolic and diastolic impairment during pacing-induced myocardial ischemia in coronary artery disease: simultaneous hemodynamic, electrocardiographic, and radionuclide angiographic evaluation (Iskandrian et al). 1986; 112:382-91 (Curriculum cardiol.)

Recanalization

Clinically successful long-term laser coronary recanalization (Lee et al). 1986; 112:1323-5 (Brief comm.)

Rectal administration

Rectal administration of perforated nifedipine capsules to maintain an effective level of longer duration (Ishikawa et al). 1986; 112:1116-9 (Brief comm.)

Reentrant tachycardia

Exercise provocation of multiple reentrant tachycardias in a patient with permanent form of junctional tachycardia and intermittent ventricular preexcitation (Yeh et al). 1986; 112:1109-14 (Brief comm.)

Regurgitation

Dynamics of mitral regurgitation during nitroglycerin therapy: a Doppler echocardiographic study (Keren et al). 1986; 112:517-25

Rehabilitation

Attenuation of exercise training effects in patients taking beta blockers during early cardiac rehabilitation (Ciske et al). 1986; 112:1016-25

Renal vasodilation

Systemic and renal vasodilation after beta-adrenoceptor blockade with pindolol: a hemodynamic study on the onset and maintenance of its antihypertensive effect (van den Meirack et al). 1986; 112:368-74

Renin activity

Is single oral administration of captopril beneficial in screening for primary aldosteronism? (Muratani et al). 1986; 112:361-7

Reperfusion

Bradycardia and hypotension following reperfusion with streptokinase (Bezold-Jarisch reflex): a sign of coronary thrombolysis and myocardial salvage (Koren et al). 1986; 112:468-71

Effects of reperfusion on myocardial wall thickness, oxidative phosphorylation, and Ca^{++} metabolism following total and partial myocardial ischemia (Peng et al). 1986; 112:1238-44

Ventricular arrhythmias during reperfusion (Miller et al). 1986; 112:928-32

Respiration

Value of respiratory variations of right ventricular dimension in the identification of small atrial septal defects (secundum type) not requiring surgery: an echocardiographic study (Mauran et al). 1986; 112:548-53

Retinopathy

Abnormal cardiovascular response to exercise in young asymptomatic diabetic patients with retinopathy (Margonato et al). 1986; 112:554-60

Reviewers

Acknowledgment to reviewers. 1986; 112:1129-33

Rheumatic heart disease

HLA-DR typing and lymphocyte subset evaluation in rheumatic heart disease: a search for immune response factors (Anastasiou-Nana et al). 1986; 112:992-7

Right atrium

Right sinus of Valsalva aneurysm presenting as an echocardiographic right atrial mass (Atay et al). 1986; 112:169-72 (Brief comm.)

Right heart

Isolated right heart tamponade following mediastinal irradiation (Gheorghide et al). 1986; 112:167-9 (Brief comm.)

Right ventricle

Exercise radionuclide angiography in patients with mitral stenosis: value of right ventricular response (Morise and Goodwin). 1986; 112:509-17

The efficacy of cibenzoline and propafenone against inducible sustained and nonsustained ventricular tachycardias in conscious dogs with isolated chronic right ventricular infarction: a comparative study with procainamide (Karagueuzian et al). 1986; 112:1173-83

Long-term exercise and hemodynamic follow-up in patients

Right ventricle—Cont'd

- with previous right ventricular myocardial infarction (Brown et al). 1986; 112:1321-2 (Brief comm.)
- Primary right ventricular leiomyosarcoma producing outflow tract obstruction (Talley et al). 1986; 112:1335-8 (Brief comm.)
- The right ventricular outflow pouch with double-chambered right ventricle (Folger and Hajar). 1986; 112:423-4 (Brief comm.)
- Right ventricular systolic time intervals: comparison of echocardiographic and Doppler-derived values (Hsieh et al). 1986; 112:103-7
- Value of respiratory variations of right ventricular dimension in the identification of small atrial septal defects (secundum type) not requiring surgery: an echocardiographic study (Mauran et al). 1986; 112:548-53
- Value of two-dimensional echocardiography, electrocardiography, and clinical signs in detecting right ventricular infarction (Bellamy et al). 1986; 112:304-9
- Ventricular pump performance in patients with obstructed right ventricular-pulmonary artery conduits (Palik et al). 1986; 112:1271-8

Ring

- Digital subtraction angiography in the diagnosis of vascular rings (Otero-Cagide et al). 1986; 112:1304-8 (Prog. cardiol.)

Ring aneurysm

- Postoperative valve ring aneurysm formation, coronary arteritis, and myocardial infarction in systemic lupus erythematosus (Harrison et al). 1986; 112:414-7 (Brief comm.)

Risk

- Overall and coronary heart disease mortality rates in relation to major risk factors in 325,348 men screened for the MRFIT (Kannel et al). 1986; 112:825-36 (Prog. cardiol.)
- Physical activity and physical demand on the job and risk of cardiovascular disease and death: the Framingham Study (Kannel et al). 1986; 112:820-5 (Prog. cardiol.)

Romano-Ward syndrome

- The heart rate of Romano-Ward syndrome patients (Vincent). 1986; 112:61-4

Running

- Echocardiographic assessment of left ventricular performance before and after marathon running (Perrault et al). 1986; 112:1026-31
- Left ventricular dimensions and mechanics in distance runners (Mickelson et al). 1986; 112:1251-6

Rupture

- Acute rupture of the left anterior descending coronary artery secondary to percutaneous transluminal angioplasty (Goldman et al). 1986; 112:1325-8 (Brief comm.)
- Cardiac rupture before completed myocardial infarction (Bashour et al). 1986; 112:176-8 (Brief comm.)

S

Sarcolemmal membrane

- Electropharmacology of amiodarone: absence of relationship to serum, myocardial, and cardiac sarcolemmal membrane drug concentrations (Venkatesh et al). 1986; 112:916-22

Scan

- Comparison of contrast x-ray biplane cineangiography and technetium-99m radionuclide scans for measurement of ventricular volumes in human autopsy hearts (Palacios et al). 1986; 112:1032-9

Scleroderma

- Reduced coronary flow and resistance reserve in primary scleroderma myocardial disease (Nitenberg et al). 1986; 112:309-15

Septum

- Cross-sectional echocardiography in the evaluation of aortic valve prolapse associated with ventricular septal defect (Craig et al). 1986; 112:800-7
- Value of respiratory variations of right ventricular dimension in the identification of small atrial septal defects (secundum type) not requiring surgery: an echocardiographic study (Mauran et al). 1986; 112:548-53
- The interventricular septum in health and disease (Kaul). 1986; 112:568-81 (Curriculum cardiol.)

Sequential testing

- Circadian variations in the electrical properties of the human heart assessed by sequential bedside electrophysiologic testing (Cinca et al). 1986; 112:315-21

Serum

- The effects of captopril on serum digoxin and urinary urea and digoxin clearances in patients with congestive heart failure (Cleland et al). 1986; 112:130-5
- Electropharmacology of amiodarone: absence of relationship to serum, myocardial, and cardiac sarcolemmal membrane drug concentrations (Venkatesh et al). 1986; 112:916-22
- Serum lipids and apoproteins in students whose parents suffered prematurely from a myocardial infarction (De Backer et al). 1986; 112:478-94
- Serum myoglobin measured by latex agglutination: rapid test for exclusion of acute myocardial infarction (Schultz et al). 1986; 112:609 (Brief comm.)

Shear

- Relation of atherosclerosis to arterial wall shear in the left anterior descending coronary artery of man (Sabbah et al). 1986; 112:453-8

Sick sinus syndrome

- The human sinus nodal electrogram: techniques and clinical results of intra-atrial recordings in patients with and without sick sinus syndrome (Bethge and Gebhardt-Seehausen). 1986; 112:1074-82 (Prog. cardiol.)

Sinus node

- The human sinus nodal electrogram: techniques and clinical results of intra-atrial recordings in patients with and without sick sinus syndrome (Bethge and Gebhardt-Seehausen). 1986; 112:1074-82 (Prog. cardiol.)

Sinus of Valsalva

- Right sinus of Valsalva aneurysm presenting as an echocardiographic right atrial mass (Atay et al). 1986; 112:169-72 (Brief comm.)

Sinus tachycardia

- Sinus tachycardia-induced left ventricular dysfunction after VDD pacemaker implantation in a patient with congenital complete atrioventricular block (Sobczyk et al). 1986; 112:1102-5 (Brief comm.)

Spasm

- Coronary spasm presenting as syncope during ventricular demand pacing (Hart and Kern). 1986; 112:405-7 (Brief comm.)
- Episodic variant angina with sequential spasm of different coronary arteries (Koutoku et al). 1986; 112:404-5 (Brief comm.)
- Hyperventilation-induced coronary artery spasm (Kruyswijk et al). 1986; 112:613-5 (Brief comm.)
- Possible role of parasympathetic nervous system in the pathogenesis of exercise-induced coronary artery spasm (Kugiyama et al). 1986; 112:605-6 (Brief comm.)
- Profound hypotension and near syncope during coronary artery spasm (Huang et al). 1986; 112:841-3 (Brief comm.)

ST segment

- Anterior ST segment depression in acute inferior myocardial infarction as a marker of greater inferior, apical, and posterolateral damage (Ruddy et al). 1986; 112:1210-1
- Evaluation of coronary artery disease by an improved method of exercise electrocardiography: the ST segment/heart rate slope (Kligfield et al). 1986; 112:589-98 (Prog. cardiol.)
- Potential of nitroglycerin-induced ST segment elevation by beta-adrenergic blockade (Miller et al). 1986; 112:839-41 (Brief comm.)
- Relationship between changes in ST segment elevation and patency of the infarct-related coronary artery in acute myocardial infarction (Hackworthy et al). 1986; 112:279-84 (Clin. invest.)
- The ST segment/heart rate slope as a predictor of coronary artery disease: comparison with quantitative thallium imaging and conventional ST segment criteria (Finkelhor et al). 1986; 112:296-304
- Unstable angina: the significance of ST segment elevation or depression in patients without evidence of increased myocardial oxygen demand (Sclarovsky et al). 1986; 112:463-7 (Clin. invest.)

Stenosis

- Effect of diltiazem on coronary reactive hyperemia in patients with flow-limiting coronary artery stenosis (Foult et al). 1986; 112:1232-7
- Exercise radionuclide angiography in patients with mitral stenosis: value of right ventricular response (Morise and Goodwin). 1986; 112:509-17
- Percutaneous transluminal balloon pulmonary valvuloplasty for the relief of pulmonary valve stenosis with special reference to double-balloon technique (Ali Khan et al). 1986; 112:158-66 (Prog. cardiol.)

Stenosis—Cont'd

The significance of underlying coronary stenosis for recovery of myocardial function after transient ischemia in the dog (Akaishi et al). 1986; 112:1226-31

Successful balloon valvuloplasty for neonatal critical aortic stenosis (Lababidi and Weinhaus). 1986; 112:913-6

Value and limitations of Doppler ultrasound in the evaluation of aortic stenosis: A statistical analysis of 70 consecutive patients (Panidis et al). 1986; 112:150-8 (Progress in cardiology)

Stimulation

Discordance between ambulatory monitoring and programmed stimulation in assessing efficacy of mexiletine in patients with ventricular tachycardia (Kim et al). 1986; 112:14-9 (Clin. invest.)

Prognostic value of programmed electrical stimulation in patients with a recent episode of unstable angina (Kron et al). 1986; 112:1-8

The response of patients with complex ventricular arrhythmias secondary to dilated cardiomyopathy to programmed electrical stimulation (Stamato et al). 1986; 112:505-8

Streptokinase

Bradycardia and hypotension following reperfusion with streptokinase (Bezold-Jarisch reflex): a sign of coronary thrombolysis and myocardial salvage (Koren et al). 1986; 112:468-71

Effects of early intracoronary streptokinase on infarct size estimated from cumulative enzyme release and on enzyme release rate: a randomized trial of 533 patients with acute myocardial infarction (van der Laarse et al). 1986; 112:672-81

Stress

Cognitive stress and cardiovascular reactivity. II. Relationship to atherosclerosis, arrhythmias, and cognitive control (Cinciripini). 1986; 112:1051-65 (Curriculum cardiol.)

Cognitive stress and cardiovascular reactivity. I. Relationship to hypertension (Cinciripini). 1986; 112:1044-50 (Curriculum cardiol.)

Variability of results during repeat exercise stress testing in patients with stable angina pectoris: role of dynamic coronary flow reserve (Crea et al). 1986; 112:249-54

Stroke

Potential efficacy of calcium antagonists and heparin in patients with embolic stroke (Low et al). 1986; 112:1338-9 (Brief comm.)

Subendocardial infarction

Amiodarone as a cause of electrocardiographic changes simulating myocardial ischemia or subendocardial infarction (Rotstein et al). 1986; 112:1094-5 (Brief comm.)

Subtraction angiography

Digital subtraction angiography in the diagnosis of vascular rings (Otero-Cagide et al). 1986; 112:1304-8 (Prog. cardiol.)

The use of digital subtraction angiography in the evaluation of tetralogy of Fallot (Gordon et al). 1986; 112:89-96

Sudden death

Clinically occult "false-on-true" left ventricular aneurysm: association with late sudden death following mitral valve replacement (Sobczyk et al). 1986; 112:1090-2 (Brief comm.)

The impact of transtelephonic documentation of arrhythmia on morbidity and mortality rate in sudden death survivors (Chadda et al). 1986; 112:1159-65

Prognostic value of programmed electrical stimulation in patients with a recent episode of unstable angina (Kron et al). 1986; 112:1-8

Supraventricular tachycardia

Effective termination of reentrant supraventricular tachycardia by single dose oral combination therapy with pindolol and verapamil (Rose et al). 1986; 112:759-65

The pharmacodynamic and pharmacokinetic differences of the D- and L-isomers of verapamil: implications in the treatment of paroxysmal supraventricular tachycardia (Hoon et al). 1986; 112:396-403 (Prog. cardiol.)

Plasma levels of immunoreactive atrial natriuretic factor increase during supraventricular tachycardia (Nicklas et al). 1986; 112:923-8

Resolution of congestive cardiomyopathy caused by supraventricular tachycardia using amiodarone (Leman et al). 1986; 112:622-4 (Brief comm.)

Sympathetic nervous system

The sympathetic nervous system in essential hypertension (Tuck). 1986; 112:877-86 (Symposium)

Sympathomimetic

Enhanced ventricular ectopy following pindolol: an adverse effect of a beta blocker with intrinsic sympathomimetic activity (Binkley et al). 1986; 112:424-6 (Brief comm.)

Symposium

New considerations in mild hypertension. 1986; 112:871-912

Scientific and clinical experience with transdermal nitroglycerin. 1986; 112:197-248

Syncope

Coronary spasm presenting as syncope during ventricular demand pacing (Hart and Kern). 1986; 112:405-7 (Brief comm.)

Profound hypotension and near syncope during coronary artery spasm (Huang et al). 1986; 112:841-3 (Brief comm.)

Syndrome

Cardiac involvement, including tuberculous pericardial effusion, complicating acquired immune deficiency syndrome (D'Cruz et al). 1986; 112:1100-2 (Brief comm.)

Fibrinolytic therapy of acute myocardial infarction in the heparin thrombosis syndrome (Cummings et al). 1986; 112:407-9 (Brief comm.)

The heart rate of Romano-Ward syndrome patients (Vincent). 1986; 112:61-4

The human sinus nodal electrogram: techniques and clinical results of intra-atrial recordings in patients with and without sick sinus syndrome (Bethge and Gebhardt-Seehausen). 1986; 112:1074-82 (Prog. cardiol.)

Management of the hypoplastic left heart syndrome: a challenge to those who care for children with heart diseases (Riemenschneider). 1986; 112:864-7 (Editorial)

Morphologic determinants of coronary blood flow in the hypoplastic left heart syndrome (Lloyd et al). 1986; 112:666-71

Susceptibility to atrial fibrillation and ventricular tachyarrhythmia in the Wolff-Parkinson-White syndrome: role of the accessory pathway (Wasse et al). 1986; 112:1141-52

Unusual cardiac involvement in carcinoid syndrome (Schiller et al). 1986; 112:1322-3 (Brief comm.)

Systemic lupus erythematosus

Postoperative valve ring aneurysm formation, coronary arteritis, and myocardial infarction in systemic lupus erythematosus (Harrison et al). 1986; 112:414-7 (Brief comm.)

Systole

Abnormal systolic time intervals in obesity and their relationship with the amount of overweight (Romano et al). 1986; 112:356-60

The murmur of papillary muscle dysfunction in acute myocardial infarction: clinical features and prognostic implications (Maisei et al). 1986; 112:705-11

Right ventricular systolic time intervals: comparison of echocardiographic and Doppler-derived values (Hsieh et al). 1986; 112:103-7

Temporal relationship between early systolic closure of the aortic valve and aortic flow: experimental study with and without systolic anterior motion of the mitral valve (Sakurai and Tanaka). 1986; 112:113-21

Ventricular systolic and diastolic impairment during pacing-induced myocardial ischemia in coronary artery disease: simultaneous hemodynamic, electrocardiographic, and radionuclide angiographic evaluation (Iskandrian et al). 1986; 112:382-91 (Curriculum cardiol.)

T**Tachycardia**

Continuous lidocaine infusion in an ambulatory patient with recurrent ventricular tachycardia (Markel et al). 1986; 112:184-6 (Brief comm.)

Discordance between ambulatory monitoring and programmed stimulation in assessing efficacy of mexiletine in patients with ventricular tachycardia (Kim et al). 1986; 112:14-9

Discrimination of antegrade and retrograde atrial depolarization by electrogram analysis (Pannizzo et al). 1986; 112:780-6

Effective termination of reentrant supraventricular tachycardia by single dose oral combination therapy with pindolol and verapamil (Rose et al). 1986; 112:759-65

The efficacy of cibenzoline and propafenone against inducible sustained and nonsustained ventricular tachycardias in conscious dogs with isolated chronic right ventricular infarction: a comparative study with procainamide (Karagueuzian et al). 1986; 112:1173-83

Tachycardia—Cont'd

- Electrophysiologic and clinical factors influencing response to class 1A antiarrhythmic agents in patients with inducible sustained monomorphic ventricular tachycardia (Gold et al). 1986; 112:9-13
- Electrophysiologic testing of tocainide and mexiletine for ventricular tachycardia: assessment of the need to test both drugs (Miller et al). 1986; 112:1114-6 (Brief comm.)
- Enhanced survival in patients with heart failure and life-threatening ventricular tachyarrhythmias (Brodsky et al). 1986; 112:1166-72
- Exercise provocation of multiple reentrant tachycardias in a patient with permanent form of junctional tachycardia and intermittent ventricular preexcitation (Yeh et al). 1986; 112:1109-14 (Brief comm.)
- Exercise-related ventricular tachycardia in children (Bricker et al). 1986; 112:186-8 (Brief comm.)
- Hemodynamic effects of moricizine at rest and during supine bicycle exercise: results in patients with ventricular tachycardia and left ventricular dysfunction (Seals et al). 1986; 112:36-43
- Intravenous esmolol for the treatment of supraventricular tachyarrhythmias: results of a multicenter, baseline-controlled safety and efficacy study in 160 patients (Esmolol Research Group). 1986; 112:498-505
- Narrow QRS ventricular tachycardia (Weiss and Stevenson). 1986; 112:843-7 (Brief comm.)
- Observations on QRS alternans in a patient with two types of narrow QRS tachycardia (Morady et al). 1986; 112:615-8
- The pharmacodynamic and pharmacokinetic differences of the D- and L-isomers of verapamil: implications in the treatment of paroxysmal supraventricular tachycardia (Hoon et al). 1986; 112:396-403 (Prog. cardi.)
- Plasma levels of immunoreactive atrial natriuretic factor increase during supraventricular tachycardia (Nicklas et al). 1986; 112:923-8
- Prevalence of ventricular tachycardia in patients with different underlying heart diseases: a study by Holter ECG monitoring (Suyama et al). 1986; 112:44-51
- Refractory ventricular tachycardia with flecainide (Wynn et al). 1986; 112:174-5 (Brief comm.)
- Relative tachycardia in ambulant children with borderline hypertension (Mehta et al). 1986; 112:1257-63
- Resolution of congestive cardiomyopathy caused by supraventricular tachycardia using amiodarone (Leman et al). 1986; 112:622-4 (Brief comm.)
- Sinus tachycardia-induced left ventricular dysfunction after VDD pacemaker implantation in a patient with congenital complete atrioventricular block (Sobczyk et al). 1986; 112:1102-5 (Brief comm.)
- Susceptibility to atrial fibrillation and ventricular tachyarrhythmia in the Wolff-Parkinson-White syndrome: role of the accessory pathway (Waspe et al). 1986; 112:1141-52
- Triggered activity as a possible mechanism of ventricular tachycardia in mitral valve prolapse (Shenoy et al). 1986; 112:1339-42 (Brief comm.)
- Tamponade**
Isolated right heart tamponade following mediastinal irradiation (Gheorghiadu et al). 1986; 112:167-9 (Brief comm.)
- Taurine**
Beneficial effect of taurine in rabbits with chronic congestive heart failure (Takahara et al). 1986; 112:1278-84
- Technetium-99m**
Comparison of contrast x-ray biplane cineangiography and technetium-99m radionuclide scans for measurement of ventricular volumes in human autopsy hearts (Palacios et al). 1986; 112:1032-9
- Thallium-201/technetium-99m pyrophosphate overlap in patients with acute myocardial infarction after thrombolysis: prediction of depressed wall motion despite thallium uptake (Schofer et al). 1986; 112:291-5
- Temperature**
Increased uptake of transdermal glyceryl trinitrate during physical exercise and during high ambient temperature (Barkve et al). 1986; 112:537-41
- Testing**
Electrophysiologic testing of tocainide and mexiletine for ventricular tachycardia: assessment of the need to test both drugs (Miller et al). 1986; 112:1114-6 (Brief comm.)
- Exercise testing after correction of tetralogy of Fallot: the fallacy of a reduced heart rate response (Reybrouck et al). 1986; 112:998-1003

Testing—Cont'd

- Identification of multiple accessory pathways by exercise testing (Drory et al). 1986; 112:854-5 (Brief comm.)
- Tetralogy of Fallot**
Exercise testing after correction of tetralogy of Fallot: the fallacy of a reduced heart rate response (Reybrouck et al). 1986; 112:998-1003
- The use of digital subtraction angiography in the evaluation of tetralogy of Fallot (Gordon et al). 1986; 112:89-96
- Thallium**
Myocardial perfusion changes following 1 year of exercise training assessed by thallium-201 circumferential count profiles (Sebrechts et al). 1986; 112:1217-26
- The ST segment/heart rate slope as a predictor of coronary artery disease: comparison with quantitative thallium imaging and conventional ST segment criteria (Finkelhor et al). 1986; 112:296-304
- Thallium-201/technetium-99m pyrophosphate overlap in patients with acute myocardial infarction after thrombolysis: prediction of depressed wall motion despite thallium uptake (Schofer et al). 1986; 112:291-5
- Thermolysis**
Cardiac output estimates in the pediatric intensive care unit using a continuous-wave Doppler computer: validation and limitations of the technique (Rein et al). 1986; 112:97-103
- Thiopental**
Increased myocardial infarct size by thiopental after coronary occlusion in the dog (Jugdutt et al). 1986; 112:485-94
- Thoracic aorta**
Isolated thoracic aortic thrombosis in occult aortitis: diagnostic contribution of computed tomography (Greene et al). 1986; 112:178-81 (Brief comm.)
- Three-vessel disease**
Clinical course and risk stratification of myocardial infarct survivors with three-vessel disease (Castaner et al). 1986; 112:1201-9
- Thrombolysis; see also Thrombosis**
Bradycardia and hypotension following reperfusion with streptokinase (Bezold-Jarisch reflex): a sign of coronary thrombolysis and myocardial salvage (Koren et al). 1986; 112:468-71
- Coronary thrombolysis in patients with acute myocardial infarction by intravenous infusion of synergic thrombolytic agents (Collen et al). 1986; 112:1083-4 (Brief comm.)
- Fiberoptic observation of thrombolysis and thrombolysis in isolated human coronary arteries (Uchida et al). 1986; 112:691-5
- Thallium-201/technetium-99m pyrophosphate overlap in patients with acute myocardial infarction after thrombolysis: prediction of depressed wall motion despite thallium uptake (Schofer et al). 1986; 112:291-5
- Thrombolysis; see also Thrombosis**
Detection of thrombotic obstruction of a Björk-Shiley prosthesis by Doppler echocardiography (Barzilai et al). 1986; 112:1088-90 (Brief comm.)
- Echocardiographic detection of a left atrial thrombus in an infant with complex congenital heart disease (Wolf). 1986; 112:624-6 (Brief comm.)
- Fiberoptic observation of thrombolysis and thrombolysis in isolated human coronary arteries (Uchida et al). 1986; 112:691-5
- Fibrinolytic therapy of acute myocardial infarction in the heparin thrombolysis syndrome (Cummings et al). 1986; 112:407-9 (Brief comm.)
- Fibrinolytic treatment in thrombotic obstruction of a tilting disc prosthesis (Amann et al). 1986; 112:1084-7 (Brief comm.)
- Isolated and severe left main coronary atherosclerosis and thrombolysis: a complication of acute angle takeoff of the left main coronary artery (Menke et al). 1986; 112:1319-20 (Brief comm.)
- Isolated thoracic aortic thrombolysis in occult aortitis: diagnostic contribution of computed tomography (Greene et al). 1986; 112:178-81 (Brief comm.)
- Thromboxane synthetase inhibitor**
Development of an experimental model of acute myocardial infarction and the effects of a thromboxane synthetase inhibitor (OKY-046) (Tomoda). 1986; 112:696-704
- Thyrototoxicosis**
Continuous 24-hour electrocardiography in thyrototoxicosis before and after treatment (Northcote et al). 1986; 112:339-44

Tilting disc prosthesis

Fibrinolytic treatment in thrombotic obstruction of a tilting disc prosthesis (Amann et al). 1986; 112:1084-7 (Brief comm.)

Tocainide

Electrophysiologic testing of tocainide and mexiletine for ventricular tachycardia: assessment of the need to test both drugs (Miller et al). 1986; 112:1114-6 (Brief comm.)

Torsade de pointes: successful acute control by lidocaine and chronic control by tocainide in two patients—one each with acquired long QT and the congenital long QT syndrome (Bansal et al). 1986; 112:618-21 (Brief comm.)

Tomography

Determination of left ventricular ejection fraction using ultrafast computed tomography (Rick et al). 1986; 112:392-6 (Prog. cardiol.)

Isolated thoracic aortic thrombosis in occult aortitis: diagnostic contribution of computed tomography (Greene et al). 1986; 112:178-81 (Brief comm.)

Torsade de pointes

Efficacy of magnesium sulfate in the treatment of torsade de pointes (Perticone et al). 1986; 112:847-9 (Brief comm.)

Torsade de pointes: an unusual manifestation of chloral hydrate poisoning (Young et al). 1986; 112:181-4 (Brief comm.)

Torsade de pointes: successful acute control by lidocaine and chronic control by tocainide in two patients—one each with acquired long QT and the congenital long QT syndrome (Bansal et al). 1986; 112:618-21 (Brief comm.)

Transdermal administration

Clinical acceptability of transdermal clonidine: a large-scale evaluation by practitioners (Hollifield). 1986; 112:900-6 (Symposium)

The controversy over transdermal nitroglycerin: an update (Charash and Scheidt). 1986; 112:207-15 (Symposium)

Efficacy of clonidine as transdermal therapeutic system: the international clinical trial experience (Lowenthal et al). 1986; 112:893-900 (Symposium)

Increased uptake of transdermal glyceryl trinitrate during physical exercise and during high ambient temperature (Barkve et al). 1986; 112:537-41

Mechanisms and therapy of silent myocardial ischemia: the effect of transdermal nitroglycerin (Shell et al). 1986; 112:222-8 (Symposium)

A multicenter trial of transdermal nitroglycerin in exercise-induced angina: individual antianginal response after repeated administration (Muesan et al). 1986; 112:233-8 (Symposium)

Recent studies on transdermal nitroglycerin patch efficacy (Weber). 1986; 112:238-41 (Symposium)

The role of transdermal nitroglycerin in the treatment of coronary heart disease (Taylor). 1986; 112:197-207 (Symposium)

Some issues concerning transdermal nitroglycerin patches (Atkins). 1986; 112:229-32 (Symposium)

Transdermal antihypertensive therapy: clinical and metabolic considerations (Weber). 1986; 112:906-12 (Symposium)

Usefulness of intravenous and transdermal nitroglycerin therapy in patients with unstable angina (Flaherty). 1986; 112:220-1 (Symposium)

Transluminal angioplasty

Acute rupture of the left anterior descending coronary artery secondary to percutaneous transluminal angioplasty (Goldman et al). 1986; 112:1325-8 (Brief comm.)

Reversal of ischemic myocardial dysfunction by PTCA in a cardiac transplant patient (Wohlgeleitner et al). 1986; 112:837-9 (Brief comm.)

Transluminal angioplasty of anomalous coronary arteries (Bass et al). 1986; 112:610-3 (Brief comm.)

Transluminal balloon pulmonary valvuloplasty

Percutaneous transluminal balloon pulmonary valvuloplasty for the relief of pulmonary valve stenosis with special reference to double-balloon technique (Ali Khan et al). 1986; 112:158-66 (Prog. cardiol.)

Transmitral reversed blood flow

Transmitral reversed blood flow during mid- and end diastole in constrictive pericarditis (Isobe et al). 1986; 112:855-8 (Brief comm.)

Transmyocardial platelet

Differential transmyocardial platelet behavior in response to

Transmyocardial platelet—Cont'd

pacing and ergonovine-induced myocardial ischemia (Bugiardini et al). 1986; 112:255-62

Transplant

Reversal of ischemic myocardial dysfunction by PTCA in a cardiac transplant patient (Wohlgeleitner et al). 1986; 112:837-9 (Brief comm.)

Transposition of great arteries

Similarity of anomalous origin of right pulmonary artery from the ascending aorta to d-transposition of the great arteries: 2D echographic and Doppler study (Jureidini et al). 1986; 112:175-6 (Brief comm.)

Transtelephonic documentation

The impact of transtelephonic documentation of arrhythmia on morbidity and mortality rate in sudden death survivors (Chadda et al). 1986; 112:1159-65

Transvenous pacemaker

Dual-chamber transvenous pacemaker implantation via anomalous left superior vena cava (Zardo et al). 1986; 112:621-2 (Brief comm.)

Tricuspid valve

Successful tricuspid valvectomy without replacement for endocarditis during pregnancy (Schondelmeyer et al). 1986; 112:859-61 (Brief comm.)

Tricuspid valve endocarditis cured by excision of a single vegetation (Jagger et al). 1986; 112:626-7 (Brief comm.)

Triglyceride

The triglyceride issue: a view from Framingham (Castelli). 1986; 112:432-7 (Symposium)

Tuberculous pericardial effusion

Cardiac involvement, including tuberculous pericardial effusion, complicating acquired immune deficiency syndrome (D'Cruz et al). 1986; 112:1100-2 (Brief comm.)

Two-dimensional echocardiography

Cardiac involvement by lymphoma: detection and follow-up by two-dimensional echocardiography (Armstrong et al). 1986; 112:627-31 (Brief comm.)

Prognostic significance of vegetations detected by two-dimensional echocardiography in infective endocarditis (Buda et al). 1986; 112:1291-6 (Curriculum cardiol.)

Similarity of anomalous origin of right pulmonary artery from the ascending aorta to d-transposition of the great arteries: 2D echographic and Doppler study (Jureidini et al). 1986; 112:175-6 (Brief comm.)

Two-dimensional echocardiographic analysis of proximal left main coronary artery in humans (Vered et al). 1986; 112:972-6

Two-dimensional echocardiographic identification of left ventricular pseudoaneurysm (Saner et al). 1986; 112:977-84

Value of two-dimensional echocardiography, electrocardiography, and clinical signs in detecting right ventricular infarction (Bellamy et al). 1986; 112:304-9

Type A behavior

Alteration of type A behavior and its effect on cardiac recurrences in post myocardial infarction patients: summary results of the recurrent coronary prevention project (Friedman et al). 1986; 112:653-65

U**Ultrasound**

Value and limitations of Doppler ultrasound in the evaluation of aortic stenosis: a statistical analysis of 70 consecutive patients (Panidis et al). 1986; 112:150-8 (Prog. cardiol.)

Urea

The effects of captopril on serum digoxin and urinary urea and digoxin clearances in patients with congestive heart failure (Cleland et al). 1986; 112:130-5

V**Valsalva's sinus**

Right sinus of Valsalva aneurysm presenting as an echocardiographic right atrial mass (Atay et al). 1986; 112:169-72 (Brief comm.)

Valve

Clinically occult "false-on-true" left ventricular aneurysm: association with late sudden death following mitral valve

Valve—Cont'd

- replacement (Sobczyk et al). 1986; 112:1090-2 (Brief comm.)
- Cross-sectional echocardiography in the evaluation of aortic valve prolapse associated with ventricular septal defect (Craig et al). 1986; 112:800-7
- Dynamics of mitral regurgitation during nitroglycerin therapy: a Doppler echocardiographic study (Keren et al). 1986; 112:517-25
- Echocardiographic demonstration of pseudoaneurysm after mitral valve replacement (Lichtenberg et al). 1986; 112:417-8 (Brief comm.)
- Percutaneous transluminal balloon pulmonary valvuloplasty for the relief of pulmonary valve stenosis with special reference to double-balloon technique (Ali Khan et al). 1986; 112:158-66 (Prog. cardiol.)
- Postoperative valve ring aneurysm formation, coronary arteritis, and myocardial infarction in systemic lupus erythematosus (Harrison et al). 1986; 112:414-7 (Brief comm.)
- Successful tricuspid valvectomy without replacement for endocarditis during pregnancy (Schondelmeyer et al). 1986; 112:859-61 (Brief comm.)
- Temporal relationship between early systolic closure of the aortic valve and aortic flow: experimental study with and without systolic anterior motion of the mitral valve (Sakurai and Tanaka). 1986; 112:113-121
- Tricuspid valve endocarditis cured by excision of a single vegetation (Jagger et al). 1986; 112:626-7 (Brief comm.)
- Triggered activity as a possible mechanism of ventricular tachycardia in mitral valve prolapse (Shenoy et al). 1986; 112:1339-42 (Brief comm.)

Vascular responses

- Coronary vascular responses to hypoxia in the diabetic lamb: independence from adenosine and autonomic mechanisms (Downing et al). 1986; 112:273-9

Vascular rings

- Digital subtraction angiography in the diagnosis of vascular rings (Otero-Cagide et al). 1986; 112:1304-8 (Prog. cardiol.)

Vascular tissue

- The interaction between excimer laser energy and vascular tissue (Murphy-Chutorian et al). 1986; 112:739-44

Vasodilation

- Systemic and renal vasodilation after beta-adrenoceptor blockade with pindolol: a hemodynamic study on the onset and maintenance of its antihypertensive effect (van den Meirack et al). 1986; 112:368-74

VDD pacemaker

- Sinus tachycardia-induced left ventricular dysfunction after VDD pacemaker implantation in a patient with congenital complete atrioventricular block (Sobczyk et al). 1986; 112:1102-5 (Brief comm.)

Vegetation

- Prognostic significance of vegetations detected by two-dimensional echocardiography in infective endocarditis (Buda et al). 1986; 112:1291-6 (Curriculum cardiol.)
- Relation between the presence of echocardiographic vegetations and the complication rate in infective endocarditis (Lutas et al). 1986; 112:107-13
- Tricuspid valve endocarditis cured by excision of a single vegetation (Jagger et al). 1986; 112:626-7 (Brief comm.)

Velocity

- Pulse wave velocity in patients with obesity and hypertension (Toto-Moukoko et al). 1986; 112:136-40

Vena cava

- Dual-chamber transvenous pacemaker implantation via anomalous left superior vena cava (Zardo et al). 1986; 112:621-2 (Brief comm.)

Venous drainage

- Unsuspected partial anomalous pulmonary venous drainage in a patient with coronary disease: detection by radionuclide angiography (Baum et al). 1986; 112:858-9 (Brief comm.)

Ventricle; see also Ventricular arrhythmia

- Age-related changes in left ventricular diastolic performance (Iskandrian and Hakki). 1986; 112:75-8
- Clinically occult "false-on-true" left ventricular aneurysm: association with late sudden death following mitral valve replacement (Sobczyk et al). 1986; 112:1090-2 (Brief comm.)
- Comparison of contrast x-ray biplane cineangiography and technetium-99m radionuclide scans for measurement of ven-

Ventricle—Cont'd

- tricular volumes in human autopsy hearts (Palacios et al). 1986; 112:1032-9
- Coronary spasm presenting as syncope during ventricular demand pacing (Hart and Kern). 1986; 112:405-7 (Brief comm.)
- Cross-sectional echocardiography in the evaluation of aortic valve prolapse associated with ventricular septal defect (Craig et al). 1986; 112:800-7
- Daily variations of ECG and left ventricular parameters at exercise in patients with anginal attacks but normal coronary arteriograms (Sugishita et al). 1986; 112:728-38
- Determinants of the changes in left ventricular end-diastolic volume during upright exercises in patients with coronary artery disease (Iskandrian and Hakki). 1986; 112:441-6
- Determination of left ventricular ejection fraction using ultrafast computed tomography (Rick et al). 1986; 112:392-6 (Prog. cardiol.)
- Dynamic intracavitary echoes in left ventricular pseudoaneurysm (D'Cruz et al). 1986; 112:418-20 (Brief comm.)
- Echocardiographic assessment of left ventricular performance before and after marathon running (Perrault et al). 1986; 112:1026-31
- Effects of nitroglycerin in patients with angina, normal coronary arteries, and left ventricular hypertrophy (Laskey et al). 1986; 112:953-62
- The efficacy of cibenzoline and propafenone against inducible sustained and nonsustained ventricular tachycardias in conscious dogs with isolated chronic right ventricular infarction: a comparative study with procainamide (Karagueuzian et al). 1986; 112:1173-83
- Electrocardiographic alterations in leads V₁ to V₃ in the diagnosis of right and left ventricular infarction (Coma-Canella et al). 1986; 112:940-6
- Enhanced ventricular ectopy following pindolol: an adverse effect of a beta blocker with intrinsic sympathomimetic activity (Binkley et al). 1986; 112:424-6 (Brief comm.)
- Exercise provocation of multiple reentrant tachycardias in a patient with permanent form of junctional tachycardia and intermittent ventricular preexcitation (Yeh et al). 1986; 112:1109-14 (Brief comm.)
- Exercise radionuclide angiography in patients with mitral stenosis: value of right ventricular response (Morise and Goodwin). 1986; 112:509-17
- Exercise radionuclide ventriculography in evaluation of coronary artery disease (Clements et al). 1986; 112:582-8 (Prog. cardiol.)
- Hemodynamic effects of moricizine at rest and during supine bicycle exercise: results in patients with ventricular tachycardia and left ventricular dysfunction (Seals et al). 1986; 112:36-43
- Impaired regional diastolic distensibility in coronary artery disease: relations with dynamic left ventricular compliance (Pouleur et al). 1986; 112:721-8
- The influence of anatomic evolution of coronary artery disease on left ventricular contraction: an angiographic follow-up study of 300 nonoperated patients (Viesser et al). 1986; 112:963-72
- Intraoperative assessment of left ventricular heterogeneity (Douglas et al). 1986; 112:344-50
- Invasive calcific constrictive pericarditis simulating a left ventricular mass (Schwartz et al). 1986; 112:861-3 (Brief comm.)
- Laser ablation of normal and diseased human ventricle (Saksena et al). 1986; 112:52-60
- Left ventricular dimensions and mechanics in distance runners (Mickelson et al). 1986; 112:1251-6
- Left ventricular function in normal newborn infants and asymptomatic infants with neonatal polycythemia (Murphy et al). 1986; 112:542-7
- Left ventricular pressure/volume relationship in coronary artery disease (Iskandrian and Heo). 1986; 112:375-81 (Curriculum cardiol.)
- Long-term exercise and hemodynamic follow-up in patients with previous right ventricular myocardial infarction (Brown et al). 1986; 112:1321-2 (Brief comm.)
- Primary right ventricular leiomyosarcoma producing outflow tract obstruction (Talley et al). 1986; 112:1335-8 (Brief comm.)
- Quantitative assessment of temporal and spatial ventricular

Ventricle—Cont'd

wall motion in normal and infarcted human left ventricles (Chen et al). 1986; 112:712-21

The right ventricular outflow pouch with double-chambered right ventricle (Folger and Hajar). 1986; 112:423-4 (Brief comm.)

Right ventricular systolic time intervals: comparison of echocardiographic and Doppler-derived values (Hsieh et al). 1986; 112:103-7

Serial assessment of circumferential regional left ventricular function following complete coronary occlusion (Buda and Zotz). 1986; 112:447-52

Sinus tachycardia-induced left ventricular dysfunction after VDD pacemaker implantation in a patient with congenital complete atrioventricular block (Sobczyk et al). 1986; 112:1102-5 (Brief comm.)

Symptoms and tests of ventricular performance in the evaluation of chronic heart failure (Jafri et al). 1986; 112:194-6 (Editorial)

Two-dimensional echocardiographic identification of left ventricular pseudoaneurysm (Saner et al). 1986; 112:977-84

Value of respiratory variations of right ventricular dimension in the identification of small atrial septal defects (secundum type) not requiring surgery: an echocardiographic study (Mauran et al). 1986; 112:548-53

Value of two-dimensional echocardiography, electrocardiography, and clinical signs in detecting right ventricular infarction (Bellamy et al). 1986; 112:304-9

Ventricular pump performance in patients with obstructed right ventricular-pulmonary artery conduits (Palik et al). 1986; 112:1271-8

Ventricular systolic and diastolic impairment during pacing-induced myocardial ischemia in coronary artery disease: simultaneous hemodynamic, electrocardiographic, and radionuclide angiographic evaluation (Iskandrian et al). 1986; 112:382-91 (Curriculum cardiol.)

Ventricular arrhythmia

Comparison of intravenous mexiletine and lidocaine for the treatment of ventricular arrhythmias (Lui et al). 1986; 112:1153-8

Continuous lidocaine infusion in an ambulatory patient with recurrent ventricular tachycardia (Markel et al). 1986; 112:184-6 (Brief comm.)

Deleterious effects of bretylium on hemodynamic recovery from ventricular fibrillation (Euler et al). 1986; 112:25-31

Discordance between ambulatory monitoring and programmed stimulation in assessing efficacy of mexiletine in patients with ventricular tachycardia (Kim et al). 1986; 112:14-9

Effect of Fluosol-DA on infarct morphology and vulnerability to ventricular arrhythmia (Kolodgie et al). 1986; 112:1192-201

Effect of hypokalemia on susceptibility to ventricular fibrillation in the normal and ischemic canine heart (Hohnloser et al). 1986; 112:32-5

The efficacy of cibenzoline and propafenone against inducible sustained and nonsustained ventricular tachycardias in conscious dogs with isolated chronic right ventricular infarction: a comparative study with procainamide (Karagueuzian et al). 1986; 112:1173-83

Electrophysiologic and clinical factors influencing response to class 1A antiarrhythmic agents in patients with inducible sustained monomorphic ventricular tachycardia (Gold et al). 1986; 112:9-13

Electrophysiologic testing of tocainide and mexiletine for ventricular tachycardia: assessment of the need to test both drugs (Miller et al). 1986; 112:1114-6 (Brief comm.)

Enhanced survival in patients with heart failure and life-threatening ventricular tachyarrhythmias (Brodsky et al). 1986; 112:1166-72

Exercise-related ventricular tachycardia in children (Bricker et al). 1986; 112:186-8 (Brief comm.)

Ethmozine: electrophysiology, hemodynamics, and antiarrhythmic efficacy in patients with life-threatening ventricular arrhythmias (Dorian et al). 1986; 112:327-33

Hemodynamic effects of moricizine at rest and during supine

Ventricular arrhythmia—Cont'd

bicycle exercise: results in patients with ventricular tachycardia and left ventricular dysfunction (Seals et al). 1986; 112:36-43

Intolerance and ineffectiveness of mexiletine in patients with serious ventricular arrhythmias (Poole et al). 1986; 112:322-6

Narrow QRS ventricular tachycardia (Weiss and Stevenson). 1986; 112:843-7 (Brief comm.)

Prevalence of ventricular tachycardia in patients with different underlying heart diseases: a study by Holter ECG monitoring (Suyama et al). 1986; 112:44-51

Refractory ventricular tachycardia with flecainide (Wynn et al). 1986; 112:174-5 (Brief comm.)

The response of patients with complex ventricular arrhythmias secondary to dilated cardiomyopathy to programmed electrical stimulation (Stamato et al). 1986; 112:505-8

Survival to leave hospital from ventricular fibrillation (Dunn et al). 1986; 112:745-51

Susceptibility to atrial fibrillation and ventricular tachyarrhythmia in the Wolff-Parkinson-White syndrome: role of the accessory pathway (Waspe et al). 1986; 112:1141-52

Triggered activity as a possible mechanism of ventricular tachycardia in mitral valve prolapse (Shenoy et al). 1986; 112:1339-42 (Brief comm.)

Ventricular arrhythmias during reperfusion (Miller et al). 1986; 112:928-32

Verapamil

Effective termination of reentrant supraventricular tachycardia by single dose oral combination therapy with pindolol and verapamil (Rose et al). 1986; 112:759-65

The pharmacodynamic and pharmacokinetic differences of the D- and L-isomers of verapamil: implications in the treatment of paroxysmal supraventricular tachycardia (Hoon et al). 1986; 112:396-403 (Prog. cardiol.)

W**Wall**

Effects of reperfusion on myocardial wall thickness, oxidative phosphorylation, and Ca^{2+} metabolism following total and partial myocardial ischemia (Peng et al). 1986; 112:1238-44

Quantitative assessment of temporal and spatial ventricular wall motion in normal and infarcted human left ventricles (Chen et al). 1986; 112:712-21

Relation of atherosclerosis to arterial wall shear in the left anterior descending coronary artery of man (Sabbah et al). 1986; 112:453-8

Thallium-201/technetium-99m pyrophosphate overlap in patients with acute myocardial infarction after thrombolysis: prediction of depressed wall motion despite thallium uptake (Schofer et al). 1986; 112:291-5

Wolff-Parkinson-White syndrome

Susceptibility to atrial fibrillation and ventricular tachyarrhythmia in the Wolff-Parkinson-White syndrome: role of the accessory pathway (Waspe et al). 1986; 112:1141-52

Women

Effects of aerobic training on exercise tolerance and echocardiographic dimensions in untrained postmenopausal women (Morrison et al). 1986; 112:561-7

Work physiology

Physical activity and physical demand on the job and risk of cardiovascular disease and death: the Framingham Study (Kannel et al). 1986; 112:820-5 (Prog. cardiol.)

X**X-ray**

Comparison of contrast x-ray biplane cineangiography and technetium-99m radionuclide scans for measurement of ventricular volumes in human autopsy hearts (Palacios et al). 1986; 112:1032-9

